

# Isaac Regional Planning Scheme

Version 1.1

February 2021

Isaac Regional Council PO Box 97 MORANBAH QLD 4744

PHONE: 1300 ISAACS (1300 472 227)FAX: 07 4941 8666EMAIL: records@isaac.qld.gov.au



<page intentionally left blank>

# **Citation and commencement**

This planning scheme may be cited as the Isaac Regional Council planning scheme.

A notice was published in the Government Gazette: Volume 386 No. 38 on 19 March 2021 for the planning scheme for the Isaac Regional Council area.

The commencement date for the planning scheme was 1<sup>st</sup> April, 2021.

Amendments to the planning scheme are included at Appendix 2 Table of amendments.

#### Contents

Citati			encement	
Part 1		About the	planning scheme	8
	1.1	Introd	uction	8
	1.2	Planni	ing scheme components	8
	1.3	Interp	retation	10
		1.3.1	Definitions	
		1.3.2	Standard drawings, maps, notes, editor's notes and footnotes	
			Punctuation	
			Zones for roads, closed roads and reclaimed land	
	1.4		ories of development	
	1.5	Hierar	chy of assessment benchmarks	11
	1.6		ng work regulated under the planning scheme	
	1.7		government administrative matters	
			Mining tenements	
			Other documents incorporated in the planning scheme	
Part 2	) (		ning provisions	
i ait z	2.1		planning policy	
	2.2		nal plan	
	2.2		ated requirements	
Dort 2		•	•	
Part 3			iramework	
	3.1		ninary	
	3.2		gic intent	
		3.2.1	Overview	
			Isaac Region in 2036	
	~ ~		Places in the Isaac Region	
	3.3		ble communities	
			Strategic outcomes	
	3.4		se economy	
			Strategic outcomes	
	3.5		sting natural resources and the environment	
		3.5.1	Strategic outcomes	25
	3.6		r from natural and other hazards	
		3.6.1	Strategic outcomes	
	3.7		tructure for communities	
			Strategic outcomes	
Part 4			ernment infrastructure plan	
	4.1	Prelim	ninary	33
	4.2	Planni	ing assumptions	33
		4.2.1	Population and employment growth	36
		4.2.2	Development	36
		4.2.3	Infrastructure demand	37
	4.3	Priorit	y infrastructure area	37
	4.4	Desire	ed standards of service (DSS)	37
		4.4.1	Water supply network	37
		4.4.2	Sewerage network	41
		4.4.3	Transport network	45
		4.4.4	Public parks and land for community facilities network	48
	4.5	Plans	for trunk infrastructure	51
		4.5.1	Plans for trunk infrastructure maps	51
		4.5.2	Schedules of works	51
Part 5	5 7	Tables of a	assessment	
-	5.1		inary	
	5.2		ng the tables	
	5.3		ories of development and assessment	
	-	5.3.1	Process for determining the category of development and the category	
		assessme	ent for assessable development	

		5.3.2	Determining the category of development and categories of assessme 54	ent
		5.3.3	Determining the requirements for accepted development and	
			ent benchmarks and other matters for assessable development	55
	5.4		ories of development and assessment—Material change of use	
	0.1		Residential zones category	
			Centres zones category	
			Industry zones category	
			Recreation zone category	
			Environmental zones category	
			Other zones category	
	5.5		ories of development and assessment—Reconfiguring a lot	
	5.6		ories of development and assessment—Building work	
	5.7		ories of development and assessment—Operational work	
	5.8	Categ	ories of development and assessment—Overlays	.81
Part				
	6.1		ninary	
	6.2		codes	
		6.2.1	Residential zone category	.87
			Low density residential zone code	
			Low-medium density residential zone code	
			Centre zone category	
			Centre zone code	
		-	Industry zone category1	
			Industry zone code	
		6.2.3.2	Industry investigation zone code1	
		6.2.4	Recreation zone category	
			Recreation and open space zone code1	
		6.2.5	Environmental zone category1	
			Environmental management and conservation zone code	
			Other zone category1	
			Community facilities zone code	
			Emerging community zone code1	
		6.2.6.3	Limited development zone code1	30
		6.2.6.4	Minor tourism zone code	
			Rural zone code	
		6.2.6.6	Rural residential zone code1	
		6.2.6.7	Special purpose zone code	
		6.2.6.8	Specialised centre zone code	
		6.2.6.9	Township zone code	
Part 3	7 (		1	
i uit	7.1	-	ninary1	
	7.2		ay codes1	
	1.2		Acid sulphate soils overlay code1	
			Airport environs overlay code	
			Bushfire hazard overlay code1	
			Coastal hazard overlay code1	
			Environmental significance overlay code	
		7.2.6	Extractive resources and minerals overlay code	
			Flood hazard overlay code	
		7.2.8	Heritage overlay code	
			Regional infrastructure overlay code1	88
			Water resource catchments overlay code	
Part	8 I		ent codes1	
. art (	8.1	-	ninary1	
	8.2		odes1	
	0.2	8.2.1	Extractive industry code1	
		•·=··	Home based business code	
			Telecommunications facility use code	
	8.3		development codes	
	0.0	0.000		

8.3	B.1 Development works code		
8.3	3.2 Landscaping code	217	
8.3	B.3 Reconfiguring a lot code	221	
Part 9 Oth	Part 9 Other plans		
9.1	Galilee Basin State Development Area		
9.2	Moranbah Urban Development Area	230	
	efinitions		
	Use definitions		
	Administrative terms		
	lapping		
	Map index		
	Strategic framework maps		
	Zone maps		
	Overlay maps		
	Other plans maps		
	ocal government infrastructure plan mapping and supporting ma		
	C3.1 Planning assumption tables		
	3.2 Schedules of works		
	3.3 Local government infrastructure plan maps		
	lanning scheme policies		
	Planning scheme policy index		
	Development works		
	A.2.1 Purpose		
	A.2.2 Terminology		
	A.2.3 Documents included in this policy		
	Hazards planning scheme policy X4.3.1 Acid sulfate soils planning scheme policy		
30	24.3.2 Bushfire hazard planning scheme policy	200	
	4.3.3 Coastal hazard planning scheme policy		
	24.3.4 Potential hazardous dust planning scheme policy		
	A.3.5 Flood planning scheme policy		
	24.3.6 Landslide hazard planning scheme policy		
	ocal cultural heritage citations		
	Schedule 6 Designation of premises for development		
	Appendix 1Index and glossary of abbreviations and acronyms		
	Appendix 2Table of amendments		

# Tables

Table 4.4.5—Transport trunk infrastructure network inclusions	. 45
Table 4.4.6—Desired Standards of Service – Transport	. 46
Table 4.4.8—Desired Standards of Service – Public Parks and Land for CommunitFacilities49	у
Table 4.4.9—Public Parks and Land for Community Facilities design criteria	. 50
Table 4.4.10—Standard embellishments for Public Parks	. 51
List of extrinsic material	. 52
Table 5.4.1.1—Low density residential zone	. 57
Table 5.4.1.2—Low-medium density residential zone	. 58
Table 5.4.2.1—Centre zone	. 59
Table 5.4.3.1—Industry zone	. 61
Table 5.4.3.2—Industry investigation zone	. 63
Table 5.4.4.1—Recreation and open space zone	. 64
Table 5.4.5.1—Environmental management and conservation zone	. 65
Table 5.4.6.1—Community facilities zone	. 66
Table 5.4.6.2—Emerging community zone	. 68
Table 5.4.6.3—Limited development zone	. 69
Table 5.4.6.4—Minor tourism zone	. 70
Table 5.4.6.5—Rural zone	. 71
Table 5.4.6.6—Rural residential zone	. 73
Table 5.4.6.7—Special purpose zone	. 74
Table 5.4.6.8—Specialised centre zone	. 75
Table 5.4.6.9—Township zone	. 76
Table 5.5.1—Reconfiguring a lot	. 78
Table 5.7.1—Operational work	. 80
Table 5.8.1—Assessment benchmarks for overlays	. 81
Table 6.2.1.1.3—Accepted development subject to requirements and assessabledevelopment88	
Table 6.2.1.2.3(a)—Accepted development subject to requirements and assessabldevelopment92	е
Table 6.2.1.2.3(b)—Siting requirements	. 97
Table 6.2.2.1.3—Accepted development subject to requirements and assessabledevelopment99	
Table 6.2.3.1.3—Accepted development subject to requirements and assessabledevelopment106	
Table 6.2.3.2.3—Accepted development subject to requirements and assessabledevelopment112	
Table 6.2.4.1.3—Accepted development subject to requirements and assessabledevelopment116	
Table 6.2.5.1.3—Accepted development subject to requirements and assessabledevelopment119	

Table 6.2.6.1.3—Accepted development subject to requirements and assessabledevelopment121
Table 6.2.6.2.3—Accepted development subject to requirements and assessabledevelopment126
Table 6.2.6.3.3—Assessable development
Table 6.2.6.4.3—Accepted development subject to requirements and assessabledevelopment132
Table 6.2.6.5.3—Accepted subject to requirements and assessable development         136
Table 6.2.6.6.3—Accepted development subject to requirements and assessabledevelopment142
Table 6.2.6.7.3—Assessable development
Table 6.2.6.9.3—Accepted development subject to requirements and assessabledevelopment153
Table 7.2.1.3—Accepted development subject to requirements and assessabledevelopment158
Table 7.2.2.3—Accepted development subject to requirements and assessabledevelopment159
Table 7.2.3.3—Accepted development subject to requirements and assessabledevelopment162
Table 7.2.4.3(a)—Accepted development subject to requirements and assessabledevelopment167
Table 7.2.4.3(b)—Coastal Planning Levels for Clairview, Carmila Beach, Greenhill and St Lawrence 171
Table 7.2.4.3(c)—Recommended storm-tide event levels for essential communityinfrastructure171
Table 7.2.5.3—Accepted development subject to requirements and assessabledevelopment173
Table 7.2.6.3—Assessable development
Table 7.2.7.3(a)—Accepted development subject to requirements and assessabledevelopment181
Table 7.2.7.3(b)—Flood hazard categories    183
Table 7.2.7.3(c)—Recommended flood levels for community infrastructure
Table 7.2.8.3—Assessable development
Table 7.2.9.3—Assessable development
Table 7.2.10.3—Accepted development subject to requirements and assessabledevelopment196
Table 8.2.1.3—Assessable development
Table 8.2.2.3—Accepted development subject to requirements and assessabledevelopment202
Table 8.2.3.3—Accepted development subject to requirements and assessabledevelopment204
Table 8.3.1.3(a)—Accepted development subject to requirements and assessabledevelopment207
Table 8.3.1.3(b)—Car parking requirements    215
Table 8.3.2.3—Assessable development    217

Table 8.3.3.3(a)—Assessable development	. 222
Table 8.3.3.3(b)—Minimum lot size and dimensions	. 228
Table SC1.1.1—Index of use definitions	. 231
Table SC1.1.2—Use definitions	. 232
Table SC1.1.1.1—Index of defined activity groups	. 253
Table SC1.1.1.2—Defined activity groups	. 253
Table SC1.1.2.1—Industry thresholds	. 255
Table SC1.2.1—Index of administrative terms and definitions	. 258
Table SC1.2.2—Administrative terms and definitions as per the regulatedrequirements258	
Table SC2.1.1—Map index	. 263
Table SC3.1.1—Existing and projected population	. 268
Table SC3.1.2—Existing and projected employees	. 270
Table SC3.1.3—Planned density and demand generation rate for a trunk           infrastructure network	. 273
Table SC3.1.4—Existing and projected residential dwellings	. 274
Table SC3.1.5—Existing and projected non-residential floor space	. 276
Table SC3.1.6—Existing and projected demand for the water supply network	. 279
Table SC3.1.7—Existing and projected demand for the sewerage network	. 279
Table SC3.1.8—Existing and projected demand for the transport network	. 280
Table SC3.1.9—Existing and projected demand for the parks and land for commu facilities network 280	unity
Table SC3.2.1—Water supply network schedule of works	. 281
Table SC3.2.2—Sewerage network schedule of works	. 281
Table SC3.2.3—Transport network schedule of works	. 282
Table SC3.2.4—Parks and land for community facilities schedule of works	. 283
Table SC3.3.1—Map index	. 284
Table SC4.1.1—Planning scheme policy index	. 285
Table SC4.3.1—Planning scheme policy index	. 286
Table SC6.1 – Designation of premises for development of infrastructure under           section 42 of the Act	. 312
Table AP1.1—Abbreviations and acronyms	. 320
Table AP2.1—Table of amendments	. 321

# Part 1 About the planning scheme

## 1.1 Introduction

- (1) The Isaac Regional Council planning scheme (planning scheme) has been prepared in accordance with the *Planning Act 2016* (the Act) as a framework for managing development in a way that advances the purpose of the Act.
- (2) The planning scheme applies to the planning scheme area of Isaac Regional Council including all premises, roads, internal waterways and local government tidal areas and interrelates with the surrounding local government areas illustrated on **Map LM1**—**Locality Map** in Schedule 2 (SC2.5).

Editor's note—The boundaries of the local government area are described by the maps referred to within the *Local Government Regulation 2012*.

Editor's note—State legislation may state that the planning scheme does not apply to certain areas, e.g. strategic port land under the *Transport Infrastructure Act 1994* and State development areas.

Editor's note—The planning scheme does not apply to Commonwealth Land, eg. Department of Defence bases, training areas and ranges which are regulated under the *Defence Act 1901* (Commonwealth).

# 1.2 Planning scheme components

- (1) The planning scheme comprises the following components:
  - (a) about the planning scheme
  - (b) state planning provisions
  - (c) the strategic framework
  - (d) the local government infrastructure plan
  - (e) tables of assessment
  - (f) the zones and, where applicable, zone precincts specified in **Table 1.2.1 (Zones** and zone precincts) below.

#### Table 1.2.1—Zones and zone precincts

Zone	es and zone precincts
Resi	dential zones category
(a) (b)	Low density residential zone Low-medium density residential zone
Cent	tre zones category
(a)	Centre zone, including: (i) Moranbah centre precinct
Indu	stry zones category
(a) (b)	Industry zone Industry investigation zone
Recr	reation zones category
(a)	Recreation and open space zone
Envi	ronmental zones category
(a)	Environmental management and conservation zone
Othe	er zones category
(a) (b) (c) (d) (e) (f) (g) (h) (i)	Community facilities zone Emerging community zone Limited development zone Minor tourism zone Rural zone Rural residential zone Special purpose zone, including: (i) Air services precinct Specialised centre zone Township zone, including:

#### Zones and zone precincts

#### (j) Holiday and Residence precinct

- (g) there are no local plans
- (h) the overlays specified in Table 1.2.2 (Overlays) below

#### Table 1.2.2—Overlays

#### Overlays

- (a) Acid sulphate soils overlay
- (b) Agriculture land overlay
- (c) Airport environs overlay
- (d) Bushfire hazard overlay
- (e) Coastal hazard overlay
- (f) Environmental significance overlay
- (g) Extractive resources and minerals overlay
- (h) Flood hazard overlay
- (i) Potential hazardous dust level overlay
- (j) Regional infrastructure overlay
- (k) Water resource catchments overlay
  - (i) the development codes specified in Table 1.2.3 (Development codes) below

#### Table 1.2.3—Development codes

Development codes				
Use codes				
(a)	Extractive industry code			
(b)	Home based business code			
(c)	Telecommunications facility use code			
Othe	Other development codes			
(a)	Development works code			
(b)	Landscaping code			
(c)	Reconfiguring a lot code			

- (j) the following other plans:
  - (i) Galilee Basin State Development Area development scheme
  - (ii) Moranbah Urban Development Area Development Scheme
  - Editor's note-Refer to Part 9 of this planning scheme.
- (k) schedules and appendices
- (2) The following planning scheme policies specified in **Table 1.2.4 (Planning scheme policies)** below support the planning scheme:

#### Table 1.2.4—Planning scheme policies

Planning scheme policies			
Planning scheme policies relating to Part 7 (Overlay codes)			
(a)	Planning scheme policy for Hazards		
Planning scheme policies relating to Part 8 (Development codes)			
(a)	Planning scheme policy for Development works		

# 1.3 Interpretation

#### 1.3.1 Definitions

- (1) A term used in the planning scheme has the meaning assigned to that term by one of the following:
  - (a) the *Planning Act 2016* (the Act)
  - (b) the Planning Regulation 2017 (the Regulation)
  - (c) the definitions in **Schedule 1 (Definitions)** of the planning scheme
  - (d) the Acts Interpretation Act 1954
  - (e) the ordinary meaning where that term is not defined in any of the above.
- (2) In the event a term has been assigned a meaning in more than one of the instruments listed in sub-section 1.3.1(1), the meaning contained in the instrument highest on the list will prevail.
- (3) A reference in the planning scheme to any act includes any regulation or instrument made under it, and where amended or replaced, if the context permits, means the amended or replaced act.
- (4) A reference in the planning scheme to a specific resource document or standard, means the latest version of the resource document or standard.
- (5) A reference to a part, section, table or schedule is a reference to a part, section, table or schedule of the planning scheme.

Editor's note–In accordance with section 16(3) of the Act the regulated requirements apply to this planning scheme to the extent of any inconsistency with the planning scheme.

#### 1.3.2 Standard drawings, maps, notes, editor's notes and footnotes

- (1) Standard drawings contained in codes or schedules are part of the planning scheme.
- (2) Maps provide information to support the outcomes and are part of the planning scheme.
- (3) Notes are identified by the title 'note' and are part of the planning scheme.
- (4) Editor's notes and footnotes are extrinsic material, as per the *Acts Interpretation Act 1954*, and are identified by the title 'editor's note' and 'footnote' and are provided to assist in the interpretation of the planning scheme; they do not have the force of law.

Note–This is an example of a note. Editor's note–This is an example of an editor's note. Footnote<sup>1</sup>–See example at bottom of page.

## 1.3.3 Punctuation

- (1) A word followed by ';' or ', and' is considered to be 'and'
- (2) A word followed by '; or' means either or both options can apply.

#### 1.3.4 Zones for roads, closed roads and reclaimed land

- (1) The following applies to a road, closed road or reclaimed land in the planning scheme area:
  - (a) if adjoined on both sides by land in the same zone—the road, closed road or reclaimed land is in the same zone as the adjoining land
  - (b) if adjoined on one side by land in a zone and adjoined on the other side by land in another zone—the road, closed road or reclaimed land is in the same zone as

<sup>&</sup>lt;sup>1</sup> Footnote—this is an example of a footnote.

the adjoining land when measured from a point equidistant from the adjoining boundaries

- (c) if the road, closed road or reclaimed land is adjoined on one side only by land in a zone—the entire reclaimed land is in the same zone as the adjoining land
- (d) if the road, closed road or reclaimed land is covered by a zone then that zone applies.

Editor's note—The boundaries of the local government area are described by the maps referred to in the Local Government Regulation 2012.

## 1.4 Categories of development

- (1) The categories of development under the Act are:
  - (a) accepted development

Editor's note—A development approval is not required for development that is accepted development. Under section 44(6)(a) of the Act, if a categorising instrument does not apply a category of development to a particular development, the development is accepted development. Schedule 7 of the Regulation also prescribes accepted development.

Editor's note—In this planning scheme, some development is categorised as accepted, subject to meeting certain requirements. These requirements are identified in the tables of assessment and in the relevant codes.

- (b) assessable development:
  - (i) code assessment
  - (ii) impact assessment

Editor's note—A development approval is required for assessable development. Schedules 9, 10 and 12 of the Regulation also prescribe assessable development.

(c) prohibited development.

Editor's note—A development application may not be made for prohibited development. The Regulation prescribes prohibited development.

(2) The planning scheme states the category of development for certain types of development, and specifies the category of assessment for assessable development in the planning scheme area in **Part 5 (Tables of assessment)**.

Editor's note—Section 43 of the Act identifies that a categorising instrument categorises development and specifies categories of assessment and may be a regulation or local categorising instrument. A local categorising instrument includes a planning scheme, a Temporary Local Planning Instrument or a variation approval.

# 1.5 Hierarchy of assessment benchmarks

- (1) Where there is inconsistency between provisions in the planning scheme, the following rules apply:
  - (a) the strategic framework prevails over all other components to the extent of the inconsistency for impact assessment
  - (b) relevant codes as specified in schedules 6 and 10 of the Regulation prevail over all other components to the extent of the inconsistency
  - (c) overlays prevail over all other components (other than the matters mentioned in (a) and (b)) to the extent of the inconsistency
  - (d) zone codes prevail over use codes and other development codes to the extent of the inconsistency
  - (e) provisions of **Part 9 (Other Plans)** may override any of the above.

# **1.6** Building work regulated under the planning scheme

- (1) Section 17(b) of the Regulation identifies the assessment benchmarks for building work that a local planning instrument must not change the effect to the extent the building work is regulated under the building assessment provisions, unless permitted under the *Building Act 1975*.
- (2) The building assessment provisions are listed in section 30 of the Building Act 1975.

Editor's note—The building assessment provisions are stated in section 30 of the *Building Act* 1975 and are assessment benchmarks for the carrying out of building assessment work or building work that is accepted development subject to any requirements (see also section 31 of the *Building Act* 1975).

# (3) This planning scheme, through **Part 5 (Tables of assessment)**, regulates building work in accordance with sections 32 and 33 of the *Building Act 1975*.

Editor's note—The *Building Act 1975* permits planning schemes to:

- regulate, for the Building Code of Australia (BCA) or the Queensland Development Code (QDC), matters
  prescribed under a regulation under the *Building Act* 1975 (section 32). These include variations to provisions
  contained in parts MP1.1, MP 1.2 and MP 1.3 of the QDC such as heights of buildings related to obstruction and
  overshadowing, siting and design of buildings to provide visual privacy and adequate sight lines, on-site parking
  and outdoor living spaces. It may also regulate other matters, such as designating land liable to flooding,
  designating land as bushfire prone areas and transport noise corridors
- deal with an aspect of, or matter related or incidental to building work prescribed under a regulation under section 32 of the Building Act 1975
- specify alternative boundary clearances and site cover provisions for Class 1 and 10 structures under section 33 of the *Building Act 1975*.

Refer to schedule 9 of the Regulation to determine assessable development, the type of assessment and any referrals applying to the building work.

#### (4) There are no building assessment provisions in this planning scheme.

Editor's note—A decision in relation to building work that is assessable development under the planning scheme should only be issued as a preliminary approval. See section 83(b) of the *Building Act* 1975.

Editor's note—In a development application, the applicant may request a preliminary approval for building work. The decision on that development application can also be taken to be a referral agency's response under section 56 of the Act, for building work assessable against the *Building Act 1975*. The decision notice must state this.

## **1.7** Local government administrative matters

#### **1.7.1** Mining tenements

- (1) The Planning Act does not apply to development in mining tenements authorised under the *Mineral Resources Act 1989*, other than for administrating IDAS for the Heritage Act, in relation to a Queensland heritage place.
- (2) Details of the mining tenements may be obtained from the chief executive of the department in which the *Mineral Resources Act 1989* is administered.

## 1.7.2 Other documents incorporated in the planning scheme

(3) **Table 1.7.2.1 (Overlay mapping in the SPP interactive mapping system)** identifies overlays or overlay elements depicted in the State Planning Policy (SPP) interactive mapping system (plan making) that are referenced and incorporated in the planning scheme.

Overlay SPP interactive mapping system reference				
Agriculture land overlay	The following 'Agriculture' elements (mapped under the			
	economic growth theme):			
	(a) important agricultural areas;			
	(b) Land Classification (ALC) Class A and Class B land;			
	(c) stock route network.			
Airport environs overlay	The following 'Strategic airports and aviation facilities' elements			
	(mapped under the 'Infrastructure' theme):			
	(a) obstacle limitation surfaces (OLS);			
	(b) airport public safety areas;			
	(c) lighting area buffer and wildlife hazard buffer zones; and			
	(d) aviation facilities and associated building restricted areas.			
Bushfire hazard overlay	The following 'Natural hazards risk and resilience' elements			
	(mapped under the 'Hazards and safety' theme):			
	(a) medium, high and very high bushfire hazard areas.			
Coastal hazard overlay	Coastal management district (mapped under the 'Environment			
	and heritage' theme, subsection 'Coastal environment').			
	The following 'Natural hazards risk and resilience' elements			
	(mapped under the 'Hazards and safety' theme):			
	(a) erosion prone areas;			
	(b) medium and high storm tide inundation areas.			
Environmental	The following 'biodiversity' elements (mapped under the			
significance overlay	'Environment and heritage' theme):			
significance overlay	(a) matters of State Environmental Significance (MSES).			
Extractive resources and	The following 'Mining and extractive resources' elements			
minerals overlay	(mapped under the 'Economic growth' theme):			
minerals evenag	(a) resource/processing areas;			
	(b) resource separation areas; and			
	(c) transport route separation areas.			
Regional infrastructure	(a) Major electricity infrastructure and electricity substations			
overlay	(mapped under the 'Infrastructure' theme, subsection			
overlay	'Energy and water supply – major electricity			
	infrastructure');			
	(b) State controlled road and railway corridors (mapped under			
	the 'Infrastructure' theme, subsection 'State transport			
	infrastructure'); and			
Water resource	(a) Water catchment boundaries			
catchments overlay				
saterinonto ovonay				

Table 1.7.2.1—Overlay mapping in the SPP interactive mapping system

# Part 2 State planning provisions

# 2.1 State planning policy

The Minister has identified that the state planning policy July 2017 is integrated in the planning scheme in the following ways:

# State interests in the state planning policy appropriately integrated excluding Strategic Ports

Editor's note–In accordance with section 8(4)(a) of the Act the State Planning Policy applies to the extent of any inconsistency.

# 2.2 Regional plan

The Minister has identified that the planning scheme, specifically the strategic framework, appropriately advances the Mackay, Isaac, Whitsunday Regional Plan 2012, as it applies in the planning scheme area.

# 2.3 Regulated requirements

The regulated requirements prescribed in the Planning Regulation 2017 are appropriately reflected in full in the planning scheme.

Editor's note—Section 16(3) of the Act states that the contents prescribed by the Regulation apply instead of a local planning instrument, to the extent of any inconsistency.

# Part 3 Strategic framework

# 3.1 Preliminary

- (1) The strategic framework sets the policy direction for the planning scheme and forms the basis for ensuring appropriate development occurs in the planning scheme area for the life of the planning scheme.
- (2) Mapping for the strategic framework is included in Schedule 2 (SC2.2).
- (3) For the purpose of describing the policy direction for the planning scheme, the strategic framework is structured in the following way:
  - (a) the strategic intent
  - (b) the following five themes that collectively represent the policy intent of the scheme:
    - (i) liveable communities
    - (ii) diverse economy
    - (iii) protecting natural resources and the environment
    - (iv) safety from natural and other hazards
    - (v) infrastructure for communities
- (4) the strategic outcomes proposed for development in the planning scheme area for each theme.
- (5) Although each theme has its own section, the strategic framework in its entirety represents the policy intent for the planning scheme.

## 3.2 Strategic intent

#### 3.2.1 Overview

- (1) Isaac Region is diverse geographically, climatically and economically.
- (2) The diversity gives rise to a range of land uses; from intensive aquaculture, agricultural and small scale settlements on the coast; to broad hectare grazing, cropping, mining and larger urban settlements inland.
- (3) Global policy and market influences are felt directly within Isaac's communities and economy. In turn, our communities and economy play an important role in meeting global energy and resource commodity needs. We are, *'helping to energise the world.'*
- (4) Our region has a strong historical, current and future connection with mining and the resources sector<sup>2</sup>. The Isaac Region is the heart of the Bowen Basin mining and exploration activity and is a major gateway to those activities in the Galilee Basin.
- (5) This connection brings with it economic and social dynamism which influences the demographic make up and the economic performance of the region.
- (6) Our towns and communities need to be adaptable and resilient to respond to this dynamism and to continue to thrive as our economy and society changes.
- (7) The permanent resident and the non-resident worker populations of the region's towns are significantly influenced by the extent of resource activity and the workforce policy of resource companies. Population fluctuations during the life of the planning scheme are challenging to predict because of the sensitivity to these external commercial considerations.<sup>3</sup>

<sup>&</sup>lt;sup>2</sup> Mineral or gas exploration and extraction activities and associated authorised activities are not regulated by the Isaac Regional Planning Scheme. These activities are regulated by the Queensland Government under a range of State legislation including the Mineral Resources Act 1989 and the State Development and Public Works Organisation Act 1971.

<sup>&</sup>lt;sup>3</sup> The Queensland Government Statistician's Office estimated the region's permanent resident population at June 2016 at 24,795. Official 'medium series' projections estimate growth to a resident population of 31,933 by 2036.

- (8) Projections by the Qld Government for non-resident workers on shift from 2017 2023 identify that the Isaac Region will continue to have the largest share of the Bowen Basin's non-resident workers on shift, albeit less than the peak in 2012.<sup>4</sup>
- (9) Up to 30,000 beds of Workforce accommodation are estimated to be constructed or approved in the region<sup>5</sup> and is indicated on Strategic Framework Map SFM1. In this context, need for further development of Workforce accommodation must be demonstrated.
- (10) Strategies which seek to further diversify economic activity, (capitalising on the natural diversity and competitive advantages of the region) and in doing so moderate dynamism and build social and economic resilience in the region, will support sustained prosperity.
- (11) Our region is a region where economic activity and entrepreneurial initiative are supported and encouraged. Adaptable centres, industrial areas and infrastructure support existing and emerging activities.
- (12) The region's industries are also adaptable, providing materials and services to the resources and agricultural sectors. Industry areas within the region's towns capitalise on close proximity to these activities.
- (13) Agricultural and grazing activities are influenced by access to water and defined climatic variations across the region resulting in diverse practices, produce and opportunities for primary production based industries.
- (14) Climatic variations also result in differences in the extent of natural hazards, such as flood, bushfire and coastal hazards experienced in the region. Our region can experience extreme events in the form of cyclones, droughts and flooding rains.
- (15) Historical centres, established to support the first waves of mining and pastoralism in the region in the 1860's such as Clermont, St Lawrence and Nebo now provide a range of services to urban and rural communities and the agricultural and resource sectors.
- (16) Moranbah, Dysart, Middlemount and Glenden are centres established in the 1970's which provide a range of urban and administrative services to the community and the resources sector.
- (17) Coppabella, as a privately owned railway settlement, has a specific role in servicing the railway operating in the area but is not intended it expand beyond this role.
- (18) Coastal townships and localities are important focal points for communities and agricultural, lifestyle and tourism activities in these areas.

#### 3.2.2 Isaac Region in 2036

- (1) Moranbah is the region's largest administrative centre providing diverse urban and community services and infrastructure, supporting the local and regional community, including small and medium businesses, education, health, government and administrative services, regional facilities and tourism and visitor facilities.
- (2) Moranbah, Clermont, Nebo, Middlemount, Dysart and Glenden are resilient towns providing a wide range of housing, small business, industry and employment opportunities. Urban services and infrastructure support permanent residents, non-resident workers and visitors to the region.
- (3) Urban settlements do not occur outside these towns.
- (4) Our towns are attractive, liveable and supportive of thriving communities and economic activity.

<sup>&</sup>lt;sup>4</sup> Depending on the progression of resource projects, the 2016 non-resident population of 9,450 persons may decline to 8,570 persons or increase to 13,310 persons by 2023. These estimates represent a substantial decline from the peak in 2012 of 17,130 persons.

<sup>&</sup>lt;sup>5</sup> Queensland Government analysis identifies that as at June/July 2016 there were 19,105 "Worker Accommodation Village" beds constructed in the region.


- (5) The region's towns, townships and localities provide the setting for vibrant social and cultural activities which enrich the lifestyle of residents and visitors to the region.
- (6) The region's towns support a range of industries providing materials and services to meet the needs of communities and the industry sectors operating within the region.
- (7) The locality of Coppabella is a railway settlement that provides housing and small scale convenience services, limited in scale to only meet the operational needs of the railways in the region. It does not grow to become an urban area or township that provides housing or services beyond that required of railway operations.
- (8) Carmila services growing tourism, rural and township activities building on existing community facilities, and proximity to major transport infrastructure.
- (9) St Lawrence is one of the region's earliest settlements. It has an important role as the centre within which local government services are provided to the coastal areas.
- (10) Development in other coastal townships is constrained by available infrastructure (Greenhill), natural hazard risks (Clairview and Carmila Beach) and surrounding environmental values.
- (11) Land uses which are sensitive to severe coastal hazard risks do not establish or expand at Clairview or Carmila Beach.
- (12) Rural residential areas at Clermont, Nebo and Greenhill provide housing and lifestyle choice for residents transitioning between rural and urban lifestyles. Rural residential activities do not occur outside these locations.
- (13) Infrastructure is provided to support the health and wellbeing of residents and visitors to the region and to support the safe operation of industry.
- (14) Community infrastructure provides a focal point for community activity in localities across the region including: Clarke Creek, Coppabella, Flaggy Rock, Kilcummin, Mackenzie River, Mistake Creek, Twin Hills, Lotus Creek and Valkyrie.
- (15) The region's economy, in addition to the positive contribution from mining activities, includes thriving rural enterprises incorporating cattle grazing and cropping activities and a wide range of complementary value adding rural industries and diversified tourism activities within the capacity of rural infrastructure networks.
- (16) Productivity of the region's rural areas is enhanced through access to reliable and affordable agricultural water supplies.
- (17) Rural areas support mining activities, renewable energy facilities, infrastructure and hazardous activities that cannot be located within urban areas in locations that do not impact upon surrounding sensitive land uses.
- (18) Extractive industry operations<sup>6</sup> occur within identified Key Resource Areas or in rural areas where environmental impacts and impacts on infrastructure can be avoided or mitigated.
- (19) The region's towns and rural areas provide opportunities for traditional owners to undertake cultural activities on country.
- (20) Development avoids or mitigates to an acceptable or tolerable level the risks associated with current and future natural hazards and is safe from other hazards affecting community health and wellbeing.
- (21) The cumulative impacts<sup>7</sup> of development in the region is managed to avoid intolerable or unacceptable health, safety and amenity impacts on residents and visitors to the region.

<sup>&</sup>lt;sup>6</sup> Related to hard rock, sand or gravel extraction only. Mineral or gas exploration and extraction activities and associated authorised activities are not regulated by the Isaac Regional Planning Scheme. These activities are regulated by the Queensland Government under a range of State legislation including the Mineral Resources Act 1989 and the State Development and Public Works Organisation Act 1971.

- (22) The region's natural environment supports recreation and cultural activities, tourism and primary production in keeping with the environmental values.
- (23) Development and infrastructure mitigates impacts on cultural heritage, water quality and natural environmental values.
- (24) Land use and land management practices support improvements to water quality in the catchments of the Fitzroy, Burdekin, Styx and a small area of the Pioneer River and Plane Creek which flow to water supply catchments and the Great Barrier Reef.

#### 3.2.3 Places in the Isaac Region

(1) Isaac is a diverse region which contains many distinct places. The Isaac Places model is a summary of how land use and development is anticipated across the region within these distinct places.



Places	Description	Location in the region
Natural	These areas will remain dominated by the natural environment containing mostly undisturbed natural conditions. These areas will not accommodate urban development but could accommodate tourism and other compatible commercial uses on private land where impacts can be suitably managed.	Various conservation reserves and adjoining natural landscapes across the region included in the Conservation and environmental management zone.
Rural	These areas are used primarily for agriculture, grazing and complementary tourism and agribusiness activities. Other activities may be found in rural areas where they are in keeping with the character, amenity and natural resources of the area. These areas also contain localities which provide small scale community facilities which serve as a focal	Extensive areas of the region included in the Rural Zone, on the coast and inland, surrounding the region's settlements. Localities are dispersed across the rural areas of the

<sup>&</sup>lt;sup>7</sup> Mining activities and other large scale projects have the potential to contribute to cumulative impacts on regional air quality and infrastructure. The consideration of these cumulative impacts should be considered when assessing new projects in the region.

Places	Description	Location in the region
	point for the surrounding community. In Rural areas mining and exploration activities occur. These activities are not regulated by the planning scheme but are regulated by the Queensland State Government under other legislation including the Mineral Resources Act 1989 and the State Development and Public Works Organisation Act 1971.	region and include: Clarke Creek, Coppabella, Kilcummin, Mackenzie River, Mistake Creek, Twin Hills, Lotus Creek and Valkyrie.
Rural Residential	These areas provide for residential development on large lots within in a rural setting. The keeping of small numbers of working and companion animals and rural plant is expected in these areas.	Rural residential zoned land at Greenhill, Clermont and Nebo
Towns - Industry	These areas are predominantly for industrial development and contain sufficient capacity to accommodate the future industrial growth needs of the region. These areas have varying lot sizes and standards of infrastructure service consistent with their location and anticipated use.	Industry zoned areas within and on the fringes of the region's major towns – Moranbah, Nebo, Clermont, Glenden, Dysart and Middlemount
Towns - Urban	These areas are predominantly for residential development and contain areas with sufficient capacity to accommodate the future urban growth of the region. These areas (other than emerging community areas) are fully serviced to an urban standard and include current land uses that provide for a localised service function including neighbourhood centres and non-residential uses (community facilities, open space and sport and recreation).	Low density residential zoned areas within the region's major towns – Moranbah, Nebo, Clermont, Glenden, Dysart and Middlemount
Towns - Infill	These areas are located where increased residential densities are desirable to promote compact neighbourhoods. These areas also provide opportunities for replacement of older housing stock and are located in proximity to service centres and major infrastructure.	Low medium density residential zoned areas within key locations within the region's major towns – Moranbah, Nebo, Clermont and Dysart.
Towns - Centres	These areas provide for the day-to-day service needs of the urban community and surrounding rural catchment. The convenience needs include medical and personal services, food and drink outlets, shops and a hotel or other uses that provide a community focal point. Community services that directly support the immediate community and residential development are supported within these centres.	Centre zoned nodes within key locations within the region's major towns – Moranbah, Nebo, Clermont, Glenden, Dysart and Middlemount

Places	Description	Location in the region
Coastal areas	These areas are a mix of rural activities and small scale coastal townships and localities which also service travellers and tourists using the Bruce Highway. The rural activities and industries are distinct from those inland and where environmental impacts can be managed have the potential for growth and expansion supporting a small increase in township activities at Carmila.	Ilbilbie, Greenhill, Carmila, Clairview, St Lawrence, Flaggy Rock and surrounding rural areas and localities.
Offshore Islands	These islands are located offshore and are undeveloped. The majority of these islands are National Parks and protected areas.	Various islands within the Broadsound and beyond included in the Conservation and environmental management zone.

# 3.3 Liveable communities

#### 3.3.1 Strategic outcomes

#### 3.3.1.1 General

- (1) Moranbah, Clermont, Nebo, Middlemount, Dysart and Glenden are established towns and communities and their urban areas are intended to provide for the range of urban housing choices, and urban scale retail, commercial, industrial, administrative, health, community and educational services to the region.
- (2) Moranbah as the region's largest urban area provides the highest order urban services and greatest diversity of urban housing choices.
- (3) Building heights within the urban areas' centres are in keeping with the height of existing buildings. Building heights in Moranbah's town centre are anticipated to be up to four storeys; in all other centres heights do not exceed three storeys.
- (4) Expansion of urban areas does not extend beyond areas included within the following zones:
  - (a) Low density residential
  - (b) Low medium density residential
  - (c) Centre
  - (d) Industry
  - (e) Industry investigation
  - (f) Emerging community
  - (g) Community facilities
  - (h) Open space and recreation
  - (i) Special purpose (where urban infrastructure within a town).
- (5) Development in urban areas contributes to the provision of reticulated water supply and sewerage, open space, stormwater management and transport urban infrastructure networks.
- (6) Urban areas are served by treed streetscapes, community spaces, parkland and sporting facilities supporting community health and wellbeing, active lifestyles, community interaction, and a range of recreational activities.
- (7) Within urban areas a network of roads and walking and cycling paths provide access to places of employment, education, recreation, other community services and other urban areas and localities across the region via the intra regional road network.
- (8) Coppabella as a locality servicing the rail community associated with the operation of the Goonyella to Hay Point rail network does not expand to become an urban area. It is

not intended that Coppabella be the location of land uses serving travellers on the Peak Downs Highway or land uses anticipated in Nebo or Moranbah.

- (9) Carmila due to its location in proximity to major transport infrastructure is anticipated to experience increased economic activity. This activity will support growth and development within and surrounding the existing township and community facilities where risks from natural and other hazards can be mitigated to an acceptable level.
- (10) St Lawrence provides small scale convenience level activities servicing tourists and the southern coastal communities of the region and is a centre of local government service delivery for coastal areas.
- (11) The coastal township of Greenhill is a low density residential settlement. Retail and commercial services in this locality does not expand beyond small scale convenience level activities servicing the local community and tourists.
- (12) Community facilities across the region's rural areas are the focal point for community events and activities in the localities within which they are located.
- (13) Urban, rural residential, township and rural areas support home based business activities which are compatible with the amenity of the surrounding areas.
- (14) Development preserves the cultural heritage values of local and state<sup>8</sup> significance.
- (15) Development does not diminish places or values of cultural significance to traditional owners.<sup>9</sup>

#### 3.3.1.2 Housing choice and diversity

- Existing urban areas are the focus for the majority of housing growth through a mix of:
   (a) infill development in the form of:
  - (i) multiple dwellings, dual occupancy and retirement facilities in the Low medium density residential zone and the Centre zone;
  - (ii) dual occupancy and lot reconfiguration for detached dwellings on suitably sized allotments in the Low density and Low medium density residential zones:
  - (b) greenfield urban development in the Emerging community zone.
- (2) Multiple dwelling development is only anticipated in the Low medium density residential zone or Centre zone in areas in proximity to centre activities.
- (3) Infill development within urban areas must compliment neighbourhood character, present to the street and include design elements that reduce building bulk, minimise overlooking and overshadowing of adjoining properties and sufficient area for vehicle parking and storage.
- (4) Greenfield urban development is anticipated in the Emerging community zone, in the Belyando Estate and on Cunningham Way and Grosvenor Drive in Moranbah and on Airstrip Road in Nebo, Jeffrey Street Clermont and Turner Avenue Glenden. The establishment of new urban residential areas does not occur outside the Emerging community zone.
- (5) Development within the Emerging community zone:
  - (a) allows for the staging of development in line with the provision of community infrastructure (including parks) and services;
  - (b) facilitates integration with existing and future urban development, having regard to movement networks, open space networks and accessibility to community infrastructure;
  - (c) provides accessibility for all modes of transport including pedestrian, cyclist, and private motor vehicles;

<sup>&</sup>lt;sup>8</sup> Areas of state heritage significance are regulated by the Queensland State Government.

<sup>&</sup>lt;sup>9</sup> The region's traditional owners have deep historical and contemporary connections to the region and ongoing interest in the planning and management of land use across their traditional lands. Development that may impact upon matters of Aboriginal cultural heritage and Torres Strait Islander cultural heritage supports the requirements of the Aboriginal Cultural Heritage Act 2013 and the Torres Strait Islander Cultural Heritage Act 2003.

- (d) creates clear, direct pedestrian and cycle access to centres and local parks;
- (e) provides for a range of housing types and associated lot sizes while avoiding large tracts of any one housing type;
- (f) increases residential densities in and around centres, along connector streets and close to parks and schools;
- (g) includes provision for convenience level centres where this does not impact on the viability of the existing centres;
- (h) locates community facilities including schools, where appropriate, requiring high levels of accessibility within or adjoining centres;
- (i) mitigates and minimises impacts on the natural terrain, natural environment and water quality;
- (j) achieves the construction and post construction design objectives for stormwater management relevant to the Western Queensland climatic region;
- (k) avoids risks to future residents from natural hazards and hazardous dust levels; <sup>10</sup>
- avoids impacts associated with the location of sensitive uses in proximity to hazardous land uses, major electricity, pump station, substations and bulk water infrastructure and corridors;
- (m) provides an open space network suitable for community needs;
- (n) provides for the provision of telecommunication infrastructure; and
- (o) provides for appropriate fire hydrant infrastructure and unimpeded access for emergency service vehicles to protect people, property and the environment.
- (6) Small scale residential growth is anticipated within the Township zone in Carmila on land free of natural hazards and on lot sizes suitable to achieve onsite sewage disposal.
- (7) Rural residential housing occurs at Greenhill, Nebo and Clermont in the rural Residential zone on lot sizes sufficient to allow for onsite treatment of effluent and the transition to rural areas from urban scale development.
- (8) Diverse housing options are provided for on rural zoned properties to enable accommodation options for multiple generations of families to live on farms in conjunction with employees.

#### 3.3.1.3 Workforce accommodation

- (1) Existing Workforce accommodation within the region's urban centres provide substantial accommodation for non-resident workers. These existing facilities are located in the Specialised centre zone. No further development is intended in the Specialised centre zone until this specialised accommodation use ceases.
- (2) Workforce accommodation is provided in response to a legitimate and demonstrated need<sup>11</sup>.
- (3) Where need has been demonstrated in accordance with 3.3.1.3(2) the following applies:
  - (i) Workforce accommodation is located in areas that:
    - A. do not result in unacceptable impacts, including cumulative impacts on established towns and communities including:
      - social services;
      - infrastructure;

<sup>&</sup>lt;sup>10</sup> Hazardous dust levels is defined as the dust concentrations that exceed the Fifth Highest 24-hour Average Ground-Level Concentration of PM10 (greater than 50µg/m3) including background levels of dust.

<sup>&</sup>lt;sup>11</sup> Council acknowledges that Workforce accommodation is a housing form which arises in response to the operational needs of industries in the region. Council acknowledges that this form of development will continue to be present in the region in the future. Council supports well designed and suitably located Workforce accommodation. Council does not support workforce arrangements that reduce a workers choice to live in the region and have their housing needs met by permanent housing options within the region's established communities. Significant amounts of NRWA is constructed and approved in the region as indicated on the Strategic Framework Maps in Schedule 2 (SC2.2). New proposals must demonstrate need in the context of this supply.

- built form character;
- visual amenity;
- economy; and
- B. contribute to the regions' economy; and
- C. avoid conflicts with adjoining or nearby land; and
- D. are or can be appropriately serviced with the necessary infrastructure; and
- E. avoid impacts on the planned orderly growth of established communities;
- (ii) Workforce accommodation that is located within or in close proximity to an established town and community:
  - A. is of a scale (size, extent and built form) in keeping with the character of the established community; and
  - B. is designed to meet contemporary urban design standards<sup>12</sup> so as to make a positive contribution to the amenity and character of the established community; and
  - C. provides onsite commercial services and facilities where they do not impact upon the economy of the established community; and
  - D. is serviced by appropriate urban infrastructure; and
  - E. provides a high level of residential amenity for its occupants and achieves best practice emergency site management, water sensitive urban design, crime prevention through environmental design (CPTED) and ecologically sustainable design;
- (iii) relocatable modular Workforce accommodation buildings that do not meet the specific outcomes in 3.3.1.3(3)(ii)B are not located in established communities;
- (iv) Workforce accommodation outside the region's established towns and communities:
  - A. is located to avoid natural hazards and other hazards, and impacts upon visual amenity, infrastructure and ecologically sensitive areas; and
  - B. provides a safe and functional living environment for its occupants, including reliable infrastructure to support essential utilities.

## 3.4 Diverse economy

#### 3.4.1 Strategic outcomes

#### 3.4.1.1 Diverse rural economy

- (1) Isaac Region has a strong and diverse rural economy with a mix of agricultural, animal husbandry, and complementary and value-adding activities, such as agri-tourism, associated with rural production. A wide range of activities including, grazing, cropping, horticulture, forestry, aquaculture, intensive animal industries and renewable energy facilities may occur on rural zoned land.
- (2) Cattle feedlots are the primary example of Intensive animal industries in the region.
- (3) A sustainable rural economy is supported by the retention of rural zoned lots of a size sufficient to support economically viable farming enterprises.
- (4) Industry uses occurring in rural areas are those only where need for the use to be located in a rural area has been demonstrated and which are directly related to primary production activities or natural resource processing, or are hazardous activities which require separation from urban areas.
- (5) Development which facilitates cultural activities, outdoor recreation or tourism occurs provided that it does not encroach upon rural production or significantly disturb the landscape character or rural amenity, and is not impacted upon by mining activities, extractive resource activities or other incompatible uses.

<sup>&</sup>lt;sup>12</sup> Refer to the SPP State interest guideline, Housing supply and diversity - Policy 4 Supporting information, as a minimum standard.

- (6) Tourism and recreation related development generally has a limited building footprint and does not involve significant modification of the natural landform. Short-stay tourism accommodation may occur in the form of bed and breakfasts, farm stay facilities, ecotourism cabins and camping, as well as larger scale tourist accommodation facilities.
- (7) Tourism uses accessible from the Bruce Highway and Peak Downs Highway are supported where they avoid the impacts from natural hazards, are compatible with surrounding land uses and any commercial activities do not impact on the economy of the region's towns.
- (8) The siting of rural industries and tourism, recreation, industry uses does not negatively impact on infrastructure networks in the area or the productivity of adjoining land.
- (9) Renewable energy facilities are located in rural areas where impacts on infrastructure, productive rural lands and adjoining land uses can be avoided or mitigated.
- (10) Sensitive land uses do not encroach upon the Galilee Basin State Development Area.<sup>13</sup>

#### 3.4.1.2 Thriving urban area

- (1) The region's urban areas include town centres which provide a range of commercial, retail, professional, administrative, community, entertainment, cultural, social, residential and associated activities.
- (2) The urban areas provide the setting for the establishment of small business where in keeping with the residential character and amenity of the site and surrounding areas.
- (3) Development within the region's centres:
  - (a) provide for accessible, convenient and attractive retail, commercial, administrative and community activities;
  - (b) manage the interface between centre activities and adjoining residential activities; and
  - (c) promote high quality centre design that creates safe places, is highly accessible and activates streets and public spaces.
- (4) Development in the Clermont and Nebo centres is designed to integrate with the character of existing historic commercial buildings within these centres.
- (5) Small scale centres in Moranbah at Cunningham Way and Clements Street are intended as convenience centres providing retail and food and drink outlets to the community. These areas do not exceed three storeys in height.
- (6) Industry zoned land within the region's urban areas support a range of industrial activities compatible with the amenity of surrounding residential areas.
- (7) Sensitive land uses do not encroach upon industry zoned land.
- (8) Industry areas provide a range of lot sizes to support the establishment and operations of a diverse range of industrial uses.
- (9) An area of industry investigation zoned land at Moranbah provides for the establishment of land extensive uses such as outdoor storage and laydown (outdoor warehouse) activities.
- (10) Development in the Industry investigation zone:
  - (a) allows for the staging of development in line with the provision of necessary urban infrastructure and services;
  - (b) provides for a range of lot sizes suitable to respond to a diverse range of industry activities;
  - (c) mitigates and minimises impacts on the natural terrain, natural environment and water quality;

<sup>&</sup>lt;sup>13</sup> Refer Development and Construction Other Map.

- (d) achieves the construction and post construction design objectives for stormwater management relevant to the Western Queensland climatic region;
- (e) avoids risks to industrial activities from natural hazards;
- (f) avoids risks to occupants of the area from hazardous dust levels;
- (g) ensures regional infrastructure (such as high pressure gas pipelines) are protected from inappropriate development; and
- (h) provides for appropriate fire hydrant infrastructure and unimpeded access for emergency service vehicles to protect people, property and the environment.

## 3.5 **Protecting natural resources and the environment**

#### 3.5.1 Strategic outcomes

#### 3.5.1.1 Productive rural lands

- (1) Rural land use is the dominant land use (by area) within Isaac Region, and rural production is a major source of economic activity and employment. Reconfiguration (where not associated with a mining or petroleum activity<sup>14</sup>) in rural areas avoids the fragmentation of rural land into allotment sizes which do not support the long term economic viability of farming enterprises.
- (2) Reconfiguration (where not associated with a mining or petroleum activity) on rural land classified as Class A and Class C to allotments of a minimum area of 50 hectares and 1000 hectares respectively will occur only where it has been demonstrated that the reconfiguration:
  - (a) can support an ongoing and viable rural enterprise<sup>15</sup> on the land; and
  - (b) will not impact on adjoining farming activities through the inclusion of sufficient buffers within the proposed allotments<sup>16</sup>; and
  - (c) will not adversely impact upon Important Agricultural Areas; and
  - (d) will not adversely impact on infrastructure and services.
- (3) Reconfiguration where directly associated with a mining or petroleum activity is limited to aligning lot boundaries with mining or petroleum tenements or establishing necessary infrastructure corridors or buffers.
- (4) Important agricultural areas support high value agricultural activities in the region and are protected from fragmentation and encroachment by sensitive land uses.
- (5) Intensive animal industries, cropping and other larger scale and higher impacting activities are protected from encroachment by sensitive land uses.
- (6) Intensive animal industries and other larger scale and higher impacting activities are not located where they would adversely impact on urban areas or existing sensitive uses. These activities minimise impacts on sensitive uses including residential, tourist and recreation facilities established on rural land.
- (7) Stock routes are protected from encroachment by sensitive land uses or other development that might prevent or constrain current or future operations.
- (8) Development does not significantly impact on the amenity of rural residential lots which are used primarily for residential purposes.

<sup>&</sup>lt;sup>14</sup> A mining or petroleum activity is an activity authorised under the Mineral Resources Act, 1989, the Offshore Minerals Act 1998, or the Petroleum Act 1993, or the Petroleum and Gas (Production and Safety Act) 2004.

<sup>&</sup>lt;sup>15</sup> Viability can be demonstrated through a detailed business plan for the long-term viability of an agricultural enterprise on the new lot. This would include analysis of: the proposed agricultural land use and markets (market opportunities and competition, market prices and long-term trends); and all relevant costs including establishment costs, fixed operating costs, and variable input costs. Furthermore, soil capabilities, water availability and cost, climate and climate change, and infrastructure should also be considered. A suitably qualified professional is to prepare the detailed business plan in order to ensure the content of the plan is sufficiently detailed to inform decision making of both the applicant and the assessment manager.

<sup>&</sup>lt;sup>16</sup> This should be cognisant of industry best practice, including risks to adjacent properties (eg. consideration of spray drift).

#### 3.5.1.2 Extractive, mineral, gas and petroleum resources

- (1) Mineral gas and petroleum resources are abundant in the region.<sup>17</sup> These areas are protected from encroachment by sensitive land uses that might prevent or constrain current or future operations.
- (2) Urban areas are contained within Restricted Areas<sup>18</sup> declared under the Mineral Resources Act. Future mineral, gas and petroleum extraction and exploration activities do not occur within these areas.
- (3) Key Resource Areas (KRA's) and their haul routes are shown on Map OM7— Extractive Resources and Minerals Overlay Map. These areas are protected from encroachment by sensitive land uses that might prevent or constrain current or future operations.
- (4) Extractive resource operations only occur where compatible with the intentions of the relevant zone and overlays applying to the site, and where impacts on visual amenity, the natural environment including Matters of State Environmental Significance or the safety and amenity of the surrounding area can be mitigated to an acceptable standard.
- (5) Extractive resource operations whether within a KRA or not are managed to avoid or mitigate to an acceptable standard, impacts including impacts on visual amenity, the natural environment and water quality and offsite impacts on adjoining uses caused by noise, dust, light, blasting or vibration.
- (6) Resource extraction areas are progressively rehabilitated following extraction to restore the natural environment and to mitigate environmental impacts including impacts associated with dust.

#### 3.5.1.3 Biodiversity, water quality and the natural environment

- (1) Development avoids or mitigates impacts on Matters of National and State Environmental Significance<sup>19</sup> and maintains a connected network of habitat areas. Where development results in a significant residual impact on these areas, the impacts are offset.<sup>20</sup>
- (2) Development ensures impacts on local biodiversity values are minimised.
- (3) Development avoids the introduction or spread of pest plant and animals in the region.
- (4) Development minimises disturbances to natural topography and avoids changes to natural waterways, their bed and banks and riparian vegetation.
- (5) Development avoids the disturbance to areas of potential acid sulfate soil or treats disturbed soils to a standard required to neutralise impacts.
- (6) Urban stormwater is managed to mitigate impacts upon the region's waterways and their water quality.
- (7) The environmental values of the region's waterways are protected or enhanced, and development does not adversely impact on the quality of receiving waters, including waterways, wetlands and Great Barrier Reef waters.
- (8) Development does not adversely impact upon water quality within the region's water supply catchments including Theresa Creek Dam catchment, Nebo Borefields, St Lawrence Creek Weir catchment and the Burdekin Falls Regulated Dam catchment.

<sup>&</sup>lt;sup>17</sup> Mineral, gas and petroleum extraction leases and exploration permits are identified on the Queensland government online mapping portal - MyMinesOnline.

<sup>&</sup>lt;sup>18</sup> Restricted Areas are identified on the Queensland government online mapping portal.

<sup>&</sup>lt;sup>19</sup> Matters of national environmental significance are identified on the Commonwealth Protected Matters Search Tool and interactive mapping and are regulated under the Environment Protection and Biodiversity Conservation Act 1999. Matters of state environmental significance are identified on the Queensland government online mapping portal and are also included in the Biodiversity Significance Overlay Map.

<sup>&</sup>lt;sup>20</sup> Environmental Offsets for significant residual impacts on Matters of State Environmental Significance are regulated by the Environmental Offsets Act 2014 and the Environmental Offsets Regulation 2014.

- (9) Development avoids or mitigates impacts on natural coastal values and functions.
- (10) Coastal-dependent development including boat ramps and vehicle access points to the foreshore are consolidated in existing locations.
- (11) Development does not impede public access to and along coastal foreshores.
- (12) Reclamation of land under tidal water is avoided.
- (13) Development in or adjacent to protected areas mitigates ecological impacts on these areas.

# 3.6 Safety from natural and other hazards

#### 3.6.1 Strategic outcomes

#### 3.6.1.1 All hazards

- (1) Development does not materially increase the extent or severity of natural hazards or their impacts.
- (2) Exposure of people and property to hazards is avoided, or where it is not possible to avoid the hazard, the risks are mitigated to an acceptable or tolerable level.
- (3) Areas at significant risk to natural hazards in and adjacent to urban areas are included within the Limited development zone. The establishment or intensification of sensitive uses in these areas (including parts of Clermont and Nebo) is not anticipated.
- (4) The establishment of community activities and infrastructure and services that require continuous operation during natural hazard events in hazard areas is avoided.
- (5) Development does not reduce the functions of landforms or vegetation in providing protection against natural hazards.
- (6) The cost to the public of measures to mitigate the risks of natural hazards is minimised.
- (7) Activities involving the manufacture or bulk storage of hazardous material are not located in hazard areas.

#### 3.6.1.2 Flood hazard

- (1) Sensitive land uses avoid flood hazards, or where it is not possible to avoid the hazard, the risks are mitigated to an acceptable or tolerable level.
- (2) In existing urban areas (other than the Limited development zone and Emerging community zone), development other than sensitive uses mitigates risks to people and property to an acceptable or tolerable level.
- (3) In the Limited Development zone and Emerging community zone and all other areas<sup>21</sup>, development avoids flood hazard or where it is not possible to avoid the hazard, risks to people and property are mitigated to an acceptable or tolerable level.

#### 3.6.1.3 Storm tide inundation and erosion prone hazard

- (1) Development (including any material change of use, operational work or building work, except for coastal dependant development) is not supported on land seaward of areas identified in the Zone of imminent threat.
- (2) Clairview and Carmila Beach are small localities made up of dwelling houses as identified within the Township zone (Holiday and Residence precinct). Parts of Clairview and Carmila Beach are affected by coastal hazards (within foreshore limit areas) described as the area of imminent erosion threat, storm tide inundation, erosion prone area and area of reduced foundation capacity. Any intensification of dwelling houses (including any associated structures and operational works) is limited in Clairview and Carmila Beach to mitigate risks to people and property associated with coastal hazards.
- (3) Sensitive uses in areas affected by storm tide inundation must ensure all habitable and enclosed habitable levels are equal to, or above the designated coastal planning level for that area. This includes new dwelling houses or major extensions to existing dwelling houses.

<sup>&</sup>lt;sup>21</sup> Clarke Creek experienced severe flooding resulting from ex Tropical Cyclone Debbie in March 2017. This flooding in the environs of the Clarke Creek State School and adjacent community facilities posed a sever risk to people and property as a result of deep, fast flowing water. Unlike many other areas that experienced similar flooding at this time, the flooding at Clarke Creek is known to have occurred beyond the extent of the state-wide flood mapping for the region.

- (4) Development does not occur within erosion prone areas unless it is
  - (i) coastal-dependent development;
  - (ii) is temporary, readily relocatable or able to be abandoned; or
  - (iii) where unable to be feasibly located elsewhere, it mitigates the risks to people and property to an acceptable or tolerable level.
- (5) Development within the zone of reduced foundation capacity ensures the engineering design of structural elements and foundations associated with buildings and associated structures can mitigate the short-term erosion impacts from a major coastal hazard events.
- (6) The number of lots within an erosion prone area is not increased.

#### 3.6.1.4 Bushfire and landslide hazard

- (1) The establishment or intensification of development involving the accommodation or congregation of vulnerable sectors of the community is avoided in areas of bushfire and/or landslide hazard.
- (2) Development within or near bushfire and/or landslide hazard areas incorporates appropriate siting, design and management practices to mitigate risk to an acceptable or tolerable level.

#### 3.6.1.5 Safety and emissions

- (1) Development that is likely to generate off-site adverse impacts is adequately separated from sensitive land uses and natural receiving environments, and is protected from encroachment by sensitive land uses. Such development may include:
  - (a) wastewater treatment and disposal facilities;
  - (b) solid waste management sites;
  - (c) industrial development;
  - (d) extractive industry;
  - (e) intensive animal industries such as feedlots;
  - (f) high pressure gas pipelines; and
  - (g) aquaculture.
- (2) Development with the potential to cause harm or nuisance as a result of air, noise or odour emissions is appropriately located, designed and managed to minimise impacts upon existing sensitive land uses and natural receiving environments.
- (3) Development that has the potential to cause land or water contamination is located, designed and managed to minimise environmental and community health risks.
- (4) Development involving the use, storage and disposal of hazardous materials and hazardous chemicals, dangerous goods and flammable or combustible substances is located, designed and managed to minimise the health and safety risks to communities.
- (5) Sensitive uses do not establish in areas subject to adverse noise impacts arising from mining operations and along major transport noise corridors<sup>22</sup>.
- (6) Areas subject to potentially hazardous dust levels due to mining activities surrounding Moranbah are shown on Overlay Map OM10. Sensitive uses do not establish in areas subject to hazardous dust levels.<sup>23</sup>
- (7) Establishment of sensitive uses in rural areas is separated from mining activities to mitigate the impact of hazardous dust levels on those uses.

<sup>&</sup>lt;sup>22</sup> Transport noise corridors are identified on map AM1.

<sup>&</sup>lt;sup>23</sup> A site based assessment is required to determine the extent to which a site identified within the Overlay Map OM10 is exposed to hazardous dust levels. Hazardous dust levels is defined as the dust concentrations that exceed the Fifth Highest 24-hour Average Ground-Level Concentration of PM10 (greater than 50µg/m3) including background levels of dust.

(8) Sensitive land uses do not occur in proximity to former mining activities and related hazards e.g. abandoned underground mines, tunnels and shafts, which may cause risk to people and property.

# 3.7 Infrastructure for communities

#### 3.7.1 Strategic outcomes

#### 3.7.1.1 General

- (1) Development does not encroach on or adversely impact upon the safety, efficiency and operational integrity of Moranbah Strategic Airport. Development within proximity of the airport is regulated to ensure potential impacts upon airport operations are avoided or mitigated.
- (2) Development in proximity to the region's other aviation facilities (Clermont, Middlemount and Dysart Airports; and Nebo and St Lawrence Airstrips) do not impact upon the safe and unimpeded operation of these facilities.
- (3) Transport, parkland, community facilities, reticulated potable water and sewerage, stormwater, waste management, energy and telecommunications infrastructure is provided to meet the needs of the community.
- (4) Urban growth occurs in locations that facilitate the orderly and cost effective delivery of the full range of infrastructure and services required by the community. Urban development does not extend beyond the land zoned for urban purposes.
- (5) Development is undertaken in a way that minimises user demands on, and optimises available capacity and established investment in, infrastructure networks.
- (6) Infrastructure networks are designed to minimise adverse impacts on public health and safety, the visual character and amenity of the community, and the natural environment.
- (7) Infrastructure networks are located and designed to avoid or minimise their exposure to natural hazards.
- (8) Whole of life costs, including both establishment and ongoing operation and maintenance costs, are minimised.
- (9) Urban development supplies non-trunk infrastructure networks that connect to external networks in a manner that maintains the overall safety and efficiency of the infrastructure networks.
- (10) On-site wastewater systems maintain human health and safety, the amenity of the immediate locality and minimise adverse impacts on water quality and the natural environment.
- (11) Infrastructure corridors and sites for transport, water supply, gas pipelines and sewerage, waste, energy and telecommunications are protected from development and hazards that would undermine their safe, efficient and unencumbered operation or expansion. Key infrastructure corridors and sites are shown on Map OM11—Regional Infrastructure Overlay Map.
- (12) Infrastructure corridors and sites are co-located wherever practicable to minimise impacts on landscapes, the natural environment and communities.
- (13) Development does not impact upon the safe and efficient operation of the transport network<sup>24</sup>, airports and aviation facilities; and the rail network within the region.

#### 3.7.1.2 Social infrastructure

(1) Residents, visitors and non-resident workers have access to a network of well located social infrastructure that meets community needs and promotes a rich and active community life.

<sup>&</sup>lt;sup>24</sup> A road hierarchy is included on map AM1.

- (2) Community services, facilities and a range of civic spaces are concentrated in the region's centres, so that centres become hubs for community life and interaction.
- (3) In areas outside the region's urban areas, community facilities are concentrated around existing nodes of community facilities such as schools, community halls and rodeo grounds within the region's localities.
- (4) Social infrastructure is provided in a timely, cost effective and efficient manner.
- (5) Social infrastructure is designed to be multi-purpose, flexible and adaptable to respond to the changing and emerging needs of the community.
- (6) Development within the Emerging community zone is provided with appropriate social infrastructure from the initial stages of development.
- (7) A network of open space provides the setting for a diverse range of recreation activities and experiences to support active and healthy lifestyles, provide opportunities for community interaction and enhance the quality of the urban environment.
- (8) Development facilitates an open space network that is interconnected and highly accessible from surrounding communities by walking and cycling.
- (9) Social infrastructure, including sporting and other facilities associated with a high level of activity, are located and designed to minimise impacts on the amenity of the surrounding areas.

#### 3.7.1.3 Waste management

- (1) Waste management infrastructure is provided and managed to maintain the health, wellbeing and amenity of the community and the natural environment, and to minimise visual impacts.
- (2) Development provides for the safe and efficient storage and collection of waste and recyclable materials, commensurate with the type and amount of waste generated.

# Part 4 Local government infrastructure plan

# 4.1 **Preliminary**

- (1) This local government infrastructure plan has been prepared in accordance with the requirements of the Planning Act 2016.
- (2) The purpose of the local government infrastructure plan is to:
  - (a) integrate infrastructure planning with the land-use planning identified in the planning scheme
  - (b) provide transparency regarding a local government's intentions for the provision of trunk infrastructure
  - (c) enable a local government to estimate the cost of infrastructure provision to assist its long-term financial planning
  - (d) ensure that trunk infrastructure is planned and provided in an efficient and orderly manner
  - (e) provide a basis for the imposition of conditions about infrastructure on development approvals.
- (3) The local government infrastructure plan:
  - (a) states in section 4.2 (planning assumptions) the assumptions about future growth and urban development including the assumptions of demand for each trunk infrastructure network
  - (b) identifies in section 4.3 (priority infrastructure area) the prioritised area to accommodate urban growth up to 2033
  - (c) states in section 4.4 (desired standards of service), for each trunk infrastructure network, the desired standard of performance
  - (d) identifies in section 4.5 (plans for trunk infrastructure) the existing and future trunk infrastructure for the following networks:
    - (i) water supply
    - (ii) sewerage
    - (iii) transport
    - (iv) parks and land for community facilities
  - (e) provides a list of supporting documents that assists in the interpretation of the local government infrastructure plan in the Editor's note Extrinsic material.

# 4.2 Planning assumptions

- (1) The planning assumptions state the assumptions about:
  - (a) population and employment growth
  - (b) the type, scale, location and timing of development, including the demand for each trunk infrastructure network.
- (2) The planning assumptions, together with the desired standards of service, form the basis for the planning of the trunk infrastructure networks and the determination of the priority infrastructure area.
- (3) The planning assumptions have been prepared for:
  - (a) the base date (30th June 2018) and the following projection years:
    - (i) mid (2021);
    - (ii) mid (2026);
    - (iii) mid (2031);
    - (iv) mid (2036);
    - (v) Ultimate development.
  - (b) the LGIP development types in column 2 that include the uses in column 3 of Table 4.2.1
  - (c) the projection areas identified on Local Government Infrastructure Plan Priority Infrastructure Area maps PIA – 001:009 in schedule 3—Local government infrastructure plan mapping and tables.

Table 4.2.1—Relationship between LGIP development categories, LGIP development types and uses

Column 1	Column 2	Column 3
LGIP development category	LGIP development type	Uses
Residential development	Detached dwelling	Caretaker's accommodation Dwelling house
	Attached dwelling	Dual occupancy Dwelling unit Multiple dwelling Retirement facility Short-term accommodation
	Other dwelling	Community residence Home based business Workforce accommodation Outstation Party House Relocatable home park Residential care facility Rooming accommodation Rural workers' accommodation Tourist Park
Non-residential development	Retail	Adult store Agricultural supplies store Brothel Bulk landscape supplies Car wash Food and drink outlet Garden centre Hardware and trade supplies Market Outdoor sales Parking station Sales office Service station Shop Shopping centre Showroom Wholesale nursery
	Commercial	Bar Club Function facility Hotel Indoor sport and recreation Nature-based tourism Nightclub entertainment facility Office Resort complex Theatre Tourist attraction Veterinary service
	Industry	Extractive Industry High impact industry Low impact industry

Column 1	Column 2	Column 3
LGIP development category	LGIP development type	Uses
		Marine industry Medium impact industry Research and technology industry Service industry Special industry Transport depot Warehouse
	Community Purposes	Cemetery Childcare centre Community care centre Community use Crematorium Detention facility Educational establishment Emergency services Funeral parlour Health care service Hospital Major sport, recreation and entertainment facility Motor sport facility Outdoor sport and recreation Park Place of Worship
	Rural and Other Uses	Air service Animal Husbandry Animal keeping Aquaculture Cropping Environment facility Intensive animal industry Intensive horticulture Landing Major electricity infrastructure Parking station Permanent plantation Port service Renewable energy facility Roadside stall Rural industry Substation Telecommunications facility Utility installation Winery

(4) Details of the methodology used to prepare the planning assumptions are stated in the extrinsic material.

## 4.2.1 Population and employment growth

(1) A summary of the assumptions about population and employment growth for the planning scheme area is stated in Table 4.2.2 – Population and employment assumptions summary.

Column 1	Column 2 Assumptions	6				
Description	Base date 2018	2021	2026	2031	2036	Ultimate development
Population	36,777	40,414	41,832	43,531	45,675	75,532
Employment	31,275	33,084	33,790	34,635	35,702	50,559

Table 4.2.2—Population and employment assumptions summary

Detailed assumptions about growth for each projection area and LGIP development type category are identified in the following tables in schedule 3 – Local government infrastructure plan mapping and tables:

- (a) for population, Table SC3.1.1—Existing and projected population;
- (b) for employment, Table SC3.1.2—Existing and projected employees

### 4.2.2 Development

- (1) The developable area is represented by zones relating to urban uses not affected by the following constraints:
  - (a) Biodiversity Areas Overlay;
  - (b) Bushfire Hazard Overlay (partial constraint);
  - (c) Coastal Protection (partial constraint);
  - (d) Key Resource Areas;
  - (e) Mineral and Mining Areas;
  - (f) Flood Hazard Overlay (partial constraint);
  - (g) Existing Easements.
- (2) The planned density for future development is stated in Table SC3.1.3 in Schedule 3— Local government infrastructure plan mapping and tables.
- (3) A summary of the assumptions about future residential and non-residential development for the planning scheme area is stated in Table 4.2.3 – Residential dwellings and non-residential floor space assumptions summary.

# Table 4.2.3—Residential dwellings and non-residential floor space assumptions summary

Column 1	Assumptions					
Description	Base date 2018	2021	2026	2031	2036	Ultimate development
Residential Dwellings	14,376	15,846	16,491	17,262	18,225	30,138
Non-residential floor space (m² GFA)	1,328,794	1,406,185	1,436,362	1,472,519	1,518,146	2,153,540

- (4) Detailed assumptions about future development for each projection area and LGIP development type are identified in the following tables in Schedule 3 Local government infrastructure plan mapping and tables:
  - (a) For residential development, Table SC3.1.4
  - (b) For non-residential development, Table SC3.1.5

## 4.2.3 Infrastructure demand

- (1) The demand generation rate for a trunk infrastructure network is stated in Column 4 of Table SC3.1.3 in Schedule 3 Local government infrastructure plan mapping and tables.
- (2) A summary of the projected infrastructure demand for each service catchment is stated in:
  - (a) for the water supply network, Table SC3.1.6
  - (b) for the sewerage network, Table SC3.1.7
  - (c) for the transport network, Table SC3.1.8
  - (d) for the parks and land for community facilities network, Table SC3.1.9.

# 4.3 **Priority infrastructure area**

- (1) The priority infrastructure area identifies the area prioritised for the provision of trunk infrastructure to service the existing and assumed future urban development up to 2033.
- (2) The priority infrastructure area is identified on Local Government Infrastructure Plan Map Priority Infrastructure Area PIA - 001:009

# 4.4 Desired standards of service (DSS)

- (1) This section states the key standards of performance for a trunk infrastructure network.
- (2) Design standards for trunk infrastructure networks are identified in the following planning scheme policies and other controlled documents.

### 4.4.1 Water supply network

(1) The Water Supply trunk infrastructure network comprises infrastructure shown in Table 4.4.1.

Water Supply Network					
Class	Facility	Qualification			
CIdSS		Size	Capacity / Description		
Water Supply – Bulk Supply	Supply sources		Bores, wells, dams, weirs and associated works		
	Raw water treatment		All systems provided to improve the quality of the water from the supply source, including chlorinators		
	Bulk water mains				
	Regional pumping station				
	Major reservoirs				
Water Supply – Distribution	Delivery mains		Mains from the point of treatment to service reservoirs		
	Pumping system		Distribution and booster pumps within the delivery and distribution main.		
	Reservoirs and storage facilities		Service or supply reservoirs between the supply source and the distribution and reticulation mains.		
	Distribution Mains	200mm dia or greater	Mains from the end of delivery mains, or from service reservoirs to form the		

	distribution network to suburbs.
Associated pump stations, fittings, monitoring and control systems.	

(2) The Desired Standards for Water Supply trunk infrastructure are shown in Table 4.4.2: Desired Standards of Service: Water Supply and should be read in conjunction with Local governments' own adopted technical standards.

Desired Goal	Planning Standard	Design and Construction Standard	Community Outcome
Reliable Water Supply Network	<ul> <li>Department of Energy and Water Supply "Planning Guidelines for Water Supply and Sewerage - Chapter 1-11 - March 2014 (as amended);</li> <li>Plan the network so that water supply infrastructure that provides service to each premise in the defined service catchment.</li> <li>Network planning should ensure pressures are maintained through a series of network links providing redundancy in the network;</li> <li>Network modelling and planning reflects the land use needs;</li> <li>Ensure the pipe network is sized appropriate to provide pressures at the desired levels as set out in the Customer Service obligations;</li> <li>Provide adequate storage in the system to accommodate reasonable outages of electricity supply needed for treatment and pumping.</li> <li>Undertake risk management planning and development of appropriate strategies and action plans to deal with adverse events.</li> </ul>	<ul> <li>The design of the network and its construction is managed under the following Guidelines, Policies, Codes and Standards.</li> <li>Plans for Trunk Infrastructure – Water Supply;</li> <li>Water Services Association of Australia – WSA 03 – 2011 – Water Supply Code of Australia;</li> <li>IPEWA – Standard Drawings;</li> <li>AUS-SPEC specifications; and</li> <li>Capricorn Municipal Development Guidelines.</li> </ul>	Ensures that all premises within the service catchment are provided with a water supply service that meets the Customer Service Obligations of Council.
Optimise Whole of Lifecycle Cost	<ul> <li>Department of Energy and Water Supply "Planning Guidelines for Water Supply and Sewerage – Chapter 7-9 March 2014 (as amended);</li> <li>Delivery of the water supply network planning must be carried out as efficiently as can be reasonably achieved balancing the costs of both construction and operation;</li> <li>In seeking to minimise capital costs consider:         <ul> <li>Optimising network solutions in respect of location, alignment, sizing, and staging;</li> <li>Infrastructure constructed provides durability and performance;</li> <li>Infrastructure is fit for purpose (not over or undersized and allows for growth capacity);</li> <li>Use standard fittings and components wherever possible to ensure value for money;</li> </ul> </li> <li>In seeking to minimise operational costs consider assets with least impact on:         <ul> <li>operating costs – e.g. electricity, consumables,</li> </ul> </li> </ul>		<ul> <li>Through the appropriate planning, design and construction the following benefits are achieved:</li> <li>Extend asset life</li> <li>Defer system augmentation</li> <li>Improve environmental flows</li> <li>Reduced greenhouse gas emissions</li> <li>Reduce extraction of water from source</li> <li>Defer requirement for new water source</li> <li>Reduced cost of energy</li> <li>Cost effective service for community</li> <li>Reduced cost of energy and chemicals</li> <li>Improve water quality.</li> <li>Reduced environmental effects from chemical production</li> <li>Reduced naintenance costs</li> <li>Reduced overall operation costs</li> </ul>

#### Table 4.4.2—Desired Standards of Service – Water Supply

Desired Goal	Planning Standard	Design and Construction Standard	Community Outcome
	<ul> <li>staffing         <ul> <li>maintenance – labour, parts, consumables cleaning/replacement</li> <li>asset life/durability – frequency of replacement/renewal of components or entire asset.</li> </ul> </li> <li>Ensure alternative network outcomes are investigated for trunk assets incorporating the demands of both the existing and location, timing and intensity of the future urban environment;</li> <li>Investigate staged delivery of infrastructure in line with growth in demands to minimise where possible the overall cash flow position;</li> <li>Implement a comprehensive asset management system to ensure the system is reliable and robust minimising the uncontrolled loss of water (e.g. water meter inaccuracies, unauthorised consumption, main breaks, valve failure etc.) from the system.</li> </ul>		Reduced replacement costs
Minimise Risk from Fire	<ul> <li>Department of Energy and Water Supply "Planning Guidelines for Water Supply and Sewerage - March 2014 – Chapter 6 Network Modelling and Applications (as amended);</li> <li>The network is planned to provide adequate firefighting capacity both in terms of pressure and flow rate;</li> <li>Planning and design provides Hydrants located conveniently to all premises to permit ready access to water.</li> </ul>		<ul> <li>The water supply system provides, where possible, a network of firefighting capacity to reduce the risk of fire to person and property;</li> <li>Reduces the overall cost of fire incidents to the community;</li> <li>Provides the necessary support to the fire services in fighting fire safely and effectively.</li> </ul>
Maintain Public Health and Sustainable Environmental Quality	<ul> <li>Plan the network so that a supply of potable drinking water is provided to each premise within the urban area and to any area of concentrated residential settlement including park and rural residential.</li> <li>The planning ensure a network can deliver drinking water complies with the NHMRC Australian Drinking Water Guidelines for colour, turbidity and microbiology. &gt;95% water test compliance;</li> <li>Comply with Integrated Environmental Management Plans.</li> </ul>		<ul> <li>Provides uniform quality of water monitored in relation to recognised standards.</li> <li>Provide a safe and reliable water supply.</li> <li>Safeguards community health.</li> <li>Provides for system operation and monitoring in accordance with recognised standards.</li> <li>Ensures environmental controls maintained.</li> <li>Ensures potable water is provided in a manner consistent with environmental standards.</li> </ul>

# 4.4.2 Sewerage network

(1) The Sewerage trunk infrastructure network comprises infrastructure shown in Table 4.4.3.

Sewerage				
Class	Facility	Qualification		
		Size	Capacity / Description	
Sewerage – Regional	Treatment Plant		All systems provided to produce an acceptable quality effluent for discharge and sludge for beneficial reuse.	
	Storage facilities		Ponds	
	Effluent disposal systems		Gravity or pumping system to deliver treated effluent to approved final discharge point, including Effluent Mains.	
	Associated monitoring and control systems			
	Odour and corrosion control systems			
Sewerage – Trunk Reticulation	Gravity Sewers	225mm dia or greater	Gravity sewers which receive (or are designed to receive in future) flows from a pumped system, irrespective of the source of flow. Some exceptions to the minimum size of trunk mains have been made where these are considered to perform critical functions within the network to allow for appropriate connectivity of the trunk system.	
	Pumping Stations		Systems to pump sewerage from any	
	Rising mains		sewer drainage catchment to either another catchment or direct to a treatment plant and including the necessary rising mains. This excludes temporary, private (i.e. Single use), and low use (i.e. servicing a small local catchment) pump stations.	
	Associated manholes and fittings			
	Odour and corrosion control systems			
	Associated monitoring and control systems			

Table 4.4.3—Sewerage trunk infrastructure network inclusions

(2) The Desired Standards for Sewerage trunk infrastructure are shown in Table 4.4.4: Desired Standards of Service: Sewerage and should be read in conjunction with Local governments' own adopted technical standard

Desired Goal	Planning Standard	Design Standard	Community Outcome
Provide a Reliable Sewerage Network	<ul> <li>Department of Energy and Water Supply "Planning Guidelines for Water Supply and Sewerage - Chapter 1- 11 - March 2014 (as amended);</li> <li>Plan the network so that sewerage infrastructure provides service to each premise in the defined service catchment.</li> <li>Network planning should ensure that the likelihood of adverse events (blockages, overflow, odour infiltration etc) are minimised or eliminated;</li> <li>Network modelling and planning reflects the land use needs;</li> <li>Ensure the pipe network is sized appropriate to provide appropriate capacity desired levels as set out in the Customer Service obligations;</li> <li>Provide adequate storage in the system to accommodate reasonable outages of electricity supply needed for pumping.</li> <li>Undertake risk management planning and development of appropriate strategies and action plans to deal with adverse events.</li> </ul>	<ul> <li>The design of the network and its construction is managed under the following Guidelines, Policies, Codes and Standards.</li> <li>Sewerage Code of Australia – WSA 02 - 2002</li> <li>Gravity Sewerage Code of Australia - WSA 02 - 2014.</li> <li>Sewerage Pumping Station Code of Australia-Water Services Association of Australia - WSA 02 – 2014.</li> <li>Sewerage Pumping Station Code of Australia-Water Services Association of Australia - WSA 02 – 2014.</li> <li>Sewerage Pumping Station Code of Australia-Water Services Association of Australia - WSA 04 – 2005.</li> <li>Vacuum Sewerage Code of Australia – WSA 06 – 2008</li> <li>Pressure Sewerage Code of Australia – WSA 06 – 2007</li> <li>Capricorn Municipal Development Guidelines;</li> <li>Environmental Protection Agency (Environmental Protection Policy) requirements and guidelines;</li> <li>Plan for Trunk Infrastructure – Wastewater; and</li> <li>The Water Act (2000) and Standard Sewerage Law under the Sewerage and Water Supply Act (1949).</li> </ul>	<ul> <li>Reduced impact from blockages, overflows and spills;</li> <li>Amenity is maintained;</li> <li>Reduced impact on residents</li> <li>Minimises release of nitrogen and phosphorous to the environment</li> <li>Improved community health</li> <li>Rapid response to breakages</li> <li>Reduction in use of potable water supply and treatment</li> <li>Reduction of raw water extraction from source</li> <li>Reduced overflows to local waterways</li> </ul>
Optimise Whole of Lifecycle Cost	<ul> <li>Department of Energy and Water Supply "Planning Guidelines for Water Supply and Sewerage – Chapter 7-9 March 2014 (as amended);</li> <li>Delivery of the sewerage network planning must be carried out as efficiently as can be reasonably achieved balancing the costs of both construction and operation;</li> <li>Wherever possible reduce or eliminated active assets (e.g. pump stations) in lieu of gravity systems of collection;</li> <li>In seeking to minimise capital costs consider:         <ul> <li>Optimising network solutions in respect of location, alignment, sizing, and staging;</li> <li>Infrastructure constructed provides durability and performance;</li> <li>Infrastructure is fit for purpose (not over or undersized and allows for growth capacity);</li> </ul> </li> </ul>		<ul> <li>Reduced cost of energy</li> <li>Cost effective service for community</li> <li>Greenhouse gas reduction</li> <li>Reduced maintenance costs</li> <li>Reduced overall operation costs</li> <li>Reduced replacement costs</li> <li>Reduced environmental effects from chemical production.</li> <li>Beneficial use of reclaimed water and biosolids</li> <li>Opportunity for cost recovery for reclaimed water treatment</li> <li>Reduced cost of energy for effluent transport, treatment and disposal</li> <li>Maximise life of system</li> </ul>

#### Table 4.4.4—Desired Standards of Service – Sewerage

Desired Goal	Planning Standard	Design Standard	Community Outcome
	<ul> <li>Use standard fittings and components wherever possible to ensure value for money.</li> <li>In seeking to minimise operational costs consider assets with least impact on:         <ul> <li>operating costs – e.g. electricity, consumables, staffing</li> <li>maintenance – labour, parts, consumables cleaning/replacement</li> <li>asset life/durability – frequency of replacement/renewal of components or entire</li> </ul> </li> </ul>		
	<ul> <li>Ensure alternative network outcomes are investigated for trunk assets incorporating the demands of both the existing and location, timing and intensity of the future</li> </ul>		
	<ul> <li>urban environment;</li> <li>Investigate staged delivery of infrastructure in line with growth in demands to minimise where possible the overall cash flow position;</li> </ul>		
	<ul> <li>Reuse effluent where possible to use the resource which is created through its appropriate treatment;</li> <li>Implement a comprehensive asset management system to ensure the system is reliable and robust minimising the</li> </ul>		
	<ul> <li>breakdown of active assets (e.g. pump station failures) and adverse environmental incidents (overflow, odour etc)</li> <li>Ensure infiltration and inflow in the sewerage collection and transportation system remains within industry acceptable limits (compliance with Environmental licences, IEMS and associated EMPs).</li> </ul>		
Maintain Public Health and Sustainable Environmental Quality	<ul> <li>Plan the network so that sewerage is provided to each premise within the urban area to ensure sewage is collected and treated offsite;</li> <li>Comply with Integrated Environmental Management Strategy and associated Environmental Management Plans.</li> </ul>		<ul> <li>Minimise work, health and safety risks</li> <li>Noise control</li> <li>Reduction in release of nitrogen and phosphorous to the environment</li> <li>No adverse visual effect</li> <li>Control of overflows from system</li> <li>Improves community health</li> <li>Ensure adour control</li> </ul>
			<ul><li>Ensure odour control</li><li>Minimise environmental effects</li></ul>

Desired Goal	Planning Standard	Design Standard	Community Outcome
			Reduction in contaminated discharges

## 4.4.3 Transport network

(1) The transport trunk infrastructure network comprises infrastructure shown in Table 4.4.5.

Transport	Transport				
CLASS	FACILITY	ASSET			
Transport	Local government roads	<ul> <li>Rural Arterial Roads</li> <li>Rural Sub-Arterial Roads</li> <li>Urban Arterial Roads</li> <li>Urban Sub-Arterial Road</li> <li>Urban major collector roads</li> <li>Associated lighting, bridges, culverts, kerb and channel, local road drainage, pedestrian footpaths, pedestrian crossings, and cycleways (within the road reserve), on road cycleways, basic revegetation.</li> </ul>			
	Intersections (where located at intersecting trunk roads) Structures (where located on a trunk road)	<ul> <li>Roundabout</li> <li>Priority Intersection</li> <li>Definition Works</li> <li>Bridge</li> <li>Culvert</li> <li>Floodway</li> </ul>			

Table 4.4.5—Transport trunk infrastructure network inclusions

(2) The desired standard of service for transport trunk infrastructure (including in road reserve cycleways and pathways) is outlined in Table 4.4.6: Desired Standards of Service: Transport and should be read in conjunction with Isaac Regional Council's own adopted technical standards.

Desired Goal	Planning Standard	Design Standard	Community Outcome
	Planning Standard         •       Site master planning and lot and road configuration to be undertaken in accordance with Isaac Regiona Council Planning Scheme – ROL Code;         •       Road network planning to be undertaken in an Urban environment with:         •       Complete Streets: Guidelines for Urban Street Design (2011) – Institute of Public Works Engineering Australasia         Or rural environment with:       •         •       Road Planning and Design Manual (2nd Edition) July 2013 Main Roads         •       Define the road network as a functional Urban and Rural hierarchy and freight routes which supports the urban, rural and mining activities that support commercial and economic development.	<ul> <li>Road network system is designed and provided in accordance with:</li> <li>Department of Transport and Main Roads:         <ul> <li>Road Planning and Design Manual (2nd Edition) July 2013</li> <li>Transport and Main Roads Specifications</li> <li>Transport and Main Roads Standard Drawings</li> <li>Transport and Main Roads Bridge Design Manual;</li> <li>Manual of Uniform Traffic Control Devices (MUTCD);</li> </ul> </li> <li>Austroads;</li> <li>AGTM Guide to Road Design;</li> <li>AGTM Guide to Traffic Management;</li> </ul>	<ul> <li>Safety/Amenity</li> <li>Protects the amenity of residential communities by removing non-local traffic.</li> <li>Improves local safety by removing "through" traffic.</li> <li>Encouragement of cycling and walking has positive health outcomes.</li> <li>Promotes health benefits.</li> <li>Improves transport opportunities for local trips.</li> <li>Ensures an acceptable level of amenity for users.</li> <li>Allows for high propensity to use walk and cycle options when convenient connections are provided.</li> <li>Limits community severance.</li> </ul>
	<ul> <li>Edition) July 2013 Main Roads</li> <li>Define the road network as a functional Urban and Rural hierarchy and freight routes which supports the urban, rural and mining activities that support</li> </ul>	<ul> <li>Manual of Uniform Traffic Control Devices (MUTCD);</li> <li>Austroads;</li> <li>AGRD Guide to Road Design;</li> <li>AGTM Guide to Traffic Management;</li> <li>AGPT Guide to Pavement Technology;</li> <li>AGBT Guide to Bridge Technology; and</li> <li>Capricorn Municipal Development Guidelines;</li> <li>Street Lighting</li> <li>AS/NZS 1158 Set: 2010 - Lighting for roads and public spaces;</li> <li>AS/NZS 2890 Set: 2009 – Parking Facilities; and</li> <li>AS 1742.2-2009 Manual of uniform traffic control devices – Traffic control devices for general use.</li> <li>Other:</li> <li>Urban Drainage</li> </ul>	<ul> <li>Allows for high propensity to use walk and cycle options when convenient connections are provided.</li> <li>Limits community severance.</li> </ul>
		<ul> <li>Queensland Urban Drainage Manual (2013 - Provisional Edition) - Department of Energy and Water Supply;</li> <li>Standard Drawings – Institute of Public Works Engineering Australia;</li> </ul>	<ul> <li>Supports efficient and integrated freight movement network.</li> <li>Environmental</li> <li>Design bridges and culverts with appropriate flood immunity</li> </ul>

#### Table 4.4.6—Desired Standards of Service – Transport

Desired Goal	Planning Standard	Design Standard	Community Outcome
Optimise Whole of		<ul> <li>Sealed Local Roads Manual – Guidelines to Good Practice: Design, construction, maintenances and rehabilitation of pavements. ARRB; and</li> <li>Cycleway and footpaths         <ul> <li>Plans for trunk infrastructure</li> <li>Design standards adopted by Council.</li> </ul> </li> <li>Design solutions are taken from the most appropriate</li> </ul>	<ul> <li>and capacity to convey floodwater, taking into account the Council's road hierarchy.</li> <li>Construction of bridges and culverts must not adversely impact on the natural environment, such as through the loss of vegetation and undesirable impacts on biodiversity.</li> <li>Design bridges and culverts to maintain fauna and recreational links where feasible.</li> <li>Ensures road crossings operate safely in times of inundation.</li> <li>Reduces the risk of flooding for upstream properties.</li> <li>Provides opportunities for extended pedestrian and bicycle links.</li> <li>Enhances ecological links.</li> <li>Reduced cost of energy</li> </ul>
Lifecycle Cost	<ul> <li>Planning ensures cross sections and pavements are delivered which are fit for purpose in terms of operating width and durability. Optimising capital and operational costs;</li> <li>Road alignments should be determined to minimise the impact structures required to accommodate watercourses and other natural features where possible;</li> <li>Traffic control devices are carefully determined to ensure their operation meets the requirement management outcome but also the operation of the device is within the technical capability of Council.</li> <li>Embellishment on the road reserve including control devices and amenity improvements have high durability and are appropriate located.</li> <li>Application of standards to achieve road design outcomes are carefully crafted to be consistent but at the same time fit for purpose in any given location.</li> </ul>	<ul> <li>besign solutions are taken norm the most appropriate best practice design guideline (as above) and aligned to the operational needs of the transport network component;</li> <li>Design and construction solutions which are, readily sourced, prefabricated, modular and are to be preferred than bespoke design solutions.</li> </ul>	<ul> <li>Cost effective service for community</li> <li>Greenhouse gas reduction</li> <li>Reduced maintenance costs</li> <li>Reduced overall operation costs</li> <li>Reduced replacement costs</li> <li>Maximise life of system</li> </ul>

#### 4.4.4 Public parks and land for community facilities network

- (1) The Public Parks and Land for Community Facilities trunk infrastructure network comprises infrastructure shown in Table 4.4.7:
- (2) The desired standards for the public parks and land for community facilities trunk infrastructure are shown in Table 4.4.8: Desired Standards of Service: Public Parks and Land for Community Facilities and should be read in conjunction with the Local government's own adopted technical standards.
- (3) Design criteria for Public Parks and Land for Community Facilities are shown in Table 4.4.9.
- (4) Standard embellishments for public parks are shown in Table 4.4.10.

# Table 4.4.7—Public Parks and Land for Community Facilities trunk infrastructure network inclusions

Public Parl	Public Parks and Land for Community Facilities				
Class	Facility (Hierarchy)	Asset (Function)	Embellishments	Qualification/Design Criteria	
Public Parks	Local District	Recreation Recreation	As per Table 4.1.5.4: Standard	As per Table 4.1.5.3 Design Criteria for Public	
T UNO	District	Sportsgrounds and Courts	Embellishments for Public Parks	Parks and Land for Community Facilities	
	Regional	Recreation	]		
		Sportsgrounds and Courts			
	Recreation Co	rridors			
Land for Communit y Facilities			N/A	Land only for community facilities which allow public access, not restricted by membership, for purposes such as youth centres, senior citizens centre, neighbourhood centres, meeting halls, libraries, performing arts centres, museums, art galleries, community centres.	
				Works associated with the clearing of land and connection to services.	

Planning Standard	Community Outcome		
• Provide a connected and accessible network of parks, open space, and community facilities that meets the needs of the local government's residents and visitors.	<ul> <li>Provides opportunities for access and increased usage of open space, recreational and community facilities.</li> <li>Provides for an appropriate balance of land uses and ensures high levels of amenity in the urban form.</li> <li>Provides a basis for a healthy and active community.</li> </ul>		
Ensure strong linkages and where possible co-location of existing and future parks, open space and community facilities.	<ul> <li>Ensures utilisation of existing and future assets while maintaining maximum access.</li> <li>Makes economic efficiency of land owned by the Community.</li> </ul>		
Provide a preferred level of development or embellishments to public parks, commensurate with the range of activities envisaged.	<ul> <li>Provides safe open space embellishments that meet the needs of the community by providing a range of facilities for social activities and/or fitness/recreational pursuits.</li> <li>Ensures activities are met and contained within designated areas - reducing potential off-site impacts to other more sensitive areas in the Local government area.</li> <li>Maximises the use of the land and provides the basis for a healthy community.</li> </ul>		
<ul> <li>Ensure that existing and future parks, open space and community facilities with significant environmental, waterway or cultural heritage value are managed appropriately.</li> </ul>	<ul> <li>Protects and enhances items of cultural interest in the Local government for the benefit of current and future communities in the area.</li> <li>Provides a basis for tourism opportunities.</li> <li>Protection of the natural landscape ensures maintenance of quality of air, water and land resources reducing negative impacts requiring amelioration.</li> </ul>		
Design Standard	Community Outcome		
<ul> <li>Public parks and land for community facilities areas are provided in accordance with standard of provision (minimum park size) defined in Council's Public Parks and Land for Community Facilities design criteria, and where identified in accordance with the Plans for Trunk Infrastructure – Public Parks and Land for Community Facilities.</li> </ul>	<ul> <li>Provides a standard of service consistent with community expectations.</li> <li>Land and facilities are developed to optimise layout and use.</li> <li>Facilities are provided in close proximity to the residents of the Local government and provide for a range of active and passive pursuits.</li> </ul>		
Access to public parks and land for community facilities are to be in accordance with     Council's Public Parks and Land for Community Facilities design criteria.	Provides community access to a range of park, open space and community facilities.		
<ul> <li>Land characteristics including shape, road frontage and gradient are in accordance with the desired land characteristics defined in Council's Public parks and land for community facilities design criteria.</li> </ul>	Topography does not reduce or interfere with amenity and recreation use.		
Flood immunity for public parks and land for community facilities are achieved in accordance with Council's Public Parks and Land for Community Facilities design criteria.	Ensure adequate provision of safe, accessible and usable facilities.		
<ul> <li>Public park embellishments are provided in accordance with:</li> <li>the type and purpose of public park as identified below;</li> <li>Plans for Trunk Infrastructure – Public Parks and Land for Community Facilities.</li> </ul>	<ul> <li>Provides a range of park types that are suitability embellished to meeting their purpose within the park hierarchy.</li> </ul>		

Park Type	Hierarchy	Min Park Size	Accessibility (catchment)	Land Characteristics
Recreation	Local	0.5Ha of usable space	400m	Shape: Square to rectangular with sides no greater than 2:1
				Gradient: Max 1:10 for 80% of park area
				Road frontage: 30-50% of perimeter to have direct frontage
				Flood immunity: 15% of area above Q105 and free of hazards.
	District	2Ha – 4 Ha of usable	2500m	Shape: Square to rectangular with sides no greater than 2:1
		space		Gradient: Max 1:10 for 80% of park area
				Road frontage: 30-50% of perimeter to have direct frontage on a collector road
				Flood immunity: At least 25% of total area to be above Q50 with main activity areas above Q105.
	Regional	6Ha of usable space	Isaac Region (LGA)	Shape: Square to rectangular with sides no greater than 2:1
				Gradient: Average 1:20 for main use areas, 1:50 for kick-about area, and variable for remainder
				Road frontage: 30-50% of perimeter to have direct frontage on a collector road
				Flood immunity: At least 50% of total area to be above Q50 with main activity areas above Q100.
Sportsgrounds	District	3Ha	10 minute-	Shape: Square or rectangular
and Courts			drive	Gradient: Average 1:80 for all playing surfaces
				Road frontage: approx. 25% of perimeter to have direct road frontage
				Flood immunity: At least 20% of land above Q20, with fields and courts above Q50. Built facilities to be above Q105.
	Regional		Isaac Region (LGA)	Shape: Square or rectangular
		desirable)		Gradient: Max. 1:100
				Road frontage: approx. 25% of perimeter to have direct road frontage
				Flood immunity: At least 90% of land above Q20, with fields and courts above Q50. Built facilities to be above Q105.
Recreation Corr	ridors	Average 6m	NA	Shape: Linear
		wide		Gradient: As flat as possible to encourage walking and cycling.
				Road frontage: road frontage where possible for safety and access reasons.
				Flood immunity: Minimal, to be assessed on a case-by-case basis.

Embellishment type	Recreation		Sportsgrounds and Courts		Recreation Corridors	
	Local	District	Regional	District	Regional	
Recreation activity area	$\checkmark$	~	~			
Bollard fencing	$\checkmark$	✓				✓
Post and rail fencing			✓	✓	✓	
Park trees	$\checkmark$	✓	✓			✓
Bike rack	$\checkmark$	✓	✓	✓	✓	
Small park sign	$\checkmark$	✓	✓	$\checkmark$	✓	✓
Large park sign		✓	$\checkmark$		✓	✓
Water bubbler	$\checkmark$	✓	✓		✓	
Bench seats	$\checkmark$	✓	$\checkmark$		✓	✓
Picnic table	$\checkmark$	✓	$\checkmark$			
Picnic shelter (with table/chairs)		~	~			
Bins	$\checkmark$		$\checkmark$	$\checkmark$	✓	✓
Park lighting		✓	$\checkmark$	$\checkmark$	$\checkmark$	
Barbecues		$\checkmark$	$\checkmark$			
Shade structure		✓	$\checkmark$		$\checkmark$	
Irrigation		✓	$\checkmark$	$\checkmark$		
Amenity Block		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Spectator seating				$\checkmark$	$\checkmark$	
Pathway		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Carparking		✓	$\checkmark$	$\checkmark$	✓	

#### Table 4.4.10—Standard embellishments for Public Parks

# 4.5 Plans for trunk infrastructure

The plans for trunk infrastructure identify the trunk infrastructure networks intended to service the existing and assumed future urban development at the desired standard of service.

### 4.5.1 Plans for trunk infrastructure maps

- (1) The existing and future trunk infrastructure networks are identified on the following maps in **Schedule 3 (Local government infrastructure plan mapping and tables)**:
  - (a) Local Government Infrastructure Plan Map WS 001:008 Plans for trunk infrastructure water supply network
  - (b) Local Government Infrastructure Plan Map SEW 001:007 Plans for trunk infrastructure sewerage network
  - (c) Local Government Infrastructure Plan Map TR 001:016 Plans for trunk infrastructure transport network
  - (d) Local Government Infrastructure Plan Map PPCL 001:011 Plans for trunk infrastructure parks and land for community facilities network
- (2) The state infrastructure forming part of transport trunk infrastructure network has been identified using information provided by the relevant state infrastructure supplier.

#### 4.5.2 Schedules of works

(1) Details relating to the existing and future trunk infrastructure networks are identified in the electronic schedule of works model, which can be viewed here: https://www.isaac.qld.gov.au/Residents/Planning-and-Development/Infrastructure-Planning-and-Charges#section-1

- (2) The future trunk infrastructure, derived from the SOW model, is summarised in the following tables in **Schedule 3 (Local government infrastructure plan mapping and tables)**:
  - (a) for the water supply network, Table SC3.2.1
  - (b) for the sewerage network, Table SC3.2.2
  - (c) for the transport network, Table SC3.2.3
  - (d) for the parks and land for community facilities network, Table SC3.2.4

#### Editor's note – Extrinsic material

The table below identifies the documents that assist in the interpretation of the local government infrastructure plan and are extrinsic material under the Statutory Instruments Act 1992.

#### List of extrinsic material

Column 1	Column 2	Column 3
Title of document	Date	Author
Extrinsic Material to the Local Government Infrastructure Plan report – Prepared for Isaac Regional Council	March 2020	Integran Pty Ltd
Isaac Region Economic & Population Review	October 2016	Norling Consulting
Moranbah Access Road Upgrade – Preliminary Estimate of Cost	April 2013	UDP Consulting Engineers

# Part 5 Tables of assessment

# 5.1 Preliminary

The tables in this part identify the category of development, and the category of assessment and assessment benchmarks for assessable development in the planning scheme area.

# 5.2 Reading the tables

The tables identify the following:

- (1) the category of development:
  - (a) prohibited;
  - (b) accepted, including accepted subject to requirements; and
  - (c) assessable development, that requires either code or impact assessment;
- (2) the category of assessment, code or impact, for assessable development in:
  - (a) a zone and, where used, a precinct of a zone;
  - (b) an overlay where used.
- (3) the assessment benchmarks for assessable development, including:
  - (a) whether a zone code or specific provisions in the zone code apply (shown in the 'assessment benchmarks' column);
  - (b) if there is an overlay:
    - (i) whether an overlay code applies (shown in section 5.8 Categories of development and assessment Overlays); or
    - (ii) whether the assessment benchmarks as shown on the overlay map (noted in the 'assessment benchmarks for assessable development and requirements for accepted development' column) applies;
  - (c) any other applicable code(s) (shown in the 'assessment benchmarks for assessable development and requirements for accepted development' column);
  - (d) any requirements for accepted development which will need to be met in order for the development to remain accepted;
- (4) any variation to the category of assessment (shown as an 'if' in the 'category of development and assessment' column) that applies to the development.

Note—Development will only be taken to be prohibited development under the planning scheme if it is identified as prohibited development in the Regulation.

Editor's note—Examples of matters that can vary the category of assessment are height or lot size provisions.

# 5.3 Categories of development and assessment

# 5.3.1 Process for determining the category of development and the category of assessment for assessable development

The process for determining a category of development and category of assessment is:

- (1) for a material change of use, establish the use by reference to the use definitions in **Schedule 1 (Definitions);**
- (2) for all development, identify the following:
  - (a) the zone or zone precinct that applies to the premises, by reference to the zone map in **Schedule 2 (Mapping)**;
  - (b) if an overlay applies to the premises, by reference to the overlay map in **Schedule 2 (Mapping)**;
- (3) determine if the development is accepted development under schedule 6 or 7 of the Regulation or is assessable or prohibited development under the Regulation;

Editor's note—Schedule 6 of the Regulation prescribes development that a planning scheme can not state is assessable development where the matters identified in the schedule are met. Schedule 7 of the Regulation identifies

development the state makes accepted. Some development in schedule 7 may still be made assessable under this planning scheme.

- (4) otherwise, determine the initial category of assessment by reference to the tables in:
  - section 5.4 Categories of development and assessment—Material change of use;
  - section 5.5 Categories of development and assessment—Reconfiguring a lot;
  - section 5.6 Categories of development and assessment—Building work;
  - section 5.7 Categories of development and assessment—Operational work;
- a precinct of a zone may change the categories of development or assessment and this will be shown in the 'category of assessment' column of the tables in sections 5.4, 5.5, 5.6 and 5.7;
- (6) if an overlay applies, refer to section 5.8 (Categories of development and assessment Overlays), to determine if the overlay further changes the category of development or assessment.

# 5.3.2 Determining the category of development and categories of assessment

- (1) A material change of use is assessable development requiring impact assessment:
  - (a) unless section 5.4 Categories of development and assessment—Material change of use states otherwise;
  - (b) if a use is not listed or defined;
  - (c) unless otherwise prescribed in the Act or the Regulation.
- (2) Reconfiguring a lot is assessable development requiring code assessment unless **section 5.5 Categories of development and assessment—Reconfiguring a lot** states otherwise or unless otherwise prescribed in the Act or the Regulation.
- (3) Building work and operational work are accepted development, unless section 5.6 Categories of development and assessment—Building work or section 5.7 Categories of development and assessment—Operational work state otherwise or unless otherwise prescribed in the Act or the Regulation.
- (4) Where an aspect of development is proposed on premises included in more than one zone or overlay, the category of development or assessment for that aspect is the highest category under each of the applicable zones or overlays.
- (5) Where development is proposed on premises partly affected by an overlay, the category of development or assessment for the overlay only relates to the part of the premises affected by the overlay.
- (6) For the purposes of Schedule 6, Part 2 Material change of use section(2)(2)(d)(i) or (ii) of the Regulation, an overlay does not apply to the premises if the development meets the acceptable outcomes that form the requirements for accepted development in the relevant overlay code.
- (7) If development is identified as having a different category of development or category of assessment under a zone than under an overlay, the highest category of development or assessment applies as follows:
  - (a) accepted development subject to requirements prevails over accepted development;
  - (b) code assessment prevails over accepted development where subject to requirements and accepted development;
  - (c) impact assessment prevails over code assessment, accepted development where subject to requirements and accepted development.
- (8) Provisions of **Part 9 (Other plans)** may override any of the above.

Editor's note— land within various zones in the proposed planning scheme that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

- (9) The category of development prescribed under schedule 6 of the Regulation, overrides all other categories of development or assessment for that development under the planning scheme to the extent of any inconsistency.
- (10) Despite all of the above, if development is listed as prohibited development under the Regulation, a development application can not be made.

Note—Development is to be taken to be prohibited development under the planning scheme only if it is identified in schedule 10 the Regulation.

# 5.3.3 Determining the requirements for accepted development and assessment benchmarks and other matters for assessable development

- (1) Accepted development does not require a development approval and is not subject to assessment benchmarks. However, certain requirements or variations may apply to some types of development for it to be accepted development. Where nominated in the categories of development and assessment, accepted development (where stated as 'accepted development subject to requirements') must comply with the requirements contained in the identified assessment benchmark(s) as identified in the 'assessment benchmarks for assessable development and requirements for accepted development' column.
- (2) Accepted development that does not comply with one or more of the nominated acceptable outcomes in the relevant parts of the applicable code(s) becomes code assessable development, unless otherwise specified.
- (3) The following rules apply in determining assessment benchmarks for each category of development and assessment.
- (4) Code assessable development:
  - (a) is to be assessed against all the assessment benchmarks identified in the Assessment benchmarks for assessable development and requirements for accepted development column;

Editor's note—The local planning instrument assessment benchmarks identified in the assessment benchmarks column are:

- the relevant code if specified in a table of assessment, being the code purpose, overall outcomes, performance outcomes and acceptable outcomes;
- supported by any planning scheme policy identified in the relevant code.
- (b) that occurs as a result of development becoming code assessable pursuant to **sub-section 5.3.3(2)**, must:
  - (i) be assessed against the assessment benchmarks for the development application, limited to the subject matter of the required acceptable outcomes that were not complied with or were not capable of being complied with under **sub-section 5 3.3(2)**;

Editor's note—The local planning instrument assessment benchmarks identified in the assessment benchmarks column are:

- the relevant code if specified in a table of assessment, being the code purpose, overall outcomes, performance outcomes and acceptable outcomes;
- supported by any planning scheme policy identified in the relevant code.
  - (ii) comply with all required acceptable outcomes identified in sub-section 5.3.3(1) other than those mentioned in sub-section 5.3.3(2);
- (c) that complies with the purpose, overall outcomes, performance or acceptable outcomes of the code complies with the code;
- (d) is to be assessed against any assessment benchmarks for the development identified in section 26 of the Regulation.

Editor's note—Section 27 of the Regulation also identifies the matters that code assessment must have regard to.

- (5) Impact assessable development:
  - (a) is to be assessed against the identified assessment benchmarks in the Assessment benchmarks for assessable development and requirements for accepted development column (where relevant);

Editor's note—The local planning instrument assessment benchmarks identified in the assessment benchmarks column are:

- the relevant code if specified in a table of assessment, being the code purpose, overall outcomes, performance outcomes and acceptable outcomes;
- supported by any planning scheme policy identified in the relevant code.
- (b) assessment is to have regard to the whole of the planning scheme, to the extent relevant;
- (c) is to be assessed against any assessment benchmarks for the development identified in section 30 of the Regulation.

Editor's note—Development is to consider cumulative outcomes and give weight to all aspects of the code. Specific performance outcomes are not to be compromised at the expense of other code elements.

Editor's note—The first row of each table of assessment is to be checked to confirm if there are assessment benchmarks that commonly apply to general scenarios in the zone or overlay.

Editor's note—Section 31 of the Regulation identifies the matters that impact assessment must have regard to.

# 5.4 Categories of development and assessment—Material change of use

The following tables identify the categories of development and assessment for development in a zone for making a material change of use.

# 5.4.1 Residential zones category

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development		
Park	Accepted development			
		No assessment benchmarks apply		
Emergency	Accepted development			
services	If undertaken by a public sector	No assessment benchmarks apply		
Substation	entity and where the			
Utility installation	development footprint is less than 500m <sup>2</sup>			
Major electricity	Accepted development			
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition</li> </ul>	No assessment benchmarks apply		
	structures)			
	Assessable development – Impact assessment			
	In all other circumstances	The planning scheme		
Home-based	Accepted development subject	to requirements		
business		Home based business code		
	Assessable development - Impact assessment			
	If not Accepted development subject to requirements	The planning scheme		
Dual occupancy	Accepted development subject	to requirements		
Dwelling house		Low density residential zone code		
Sales office				
	oment - Impact assessment			
Any other use not listed in this table. Any use listed in the table and not meeting the description listed in the categories of development and assessment column. Any other undefined use.		The planning scheme		

Table 5.4.1.1—Low density residential zone

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development		
Park	Accepted development			
		No assessment benchmarks apply		
Emergency	Accepted development			
services Substation	If undertaken by a public sector	No assessment benchmarks apply		
Utility installation	entity and where the development footprint is less			
othity instantion	than 500m <sup>2</sup>			
Major electricity	Accepted development			
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply		
	Assessable development – Impa	act assessment		
	In all other circumstances	The planning scheme		
Dual occupancy	Accepted development subject			
Dwelling house		Low-medium density residential		
Sales office		zone code		
Home-based business	Accepted development subject to requirements			
business	Home based business code			
	Assessable development - Impact assessment			
	If not Accepted development subject to requirements	The planning scheme		
Child care centre	Assessable development - Code	e assessment		
Community care	If building height does not	Low-medium density residential		
centre Community use	exceed 8.5m and 2 storeys	zone code Development works code		
Multiple dwelling		Landscaping code		
Residential care facility				
Retirement facility				
Rooming				
accommodation				
	oment - Impact assessment			
Any other use not listed in this table. Any use listed in the table and not meeting the description listed in the categories of development and assessment column. Any other undefined use.		The planning scheme		

Table 5.4.1.2—Low-medium	density residential zone
--------------------------	--------------------------

# 5.4.2 Centres zones category

Table	5.4.2.1-	-Centre	zone
I UDIC	V. T. A. I	0011110	20110

Table 5.4.2.1—Centre zone		
Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Park	Accepted development	
		No assessment benchmarks
<b>_</b>		apply
Emergency services	Accepted development	1
Substation	If undertaken by a public sector	No assessment benchmarks
Utility installation	entity and where the development footprint is less than 500m <sup>2</sup>	apply
Major electricity	Accepted development	
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply
	Assessable development – Imp	bact assessment
	In all other circumstances	The planning scheme
Caretakers	Accepted development subject	
accommodation		Centre zone code
Dwelling unit		
Home-based	Accepted development subject	t to requirements
business		Home based business code
	Assessable development - Impact assessment	
	If not Accepted development	The planning scheme
	subject to requirements	
Telecommunications	Accepted development subject	t to requirements
facility		Telecommunications facility use code
Adult store	Accepted development	
Agricultural supplies store Bar	If involving the reuse of an existing building and not involving building work	No assessment benchmarks apply
Car wash	Assessable development - Coc	le assessment
Club	In all other circumstances	Centre zone code
Community care centre		Development works code Landscaping code
Community use		
Educational		
establishment		
Food and drink outlet		
Function facility		
Funeral parlour		
Garden Centre		
Hardware and trade supplies		

	Categories of development and assessment	assessable development and requirements for accepted development
Health care services		
Indoor sport and		
recreation		
Market		
Office		
Outdoor sales		
Service industry		
Shop		
Shopping centre Showroom		
Theatre		
Veterinary services		
Child care centre	Assessable development - Cod	le assessment
Multiple dwelling	•	Centre zone code
Parking station		Development works code
Place of worship		Landscaping code
Residential care		
facility		
Retirement facility		
Rooming		
accommodation		
Service station		
Short-term		
accommodation		
•	ent - Impact assessment	
Any other use not listed		The planning scheme
Any use listed in the table	0	
assessment column.	ategories of development and	
Any other undefined use		

# 5.4.3 Industry zones category

Table 5.4.3.1—Industry	20110	
Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Park	Accepted development	
		No assessment benchmarks
		apply
Emergency services	Accepted development	
Substation	If undertaken by a public	No assessment benchmarks
Utility installation	sector entity	apply
	Assessable development - Co	
	In all other circumstances	Industry zone code
		Development works code Landscaping code
Indoor sport and	Accord dovelopment	
recreation	Accepted development Where using an existing	No assessment benchmarks
	building	apply
	Assessable development - Co	
	In all other circumstances	Industry zone code
		Development works code
		Landscaping code
Sales office	Accepted development subject	
		Industry zone code
		-
Caretaker's	Accepted development subject	t to requirements
accommodation		Industry zone code
	Assessable development - Impact assessment	
	If not Accepted development	The planning scheme
	subject to requirements	
Telecommunications	Accepted development subject	-
facility		Telecommunications facility use code
Low impact industry	Accepted development subject	t to requirements
Service industry	Where the land does not	Industry zone code
Warehouse	adjoin land in a residential	Development works code
	Zone Assessable development - Co	de assessment
	Where:	
	<ul> <li>if not Accepted</li> </ul>	Industry zone code Development works code
	development subject to	Development works code
	requirements; or	
	<ul> <li>the land adjoins land in a</li> </ul>	
	residential zone.	
Agricultural supplies	Assessable development - Code assessment	
store		Industry zone code
Bulk landscape		Development works code
supplies		Landscaping code
Garden centre		
Hardware and trade		
supplies Brothel	Accessible development Or	
BIULIEI	Assessable development - Code assessment	

## Table 5.4.3.1—Industry zone

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Car wash	Where the land does not	Industry zone code
Crematorium	adjoin a residential zone	Development works code
Educational establishment		Landscaping code
Food and drink outlet		
Funeral parlour		
Major electricity infrastructure		
Medium impact industry		
Outdoor sales		
Research and technology industry		
Service station		
Transport depot		
Major electricity	Accepted development	
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply
	Assessable development – Co	de assessment
	In all other circumstances	Industry zone code Development works code Landscaping code
Assessable developme	ent - Impact assessment	
Any other use not listed Any use listed in the tab description listed in the assessment column. Any other undefined use	le and not meeting the categories of development and	The planning scheme

## Table 5.4.3.2—Industry investigation zone

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Animal husbandry	Accepted development	
Park		No assessment benchmarks apply
Emergency services	Accepted development	
Substation Utility installation	If undertaken by a public sector entity and where the development footprint is less than 500m <sup>2</sup>	No assessment benchmarks apply
	Assessable development - Co	de assessment
	If not undertaken by a public entity	Industry investigation zone code Development design code
Major electricity	Accepted development	
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply
	Assessable development – Impact assessment	
	In all other circumstances	The planning scheme
Telecommunications	Accepted development subject	t to requirements
facility		Telecommunications facility use code
Sales office	Accepted development subject	t to requirements
		Industry zone code
Caretaker's	Accepted development subject	t to requirements
accommodation		Industry investigation zone code
	Assessable development - Im	pact assessment
	If not Accepted development subject to requirements	If not Accepted development subject to requirements
Warehouse	Assessable development - Code assessment	
	Only where an outdoor storage	Industry investigation zone code
A	yard	Development works code
Assessable development Any other use not listed	ent - Impact assessment	The planning scheme
Any use listed in the tab	le and not meeting the categories of development and	The planning scheme

# 5.4.4 Recreation zone category

	ion and open space zone	
Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Environment facility	Accepted development	
Landing*		No assessment benchmarks
Park		apply
Permanent Plantation		
*Editor's note–Assessment may be triggered through other legislation		
Emergency services	Accepted development	
Substation	If undertaken by a public	No assessment benchmarks
Utility installation	sector entity and where the development footprint is less than 500m <sup>2</sup>	apply
Major electricity	Accepted development	
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply
	Assessable development – Im	pact assessment
	In all other circumstances	The planning scheme
Telecommunications	Accepted development subject	
facility		Telecommunications facility use code
Caretaker's	Accepted development subject	
accommodation Dwelling unit Market Outdoor sport and recreation	· · · · · · · · ·	Recreation and open space zone code
Club	Accepted development	
Community use Function facility Indoor sport and	If involving the reuse of an existing building and not involving building work	No assessment benchmarks apply
recreation	Assessable development - Code assessment	
	If not involving the reuse of existing building	Recreation and open space zone code Development works code
		Landscaping code
Assessable developm	ent - Impact assessment	
Any other use not listed Any use listed in the tab description listed in the assessment column. Any other undefined use	le and not meeting the categories of development and	The planning scheme

# Table 5.4.4.1—Recreation and open space zone

# 5.4.5 Environmental zones category

Table 5.4.5.1—Environmental management and conservation zone		
Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Environment facility	Accepted development	
Landing*		No assessment benchmarks
Outstation		apply
Park		
*Editor's note–Assessment may be triggered through other legislation		
Emergency services	Accepted development	
	If undertaken by a public sector entity and where the development footprint is less than 500m <sup>2</sup>	No assessment benchmarks apply
Telecommunications	Assessable development - Code assessment	
facility		Telecommunications facility use code
Caretakers	Accepted development subject to requirements	
accommodation		Environmental management and conservation zone code
Nature based	Assessable development - Code assessment	
tourism		Environmental management and
Utility installation		conservation zone code
Substation		Development works code
		Landscaping code
Assessable development - Impact assessment		
Any other use not listed		The planning scheme
Any use listed in the tab	categories of development and	
assessment column.	categories of development and	
Any other undefined us	e.	
,		

#### Table 5.4.5.1—Environmental management and conservation zone

# 5.4.6 Other zones category

Table 5.4.6.1—Community facilities zone
-----------------------------------------

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Animal husbandry	Accepted development	
Landing* Park		No assessment benchmarks apply
*Editor's note–Assessment may be triggered through other legislation		
Emergency services	Accepted development	
Substation	If undertaken by a public sector	No assessment benchmarks
Utility installation	entity and where the development footprint is less than 500m <sup>2</sup>	apply
Major electricity	Accepted development	l
infrastructure	Where:	No assessment benchmarks
	undertaken by a public sector entity: and	apply
	<ul> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	
	Assessable development – Imp	act assessment
	In all other circumstances	The planning scheme
Caretaker's	Accepted development subject	to requirements
accommodation	If involving the reuse of an	Community facilities zone code
Child care centre	existing building and not	,
Community care	involving building work	
centre	Assessable development - Code	
Community use	In all other circumstances	Community facilities zone code
Educational establishment		Development works code Landscaping code
Health care services		
Indoor sport and recreation		
Market		
Outdoor sport and		
recreation Place of worship		
Club	Accepted development subject	to requiremente
	If:	Community facilities zone code
	<ul> <li>(a) involving the reuse of an existing building and not involving building work; and</li> <li>(b) not involving a permanent liquor or gaming licence.</li> </ul>	
	Assessable development - Code	
	In all other circumstances	Community facilities zone code Development works code Landscaping code

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Cemetery	Assessable development - Code	e assessment
Residential care facility		Community facilities zone code Development works code Landscaping code
Food and drink	Assessable development - Code assessment	
outlet Shop	Where GFA does not exceed 150m <sup>2</sup>	Community facilities zone code Development works code Landscaping code
Assessable development - Impact assessment		
Any other use not listed in this table. Any use listed in the table and not meeting the description listed in the categories of development and assessment column. Any other undefined use.		The planning scheme

# Table 5.4.6.2—Emerging community zone

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development	
Animal husbandry	Accepted development		
Cropping Park		No assessment benchmarks apply	
Emergency services	Accepted development		
Substation Utility installation	If undertaken by a public sector entity and where the development footprint is less than 500m <sup>2</sup>	No assessment benchmarks apply	
Major electricity infrastructure	Accepted development		
	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply	
	Assessable development – Impact assessment		
	In all other circumstances	The planning scheme	
Caretaker's	Accepted development subject to requirements		
accommodation Dwelling house Sales office		Emerging community zone code	
Home-based	Accepted development subject to requirements		
business		Home based business code	
	Assessable development - Impact assessment		
	If not Accepted development subject to requirements	The planning scheme	
Outdoor sport and	Assessable development - Code assessment		
recreation		Emerging community zone code Development works code Landscaping code	
Assessable development - Impact assessment			
Any other use not listed in this table. Any use listed in the table and not meeting the description listed in the categories of development and assessment column. Any other undefined use.		The planning scheme	

#### Table 5.4.6.3—Limited development zone

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development	
Animal Husbandry	Accepted development		
Park		No assessment benchmarks apply	
Emergency services	Assessable development - Code assessment		
Substation Utility installation		Limited development zone code Development works code	
Major electricity	Accepted development		
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply	
	Assessable development – Impact assessment		
	In all other circumstances	The planning scheme	
Outdoor sport and	Assessable development - Code assessment		
recreation		Limited development zone code Development works code	
Assessable development - Impact assessment			
Any other use not listed in this table. Any use listed in the table and not meeting the description listed in the categories of development and assessment column. Any other undefined use.		The planning scheme	

#### Table 5.4.6.4—Minor tourism zone

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development	
Environment facility	Accepted development		
Landing*		No assessment benchmarks	
Park		apply	
*Editor's note–Assessment may be triggered through other legislation			
Emergency services	Accepted development		
Substation	If undertaken by a public	No assessment benchmarks	
Utility installation	sector entity and where the	apply	
-	development footprint is less than 500m <sup>2</sup>		
	Assessable development - Code assessment		
	If not undertaken by a public entity	Minor tourism zone code	
Major electricity	Accepted development		
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply	
	Assessable development – Impact assessment		
	In all other circumstances	The planning scheme	
Caretaker's	Accepted development subject to requirements		
accommodation Dwelling unit		Minor tourism zone code	
Nature based	Assessable development - Code assessment		
tourism		Minor tourism zone code	
Tourist Park		Development works code	
		Landscaping code	
Assessable development - Impact assessment			
Any other use not listed in this table. Any use listed in the table and not meeting the description listed in the categories of development and assessment column. Any other undefined use.		The planning scheme	

#### Table 5.4.6.5—Rural zone

		Assessment benchmarks for
Use	Categories of development and assessment	assessable development and requirements for accepted development
Animal husbandry	Accepted development	
Environment facility		No assessment benchmarks
Landing*		apply
Outstation		
Park		
Permanent plantation		
*Editor's note–Assessment may be triggered through other legislation.		
Cropping	Accepted development	
	Where not involving forestry for wood production	No assessment benchmarks apply
	Editor's note–refer to schedules 6 and 13 of the <i>Planning Regulation 2017</i> if Cropping where involving forestry for wood production	
Emergency services	Accepted development	
Substation	If undertaken by a public sector	No assessment benchmarks
Utility installation	entity	apply
Major electricity	Accepted development	
infrastructure	Where:	No assessment benchmarks
	• undertaken by a public sector entity: and	apply
	underground infrastructure     (inclusive of transition	
	structures) Assessable development – Imp	act assassment
	In all other circumstances	1
• . •		The planning scheme
Intensive	Accepted development subject	-
horticulture Roadside stall		Rural zone code
Nature based	Accepted development subject	-
tourism Short term	Where up to 10 guests	Rural zone code
accommodation	Assessable development - Impact assessment	
(where a farm stay)	Where located in the Potential hazardous dust level overlay map OM10	The planning scheme
Caretaker's	Accepted development subject	to requirements
accommodation		Rural zone code
Dwelling house	Assessable development - Impa	act assessment
Dual occupancy	Where located in the Potential	The planning scheme
Dwelling unit	hazardous dust level overlay	
Rural workers'	map OM10	
accommodation		
Animal keeping	Accepted development subject	
	Where not involving kennels or catteries	Rural zone code Development works code
	Assessable development - Code	e assessment

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
	Where involving kennels or catteries	Rural zone code
Home-based	Accepted development subject	to requirements
business		Home based business code
	Assessable development – Imp	act assessment
	If not Accepted development subject to requirements	Home based business code
Telecommunications	Accepted development subject	to requirements
facility		Telecommunications facility use code
Agricultural supplies	Assessable development - Code	e assessment
store		Rural zone code
Bulk landscape supplies		Development works code
Club		Landscaping code
Community use		
Garden centre		
Market		
Outdoor sport and recreation		
Renewable energy facility		
Rural industry		
Wholesale nursery		
Winery		
•	Assessable development - Impact assessment	
	le and not meeting the description of development and assessment	The planning scheme

# Table 5.4.6.6—Rural residential zone

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Cropping	Accepted development	
Park		No assessment benchmarks apply
Emergency services	Accepted development	
Substation Utility installation	If undertaken by a public sector entity and where the development footprint is less than 500m <sup>2</sup>	No assessment benchmarks apply
Major electricity	Accepted development	
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply
	Assessable development – Impa	act assessment
	In all other circumstances	The planning scheme
Animal husbandry	Accepted development subject	to requirements
Dwelling house Roadside stall Sales office		Rural residential zone code
Home-based	Accepted development subject	to requirements
business		Home based business code
	Assessable development - Impact assessment	
	If not Accepted development subject to requirements	The planning scheme
Community use	Assessable development - Code	
		Rural residential zone code Development works code
	ent - Impact assessment	
	le and not meeting the description of development and assessment	The planning scheme

# Table 5.4.6.7—Special purpose zone

Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Accepted development	· · · · · · · · · · · · · · · · · · ·
	No assessment benchmarks
	apply
Accepted development	
Where undertaken by a public sector entity	No assessment benchmarks apply
Accepted development	
Where:	No assessment benchmarks
<ul> <li>undertaken by a public sector entity: and</li> </ul>	apply
(inclusive of transition	
Assessable development – Code assessment	
In all other circumstances	Special purpose zone code Development works code
Accepted development subject	
	Telecommunications facility use code
Assessable development - Code	e Assessment
	Special purpose zone code
	Development works code
Assessable development – Cod	e Assessment
<ul> <li>Where:</li> <li>in the Air services precincts (Moranbah); and</li> <li>not increasing the approved passenger threshold of 480,000 passengers per year.</li> </ul>	Special purpose zone code Development works code
in this table. le and not meeting the description of development and assessment	The planning scheme
	and assessment         Accepted development         Accepted development         Where undertaken by a public sector entity         Accepted development         Where:         underground infrastructure (inclusive of transition structures)         Assessable development – Cod         In all other circumstances         Accepted development subject         Assessable development - Cod         In all other circumstances         Accepted development - Cod         Mere:         in the Air services precincts (Moranbah); and         not increasing the approved passenger threshold of 480,000 passengers per year.         ent - Impact assessment         in this table.         le and not meeting the description of development and assessment

# Table 5.4.6.8—Specialised centre zone

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Park	Accepted development	
		No assessment benchmarks apply
Emergency services	Accepted development	
Substation Utility installation	If undertaken by a public sector entity and where the development footprint is less than 500m <sup>2</sup>	No assessment benchmarks apply
Major electricity	Accepted development	
infrastructure	<ul> <li>Where:</li> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	No assessment benchmarks apply
	Assessable development – Impa	act assessment
	In all other circumstances	The planning scheme
Assessable developme	ent - Impact assessment	
Any other use not listed in this table. Any use listed in the table and not meeting the description listed in the categories of development and assessment column. Any other undefined use.		The planning scheme

# Table 5.4.6.9—Township zone

		1	
Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development	
Landing*	Accepted development		
Park		No assessment benchmarks	
*Editor's note–Assessment may be triggered through other legislation.		apply	
Emergency services	Accepted development		
Substation	If undertaken by a public sector	No assessment benchmarks	
Utility installation	entity and where the development footprint is less than 500m <sup>2</sup>	apply	
Major electricity	Accepted development		
infrastructure	Where:	No assessment benchmarks	
	<ul> <li>undertaken by a public sector entity: and</li> <li>underground infrastructure (inclusive of transition structures)</li> </ul>	apply	
	Assessable development – Imp	oact assessment	
	In all other circumstances	The planning scheme	
Home-based	Accepted development subject	to requirements	
business		Home based business code	
	Assessable development - Impact assessment		
	If not Accepted development	The planning scheme	
	subject to requirements		
Caretaker's	Accepted development subject	to requirements	
accommodation	Where not in the Holiday and	Township zone code	
Dwelling house	Residence precinct		
Dwelling unit			
Bar	Accorded dovelopment cubicot	to requiremento	
Club	Accepted development subject Where:		
		Township zone code	
Community care centre	<ul> <li>not in the Holiday and Residence precinct; and</li> </ul>		
	<ul> <li>involving the reuse of an</li> </ul>		
Community use	existing non-residential		
Food and drink	building; and		
outlet	<ul> <li>not involving building work</li> </ul>		
Health Care services	Assessable development - Cod	e assessment	
Market	In all other circumstances	Township zone code	
Nature based tourism	where not in the Holiday and	Development works code	
Office	Residence precinct	Landscaping code	
Service industry			
Shop			
Warehouse			
Agricultural supplies store	Assessable development - Cod		
	Where not in the Holiday and	Township zone code	
Bulk landscape supplies	Residence precinct	Development works code	
• •		Landscaping code	
Child care centre			

Use	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development	
Garden centre			
Hardware and trade supplies			
Indoor sport and recreation			
Place of Worship			
Service station			
Short term			
accommodation			
Shopping centre			
Tourist Park			
Veterinary services			
	Where in the Holiday and Residence precinct		
Dwelling house	Accepted development subject	to requirements	
Editor's note – refer also to Table 5.8.1 for lots within	Where not including a secondary dwelling	Township zone code	
the Coastal hazard overlay	Assessable development - Impact assessment		
	If not Accepted development subject to requirements	The planning scheme	
Home-based	Accepted development subject	to requirements	
business		Home based business code	
	Assessable development – Imp	act assessment	
	In all other circumstances	The planning scheme	
Any other material	Assessable development – Imp	act assessment	
change of use	In all other circumstances	The planning scheme	
Assessable development - Impact assessment		·	
Any other use not listed in this table. Any use listed in the table and not meeting the description listed in the categories of development and assessment column. Any other undefined use.		The planning scheme	

Editor's note-The above categories of development and assessment apply unless otherwise prescribed in the Regulation.

# 5.5 Categories of development and assessment— Reconfiguring a lot

The following table identifies the categories of development and assessment for reconfiguring a lot.

Zone	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Centre	Assessable development - Code assessment	
Community facilities	In all circumstances	The relevant zone code
Environmental		Reconfiguring a lot code
management and		Development works code
conservation		Landscaping code
Industry		
Minor tourism		
Recreation and open space		
Specialised centre		
Special purpose		
Township	Assessable development – Co	ode assessment
	Where not in the Holiday and	The relevant zone code
	Residence precinct	Reconfiguring a lot code
		Development works code
	Accessible development Im	Landscaping code
	Assessable development – Im	
	Where in the Holiday and Residence precinct	The planning scheme
Emerging community	Assessable development - Code assessment	
Industry	If the size of all lots created	The relevant zone code
investigation zone	are equal to, or greater than 50ha	Reconfiguring a lot code
	50118	Development works code Landscaping code
	Assessable development - Impact assessment	
	In all other circumstances	The planning scheme
Low density	Assessable development - Co	
residential zone	Assessable development - Co	
	-	
	If the size of all lots created	The relevant zone code
Low-medium density residential	If the size of all lots created are equal to, or greater than:	The relevant zone code Reconfiguring a lot code
Low-medium density	If the size of all lots created	The relevant zone code
Low-medium density	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and	The relevant zone code Reconfiguring a lot code Development works code Landscaping code
Low-medium density	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage.	The relevant zone code Reconfiguring a lot code Development works code Landscaping code
Low-medium density	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage. Assessable development - Imp In all other circumstances Assessable development - Co	The relevant zone code Reconfiguring a lot code Development works code Landscaping code pact assessment The planning scheme de assessment
Low-medium density residential	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage. Assessable development - Imp In all other circumstances Assessable development - Co If all lots created are a	The relevant zone code Reconfiguring a lot code Development works code Landscaping code pact assessment The planning scheme de assessment Rural residential zone code
Low-medium density residential	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage. Assessable development - Imp In all other circumstances Assessable development - Co If all lots created are a minimum of 2ha and an	The relevant zone code Reconfiguring a lot code Development works code Landscaping code pact assessment The planning scheme de assessment Rural residential zone code Reconfiguring a lot code
Low-medium density residential	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage. <b>Assessable development - Imp</b> In all other circumstances <b>Assessable development - Co</b> If all lots created are a minimum of 2ha and an average of 4ha	The relevant zone code Reconfiguring a lot code Development works code Landscaping code pact assessment The planning scheme de assessment Rural residential zone code Reconfiguring a lot code Development works code
Low-medium density residential	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage. Assessable development - Imp In all other circumstances Assessable development - Co If all lots created are a minimum of 2ha and an average of 4ha Assessable development - Imp	The relevant zone code Reconfiguring a lot code Development works code Landscaping code pact assessment The planning scheme de assessment Rural residential zone code Reconfiguring a lot code Development works code pact assessment
Low-medium density residential Rural residential	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage. Assessable development - Im In all other circumstances Assessable development - Co If all lots created are a minimum of 2ha and an average of 4ha Assessable development - Im In all other circumstances	The relevant zone code Reconfiguring a lot code Development works code Landscaping code pact assessment The planning scheme de assessment Rural residential zone code Reconfiguring a lot code Development works code pact assessment The planning scheme
Low-medium density residential	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage. Assessable development - Imp In all other circumstances Assessable development - Co If all lots created are a minimum of 2ha and an average of 4ha Assessable development - Imp In all other circumstances Assessable development - Co	The relevant zone code Reconfiguring a lot code Development works code Landscaping code pact assessment The planning scheme de assessment Rural residential zone code Reconfiguring a lot code Development works code pact assessment The planning scheme de assessment
Low-medium density residential Rural residential	If the size of all lots created are equal to, or greater than: (a) 400m <sup>2</sup> in area; and (b) 10m in frontage. Assessable development - Im In all other circumstances Assessable development - Co If all lots created are a minimum of 2ha and an average of 4ha Assessable development - Im In all other circumstances	The relevant zone code Reconfiguring a lot code Development works code Landscaping code pact assessment The planning scheme de assessment Rural residential zone code Reconfiguring a lot code Development works code pact assessment The planning scheme

Table 5.5.1—Reconfiguring a lot

Zone	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
	or greater than: (a) 500ha on Class A & B agricultural land; or (b) 5,000ha on Class C & lower agricultural land. Editor's note-Agricultural land classifications are mapped on the Agriculture land overlay map.	
	Assessable development - Co	de assessment
	<ul> <li>Where for a mining or petroleum activity and the size of all lots created are equal to, or greater than:</li> <li>(a) 500ha on Class A &amp; B agricultural land; or</li> <li>(b) 1,000ha on Class C &amp; lower agricultural land.</li> <li>Editor's note – a mining or petroleum activity is an activity authorised under the Mineral Resources Act 1989, the Offshore Minerals Act 1998, or the Petroleum Act 1993, or the Petroleum and Gas (Production and Safety Act) 2004.</li> </ul>	Rural zone code Reconfiguring a lot code Development works code
	Assessable development - Imp	pact assessment
	In all other circumstances	The planning scheme
Limited development	Assessable development - Imp	pact assessment
		The planning scheme
Assessable developme	ent - Code assessment	·
Any other reconfiguring Regulation.	a lot not listed in this table, unles	s otherwise prescribed in the

Any reconfiguring a lot listed in this table and not meeting the description listed in the categories of development and assessment column.

Editor's note–The above categories of development and assessment apply unless otherwise prescribed in the Regulation.

# 5.6 Categories of development and assessment—Building work

There is no building work regulated by the planning scheme other than where identified in an overlay in section 5.8 of this planning scheme.

# 5.7 Categories of development and assessment— Operational work

The following table identifies the categories of development and assessment for operational work.

Zone	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development	
All zones	Accepted development subject	ct to requirements	
	<ul> <li>Where excavating or filling that is:</li> <li>(a) less than 1 metre above or below ground level and involving less than 100m<sup>3</sup> of material; or</li> <li>(b) 1 metre or more above or below ground level and involving less than 50m<sup>3</sup> of material</li> </ul>	Development works code	
	Assessable development – Co	Assessable development – Code assessment	
	Any operational works preceding a material change of use and/or reconfiguring a lot approval which is assessable development	Development works code	
	Any operational work required in accordance with the conditions of a material change of use and/or reconfiguring a lot development permit.	Development works code	
	Any operational works listed in the table and not meeting the description listed in the categories of development and assessment column.	Development works code Relevant zone code	

Table 5.7.1—Operational work

Editor's note-The above categories of development and assessment apply unless otherwise prescribed in the Regulation.

# 5.8 Categories of development and assessment—Overlays

The following table identifies where an overlay changes the categories of development and assessment from that stated in a zone and the relevant assessment benchmarks.

	benchmarks for overlays	
Development	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Acid sulphate soils over	lay	
Operational works whether or not associated with a: (a) Material Change of Use; or (b) Reconfiguring a lot; or (c) Building work.	<ul> <li>Assessable development - Code assessment, if:</li> <li>(a) within "land at or below 5m AHD" or "land above 5m AHD and below 20m AHD" and excavating or otherwise removing 100m<sup>3</sup> or more of soil or sediment at or below 5m AHD; or</li> <li>(b) within "land at or below 5m AHD" and filling with 500m<sup>3</sup> or more of material with an average depth of 0.5m or greater.</li> </ul>	Acid sulphate soils overlay code
Airport environs overlay	,	
Any material change of use, reconfiguring a lot, building work or operational work	No change to categories of development and assessment where: (a) not involving physical intrusion by any structure, building, equipment relating to development above the defined level of the Obstacle Limitation Surface as identified on Airport environs overlay map OM3; or (b) not located within a Building Restricted area for the Swampy Ridge RSR as identified on Airport environs overlay map OM3. Editor's note-There is no Obstacle Limitation Surface for the Moranbah airport.	Airport environs overlay code
	Assessable development - Imp	bact assessment
	In all other circumstances	The planning scheme
Bushfire hazard overlay		·
If in a high or very high	bushfire hazard area	
Any material change of use for: (a) community residence (b) dual occupancy (c) dwelling house	Assessable development - Code assessment	Bushfire hazard overlay code
Any material change of	Assessable development -	The planning scheme
- 0	I I	

Table 5.8.1—Assessment benchmarks for overlays

Assessment benchmarks for assessable development and requirements for accepted development
Bushfire hazard overlay code
Dushine hazaru ovenay coue
Bushfire hazard overlay code
Bushfire hazard overlay code
Carmila Beach, Greenhill and St
ct to requirements
Coastal hazard overlay code
-

Development	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
	capacity.	
	Assessable development – Im	pact assessment
	Where not Accepted development subject to requirements	The planning scheme
Any other material	Assessable development – Im	pact assessment
change of use	In all other circumstances	The planning scheme
Operational work	Impact assessment where within the area of erosion imminent threat	The planning scheme
	No change to categories of development and assessment in all other circumstances	Coastal hazard overlay code
Building work	Impact assessment where within the area of imminent erosion threat	The planning scheme
	No change to categories of development and assessment in all other circumstances	Coastal hazard overlay code
Where not in a Foreshor	re Limits Area	
Editor's note-refer to the relevant	nt Coastal hazard overlay hazard mapping	in Schedule 2
Any material change of use for: (a) a sensitive land use; (b) nature based tourism.	Assessable development - Impact assessment	The planning scheme
Any other Material Change of Use	No change to categories of development and assessment	Coastal hazard overlay code
Reconfiguring a Lot	No change to categories of development and assessment	Coastal hazard overlay code
Operational work	No change to the categories of development and assessment	Coastal hazard overlay Code
Environmental significa	• •	I
Material change of use	No change to categories of	Environmental significance
······································	development and assessment	overlay code
Reconfiguring a lot	No change to categories of development and assessment	Environmental significance overlay code
Operational work where not associated with a material change of use or reconfiguring a lot and involving the clearing of vegetation	Assessable development - Code assessment	Environmental significance overlay code
Any other operational	No change to categories of	Environmental significance
work	development and assessment	overlay code
Extractive resources an	-	
Any material change of use	No change to categories of development and assessment	Extractive resources and minerals overlay code
Any reconfiguring a lot	No change to categories of	Extractive resources and
Flood bazard overlay	development and assessment	minerals overlay code
Flood hazard overlay Any material change of use for:	Assessable - Code assessment	Flood hazard overlay code

Development	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
<ul> <li>(a) a sensitive land use;</li> <li>(b) low impact industry;</li> <li>(c) nature based tourism;</li> <li>(d) service industry;</li> <li>(e) warehouse.</li> </ul>		
Any other material change of use	No change to categories of development and assessment	Flood hazard overlay code
Any reconfiguring a lot	No change to categories of development and assessment	Flood hazard overlay code
Operational work where not associated with a material change of use or reconfiguring a lot	Assessable development - Code assessable	Flood hazard overlay code
Heritage overlay		
If located on a local heri	tage place	
Any material change of use where the development is either accepted development subject to requirements or code assessment under the Categories of development and assessment for the relevant zone and involving building work	Code assessment	Heritage overlay code
Any reconfiguring a lot	No change to assessment level	Heritage overlay code
Any building work where involving the demolition, partial demolition or removal of a local heritage place	Impact assessment	The planning scheme
Any building work (including minor building work) where not associated with a material change of use	Code assessment	Heritage overlay code
Operational work where involving a change to landscaping, fencing or natural features of land referred to in the citation for a heritage place	Code assessment	Heritage overlay code
Regional infrastructure	overlay	
Any material change of use	Code assessment	Regional infrastructure overlay code
Any reconfiguring a lot	No change to categories of development and assessment	Regional infrastructure overlay code
Operational work	No change to categories of development and assessment	Regional infrastructure overlay code
Water resource catchme		
Cropping	Assessable development -	Water resource catchments

Development	Categories of development and assessment	Assessment benchmarks for assessable development and requirements for accepted development
Intensive horticulture	Code assessment	overlay code
Any other material change of use	No change to categories of development and assessment	Water resource catchments overlay code
Any reconfiguring a lot	No change to categories of development and assessment	Water resource catchments overlay code
Operational work	No change to categories of development and assessment	Water resource catchments overlay code

Note–Some overlays may only be included for information purposes. This should not change the category of development or assessment or assessment benchmarks in the planning scheme.

# Part 6 Zones

# 6.1 **Preliminary**

- (1) Zones organise the planning scheme area in a way that facilitates the location of preferred or acceptable land uses.
- (2) Zones are mapped and included in Schedule 2 (Mapping).
- (3) The categories of development and assessment for development in a zone are in **Part 5 Tables of assessment**.
- (4) Assessment benchmarks for zones are contained in a zone code.
- (5) A precinct may be identified for part of a zone.
- (6) Precinct provisions are contained in the zone code.
- (7) Each zone code identifies the following:
  - (a) the purpose of the code;
  - (b) the overall outcomes;
  - (c) the performance outcomes;
  - (d) the acceptable outcomes;
  - (e) the performance and acceptable outcomes for the precinct.
- (8) The following are the zone codes for the planning scheme:
  - (a) Residential zone category:
    - (i) Low density residential zone code;
    - (ii) Low-medium density residential zone code;
  - (b) Centre zone category:
    - (i) Centre zone code, including:
      - A. Moranbah centre precinct
  - (c) Industry zone category:
    - (i) Industry zone code;
    - (i) Industry investigation zone code;
  - (d) Recreation zone category:
    - (i) Recreation and open space zone code;
  - (e) Environmental zone category:
    - (i) Environmental management and conservation zone code;
  - (f) Other zone category:
    - (i) Community facilities zone code;
    - (ii) Emerging community zone code;
    - (iii) Limited development zone code;
    - (iv) Minor tourism zone code;
    - (v) Rural zone code;
    - (vi) Rural residential zone code;
    - (vii) Special purpose zone, including: A. Air services precinct;
    - (viii) Specialised centre zone;
    - (ix) Township zone code, including:
      - A. Holiday and residence precinct.

# 6.2 Zone codes

## 6.2.1 Residential zone category

#### 6.2.1.1 Low density residential zone code

#### 6.2.1.1.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note—land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

#### 6.2.1.1.2 Purpose

- (1) The purpose of the low density residential zone is to provide for:
  - (a) a variety of low density dwelling types, including dwelling houses; and
  - (b) community uses, and small-scale services, facilities and infrastructure, to support local residents.

Development is low rise that is consistent with the low density character of region's existing residential neighbourhoods within Moranbah, Clermont, Nebo, Middlemount, Dysart and Glenden.

- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) a range of housing, predominantly detached dwelling houses and some dual occupancy, are located on functional residential lot sizes;
  - (b) development reflects the existing low density scale and character of the area where buildings include design elements that reduce building bulk and create an attractive streetscape;
  - (c) development maintains a high level of residential amenity having regard to traffic, noise, dust, odour, lighting and other locally specific impacts;
  - (d) development is designed to provide and promote safe and efficient transport use including walking and cycling;
  - (e) development is supported by necessary community facilities, open space and recreational areas and appropriate infrastructure to support the needs of the local community;
  - (f) small scale non-residential uses may be supported where such uses directly support the day to day needs of the immediate residential community, complement local residential amenity and do not undermine the viability of nearby centres;
  - (g) residential development is protected from the impacts of any nearby industrial and mining activities, transport corridors, infrastructure, installations and major facilities;
  - (h) development responds to land constraints, including but not limited to minimising changes to natural topography, bushfire and flooding;
  - (i) natural features such as creeks, gullies, waterways, wetlands and vegetation and bushland are retained, enhanced and buffered from the impacts of development. Any unavoidable impacts are minimised through location, design, operation and management requirements.

# 6.2.1.1.3 Specific benchmarks for assessment

Table 6.2.1.1.3—Accepted development subject to requirements and assessable	
development	

development	
Performance outcomes	Acceptable outcomes
Built form	
PO1 Buildings: (a) are low rise; (b) do not create unreasonable	AO1.1 Building height does not exceed 8.5m and 2 storeys above ground level. AO1.2
overshadowing on adjoining residential properties; and (c) do not adversely impact on the low density residential character and amenity of the area.	<ul> <li>Where a dual occupancy:</li> <li>(a) site cover is a maximum of 50% of the total site area; and</li> <li>(b) minimum street frontage is 20m.</li> </ul>
Editor's note–Setbacks for Dwelling house and Dual occupancy are regulated in the Queensland Development Code.	Editor's note–Site cover for Dwelling house is regulated in the Queensland Development Code.
Residential density	
<b>PO2</b> Development reflects the low density residential character of the area.	<ul> <li>AO2.1</li> <li>Residential density is a maximum of:</li> <li>(a) one dwelling per allotment where a dwelling house (including one secondary dwelling); or</li> <li>(b) one dwelling per 400m<sup>2</sup> where a dual</li> </ul>
	occupancy. AO2.2 Where a dwelling house, any secondary dwelling is: (a) is a maximum of 80m <sup>2</sup> gross floor area; and (b) within 10m of the main building.
Design and streetscape	
<b>PO3</b> Driveways must not visually dominate the street frontage.	<ul> <li>AO3</li> <li>Vehicle access is provided through a:</li> <li>(a) single driveway for a dwelling house in accordance with the B99 Australian parking standard; or</li> <li>(b) one paired driveway for dual occupancy (where not on a corner lot).</li> </ul>
Use - Sales office	
<b>PO4</b> The use does not adversely impact on the amenity of the surrounding land uses and local character.	<ul> <li>AO4.1</li> <li>Development of the sales office is in place for no more than two years.</li> <li>AO4.2</li> <li>The site coverage of the building is a</li> </ul>
	maximum of 50% of the site area. <b>AO4.3</b> There are a maximum of 2 employees on site at any one time. <b>AO4.4</b>
	A04.4 The use operates between: (a) 8am and 6pm Monday to Saturday; (b) 9am to 1pm on Sunday.

Performance outcomes	Acceptable outcomes
For all assessable development	
Design and amenity	
PO5	No acceptable outcome is nominated.
Landscaping is provided to enhance the appearance of the development, screen unsightly components, create an attractive on-site environment and provide shading.	
Editor's note–Applicants are also referred to the Landscaping code.	
PO6	No acceptable outcome is nominated.
<ul> <li>Development facilitates the security of people and property having regard to:</li> <li>(a) opportunities for casual surveillance and sight lines;</li> <li>(b) exterior building design that promotes safety;</li> <li>(c) adequate lighting;</li> <li>(d) appropriate signage and wayfinding;</li> <li>(e) minimisation of entrapment locations; and</li> <li>(f) building entrances, loading and storage areas that are well lit and lockable after hours.</li> </ul>	
Editor's note—Applicants should have regard to <i>Crime</i> <i>Prevention through Environmental Design Guidelines</i> <i>for Queensland.</i>	
<ul> <li>PO7 Design elements contribute to an interesting and attractive streetscape and building through: <ul> <li>(a) the provision of projections and recesses in the façade which reflect changes in internal functions of buildings, including circulation;</li> <li>(b) variations in material and building form;</li> <li>(c) modulation in the façade, horizontally or vertically;</li> <li>(d) articulation of building entrances and openings;</li> <li>(e) corner treatments to address both street frontages;</li> <li>(f) elements which assist in wayfinding and legibility; and</li> <li>(g) elements which relate to the context including surrounding buildings, parks, streets and open spaces.</li> </ul></li></ul>	No acceptable outcome is nominated.
<ul> <li>PO8</li> <li>Roof form assists in reducing the appearance of building bulk by:</li> <li>(a) articulating individual dwellings; and</li> <li>(b) incorporating variety in design through use of roof pitch, height, gables and skillions.</li> </ul>	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
Effects of development	
<ul> <li>PO9 Development responds sensitively to on-site and surrounding topography, waterways, drainage patterns, utility services, access, vegetation and adjoining land use, such that: <ul> <li>(a) any hazards to people or property are avoided or mitigated to a tolerable level;</li> <li>(b) any earthworks are minimised;</li> <li>(c) the retention of natural drainage line is maximised;</li> <li>(d) the retention of existing vegetation is maximised;</li> <li>(e) damage or disruption to sewer, stormwater and water infrastructure is avoided; and</li> <li>(f) there is adequate buffering, screening or separation to adjoining development.</li> </ul></li></ul>	No acceptable outcome is nominated.
<ul> <li>PO10</li> <li>All uses are located, designed, orientated and constructed to:</li> <li>(a) minimise noise dust, odour or other nuisance from existing lawful uses; and</li> <li>(a) minimise nuisance caused by noise, vibration and dust emissions generated from any state-controlled road, infrastructure corridor and rail network in the vicinity.</li> </ul>	No acceptable outcome is nominated.

### 6.2.1.2 Low-medium density residential zone code

#### 6.2.1.2.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note-land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

#### 6.2.1.2.2 Purpose

- (1) The purpose of the low-medium density residential zone is to provide for:
  - (a) a variety of dwelling types, including dwelling houses and low to medium density multiple dwellings; and
  - (b) community uses, and small-scale services, facilities and infrastructure, to support local residents.
- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) development provides a range of residential dwelling choices including dwelling houses, dual occupancy and attached housing forms such as multiple dwellings, retirement facilities, residential care facilities and rooming accommodation;
  - (b) buildings are of a scale, height and size that compliment low-medium density residential neighbourhood character through design elements that reduce building bulk and create an attractive streetscape;
  - (c) development creates pleasant living environments that ensure privacy, access to sunlight, open space, ventilation and natural climate control;
  - (d) development supports safe and walkable neighbourhoods that are well connected to community facilities, employment nodes, centres, open space and recreational areas, community services and educational opportunities in other zones;
  - (e) small scale non-residential uses may be supported where such uses directly support the day to day needs of the immediate residential community, do not undermine the viability of nearby centres and complement residential amenity;
  - (f) development is designed to incorporate sustainable practices including maximising energy efficiency, water conservation and active transport use;
  - (g) development is supported by transport infrastructure that is designed to provide and promote safe and efficient movement including walking and cycling;
  - (h) development is supported by necessary open space and recreational areas and appropriate infrastructure to support the needs of the local community;
  - development maintains a high level of residential amenity having regard to traffic, noise, dust, odour, lighting, overshadowing, privacy and other locally specific impacts;
  - (j) development responds to land constraints, including but not limited to minimising changes to natural topography;
  - (k) development mitigates any adverse impacts on adjoining areas of environmental significance through location, design, operation and management requirements;
  - (I) residential development is protected from the impacts of any nearby industrial activities, transport corridors, infrastructure, installations and major facilities.

# 6.2.1.2.3 Specific benchmarks for assessment

Table 6.2.1.2.3(a)—Accepted development subject to requirements and assessable	
development	

Performance outcomes	Acceptable outcomes
Built form	
<ul> <li>PO1</li> <li>Buildings:</li> <li>(a) are low-medium rise;</li> <li>(b) do not create unreasonable overshadowing on adjoining residential properties; and</li> <li>(c) do not adversely impact on the low-medium residential character and</li> </ul>	<b>AO1</b> Building height does not exceed 8.5 metres and 2 storeys above ground level.
amenity of the area.	
<ul> <li>PO2</li> <li>Residential buildings:</li> <li>(a) are proportionate to the size and street frontage of the site;</li> <li>(b) protect low-medium density neighbourhood character;</li> <li>(c) provide setbacks that maintain appropriate levels of light and solar penetration, air circulation, privacy and amenity for adjoining properties;</li> <li>(d) provide for adequate open space and</li> </ul>	<ul> <li>AO2.1</li> <li>Where a Multiple dwelling, Residential Care Facility, Retirement facility or Rooming accommodation, development is in accordance with Table 6.2.1.2.3(b)—Siting requirements.</li> <li>AO2.2</li> <li>Where a dual occupancy: <ul> <li>(a) site cover is a maximum of 50% of the total site area; and</li> <li>(b) minimum street frontage is 20m.</li> </ul> </li> </ul>
<ul> <li>landscape areas;</li> <li>(e) reduce building bulk; and</li> <li>(f) allow casual surveillance of the street.</li> </ul>	Editor's note–Setbacks for a dwelling house and dual occupancy are regulated in the Queensland Development Code.
Residential density	
PO3 Residential density reflects the low-medium density residential character of the area.	<ul> <li>AO3.1 Residential density is a maximum of: <ul> <li>(a) one dwelling per lot where a dwelling house (including one secondary dwelling); or</li> <li>(b) one dwelling per 400m<sup>2</sup> where dual occupancy; or</li> <li>(c) one dwelling per 240m<sup>2</sup> where a multiple dwelling.</li> </ul> AO3.2 Where a dwelling house, any secondary dwelling is: <ul> <li>(a) a maximum of 80m<sup>2</sup> GFA; and</li> <li>(b) within 10 metres of the main building.</li> </ul></li></ul>
Open space	
<b>PO4</b> Development must provide sufficient and accessible open space for residents needs.	<ul> <li>AO4.1</li> <li>Where a Multiple dwelling, Residential Care Facility, Retirement facility or Rooming accommodation, minimum open space requirements are provided in accordance with the following:</li> <li>(a) 30m<sup>2</sup> private open space per ground storey dwelling with a minimum dimension of 5m in any direction;</li> <li>(b) for dwellings above ground storey, a balcony with a minimum area of 12m<sup>2</sup> and a minimum dimension of 3m; and</li> </ul>

Performance outcomes	Acceptable outcomes
	<ul> <li>(c) development greater than 18 dwellings provides a minimum communal open space area of 50m<sup>2</sup> with a minimum dimension of 10m.</li> <li>AO4.2</li> <li>Private open space is directly adjacent to the</li> </ul>
	main living area.
Design and streetscape	
<b>PO5</b> Driveways and parking areas including garages must not visually dominate the street.	A05.1 Carparking areas where a Multiple dwelling, Residential Care Facility, Retirement facility or Rooming accommodation, are located behind the main building face. A05.2
	<ul> <li>Vehicle access is provided through a:</li> <li>(a) single driveway for a dwelling house in accordance with the B99 Australian parking standard;</li> <li>(b) one paired driveway for a Dual occupancy (where not on a corner lot);</li> <li>(c) single driveway where a Multiple dwelling, Residential Care Facility, Retirement facility or Rooming accommodation.</li> </ul>
Use - Sales office	
<b>PO6</b> The use does not adversely impact on the amenity of the surrounding land uses and	AO6.1 Development of the sales office is in place for no more than two years.
local character.	AO6.2 The site coverage of the building is a maximum of 50% of the site area. AO6.3
	There are a maximum of 2 employees on site at any one time.
	<b>AO6.4</b> The use operates between 8am and 6pm Monday to Saturday and 9am to 1pm on Sunday.
For all assessable development	
Design and streetscape	
<b>PO7</b> Development has a high quality appearance and makes a positive contribution to the streetscape.	A07.1 A landscape area a minimum dimension of 1.5m is provided along the full frontage of any road frontage. A07.2
	For any multiple dwelling, balconies or verandahs occupy a minimum of 50% of the building facade fronting the street.
<ul> <li>PO8</li> <li>Pedestrian entries: <ul> <li>(a) are visible from the street and visitor car parking areas;</li> <li>(b) are separate to vehicle access points;</li> <li>(c) incorporate sun and rain shelter, such as overhangs or awnings; and</li> <li>(d) are defined by human scale design elements (such as, doors, windows,</li> </ul> </li> </ul>	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
awnings, a portico, landscaping, etc).	
<b>PO9</b> Buildings must be orientated to facilitate casual surveillance of the street and any adjoining public space.	AO9 Buildings fronting a street or public space include the following features: (a) large windows associated with living
Editor's note–This applies to all street frontages where development fronts more than one street.	areas; or (b) balconies or verandahs.
<ul> <li>PO10 Development facilitates the security of people and property having regard to: <ul> <li>(a) opportunities for casual surveillance and sight lines;</li> <li>(b) exterior building design that promotes safety;</li> <li>(c) adequate lighting;</li> <li>(d) appropriate signage and wayfinding;</li> <li>(e) minimisation of entrapment locations; and</li> <li>(f) building entrances, loading and storage areas that are well lit and lockable after hours.</li> </ul> Editor's note—Applicants should have regard to Crime</li></ul>	No acceptable outcome is nominated.
<ul> <li>Prevention through Environmental Design Guidelines for Queensland.</li> <li>PO11</li> <li>Design elements contribute to an interesting and attractive building through: <ul> <li>(a) the provision of projections and recesses in the façade which reflect changes in internal functions of buildings, including circulation;</li> <li>(b) variations in materials and building form;</li> <li>(c) modulation in the façade, horizontally or vertically;</li> <li>(d) articulation of building entrances and openings;</li> <li>(e) corner treatments to address both street frontages;</li> <li>(f) elements which assist in wayfinding and legibility; and</li> <li>(g) elements which relate to the context including surrounding buildings, parks, streets and open spaces.</li> </ul> </li> </ul>	No acceptable outcome is nominated.
<ul> <li>PO12 Roof form assists in reducing the appearance of building bulk by: <ul> <li>(a) articulating individual dwellings; and</li> <li>(b) incorporating variety in design through use of roof pitch, height, gables and skillions.</li> </ul> PO13 Public provide the layer of the layer</li></ul>	No acceptable outcome is nominated. No acceptable outcome is nominated.
Building design and site layout, optimise accessibility and convenience for users, particularly pedestrians.	

Performance outcomes	Acceptable outcomes
Open space	
PO14 Open space is oriented to provide adequate solar access.	No acceptable outcome is nominated.
<ul> <li>PO15</li> <li>Communal open space is:</li> <li>(a) designed to provide useable areas for communal activities such as clothes drying and social interaction; and</li> <li>(b) is not dominated by landscaping.</li> </ul>	No acceptable outcome is nominated.
Amenity	1
PO16 Habitable spaces must not directly overlook dwellings on adjacent land	<ul> <li>AO16 Habitable room windows of a dwelling unit are separated a minimum of 9m from a habitable room window or private open space of another dwelling unit unless: <ul> <li>(a) windows have translucent glazing or sill heights of at least 1.5m; or</li> <li>(b) there is a 1.8m high dividing fence at ground level;</li> <li>(c) outlook from windows, balconies, and terraces of a dwelling unit is screened where screening is;</li> <li>(i) a solid translucent screen or perforated panels or trellises which have a maximum of 50% openings; and <ul> <li>(ii) permanent and fixed, and designed</li> </ul> </li> </ul></li></ul>
P017	to complement the development.
Landscaping is provided to enhance the appearance of the development, screen unsightly components, create an attractive on-site environment and provide shading. Editor's note–Applicants are also referred to the	No acceptable outcome is nominated.
Landscaping code.	10/0
PO18 Outdoor activity, plant equipment, waste, storage and servicing areas are screened from adjoining properties and from the street.	<ul> <li>AO18 Outdoor activity, plant equipment, waste, storage and servicing areas are: <ul> <li>(a) not located adjacent to any road frontage; and</li> <li>(b) screened from public view by either:</li> <li>(i) a 1.8m high solid wall or fence, constructed in materials and colours compatible with the main building on site; or <ul> <li>(ii) mature landscaping that has the same effect as a 1.8m high wall.</li> </ul></li></ul></li></ul>
Effects of development	
<ul> <li>PO19</li> <li>Development responds sensitively to on-site and surrounding topography, drainage patterns, utility services, access, vegetation and adjoining land uses, such that:</li> <li>(a) any hazards to people or property are avoided or mitigated to a tolerable level;</li> </ul>	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
(b) any earthworks are minimised;	
(c) the retention of natural drainage line is	
maximised;	
(d) the retention of existing vegetation is	
maximised where possible;	
(e) damage or disruption to sewer,	
stormwater and water infrastructure is	
avoided; and	
(f) there is adequate buffering, screening	
or separation to adjoining development.	
PO20	No acceptable outcome is nominated.
Development maintains a high level of	
amenity within the site and minimises	
impacts on surrounding areas, having	
regard to:	
(a) noise;	
(b) traffic and parking;	
<ul><li>(c) visual impact;</li><li>(d) odour and emissions; and</li></ul>	
(e) lighting.	
Editor's note-Applicants may be required to engage specialists to provide detailed investigations into the	
above matters in order to demonstrate compliance with	
this performance outcome.	
PO21	No acceptable outcome is nominated.
All uses are located, designed, orientated	
and constructed to:	
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses; and (b) minimise nuisance caused by noise,	
vibration and dust emissions generated	
from any state-controlled road,	
infrastructure corridor and rail network	
in the vicinity.	
Use - Child care centre, community care ce	entre or community use
PO22	No acceptable outcome is nominated.
Development is low impact, limited in scale	
and:	
(a) compatible with neighbouring residential	
uses and complementary to local	
character;	
(b) incorporates design elements that are consistent with the surrounding	
residential development;	
(c) supports the day to day needs of	
residents;	
(d) located on a site which must adequately	
accommodate activity needs and space	
requirements; and	
(e) does not undermine the viability of	
nearby centres.	
PO23	No acceptable outcome is nominated.
Development is highly accessible and is co-	
located with, or located close to, centres or	
other community or recreation uses.	

Performance outcomes	Acceptable outcomes
PO24	AO24
Development does not adversely impact on	Hours of operation for non-residential
the amenity of area.	development are limited to 6am to 7pm daily.
PO25	AO25
Buildings are located on the site to	Buildings are setback a minimum of:
maximise the residential amenity of residents and neighbours.	<ul> <li>(a) 6m from the front and rear boundary; and</li> </ul>
	(b) 3m from the side boundary.
PO26	AO26
Development must ensure residential	Development provides a 1.8m acoustic
amenity is maintained on adjoining	screen fence where adjoining a residential
properties.	use.
PO27	AO27.1
Where a child care centre, development	Where a child care centre, the site is not
minimises:	located on:
(a) the hazards of heavy traffic;	(a) arterial routes; or
(b) the introduction of non-local traffic into	(b) local access roads.
minor, residential streets; and	AO27.2
(c) on-site conflict between children's	Parking spaces are located so that children
activities, pedestrian movement, vehicle	are not required to cross the driveway or
movement and car parking.	vehicular access way to reach the building.

## Table 6.2.1.2.3(b)—Siting requirements

Elem	nent		Acceptable solutions
4.1	Minimum fr	ontage	30m
4.2	Minimum a	rea	1,200m <sup>2</sup>
4.3	Maximum s	ite cover	50%
4.4	Minimum Setbacks	Front	3m (Outer Most Projection and including all street frontages where a corner lot)
			5m to any garage on a street frontage
		Rear	6m (where not on a corner lot)
		Side	1.5m not including eaves
4.5	Built to Bou	ndary walls	Limited to one side boundary and must contain no windows, openings or glazing.
			Maximum length 10m and maximum height 3.5m

## 6.2.2 Centre zone category

#### 6.2.2.1 Centre zone code

#### 6.2.2.1.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note—land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

#### 6.2.2.1.2 Purpose

- (1) The purpose of the centre zone is to provide for a variety of uses and activities to service all or part of the local government area, including, for example, administrative, business, community, cultural, entertainment, professional, residential or retail uses or activities.
- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) promotion of a mix of commercial, business, professional and retail activities;
  - (b) development is generally established in accessible, well-connected locations with access to cycling and pedestrian networks;
  - (c) service industries may be appropriate in the zone;
  - (d) development is designed to maximise energy efficiency and water conservation;
  - (e) development provides a high level of amenity and is reflective of a town centre setting and the surrounding character of the area;
  - (f) development is supported by appropriate infrastructure and essential services;
  - (g) development responds to land constraints including topography and flooding.
- (3) The purpose of the zone will also be achieved through the following additional overall outcomes for particular precincts:
  - (a) Moranbah centre precinct:
    - (i) development clearly defines the Moranbah centre as the primary centre for the region with the highest concentration of centre activities and medium rise buildings.

# 6.2.2.1.3 Specific benchmarks for assessment

Table 6.2.2.1.3—Accepted development subject to requirements and assessable	
development	

development	
Performance outcomes	Acceptable outcomes
Built form (if involving building work)	
<ul> <li>PO1</li> <li>Building height:</li> <li>(a) is consistent with the intended character of the centre; and</li> <li>(b) does not result in a significant loss of visual amenity.</li> </ul>	<ul> <li>AO1</li> <li>Building height does not exceed:</li> <li>(a) 3 storeys; or</li> <li>(b) 4 storeys where in the Moranbah centre precinct.</li> </ul>
Use - Dwelling unit	
<b>PO2</b> Development does not compromise ground level business activities being established.	<ul> <li>AO2</li> <li>Development is located either:</li> <li>(a) above the ground floor level; or</li> <li>(b) to the rear of ground level business activities.</li> </ul>
<b>PO3</b> Development must provide sufficient and accessible open space for residents needs	AO3 Development provides a minimum of 16m <sup>2</sup> private open space for a dwelling unit with a minimum dimension of 3m in any direction.
Use - Caretaker's accommodation	
<ul> <li>PO4 Development: <ul> <li>(a) is ancillary to the primary non-residential use;</li> <li>(b) provides adequate private open space for the caretaker; and</li> <li>(c) does not compromise ground level business activities being established.</li> </ul></li></ul>	<ul> <li>AO4.1 No more than 1 caretaker's accommodation unit is established on the site. </li> <li>AO4.2 Caretaker's accommodation is a maximum of 50m<sup>2</sup> in gross floor area. </li> <li>AO4.3 Caretaker's accommodation is (a) located above the ground floor level; or (b) to the rear of ground level business activities </li> <li>AO4.4 Caretaker's accommodation is provided with a private open space area which: (a) is directly accessible from a habitable room; and </li> <li>(b) where a balcony, a veranda or a deck, has a minimum area of 15m<sup>2</sup> with minimum horizontal dimensions of 1.25m.</li></ul>
For all assessable development	
Land use, scale and tenancy mix	
<ul> <li>PO5</li> <li>Development: <ul> <li>(a) provides for a range of retail,</li> <li>commercial, community, entertainment</li> <li>and recreation activities; and</li> </ul> </li> <li>(b) is of a size and scale that meets the needs of the local community.</li> </ul>	No acceptable outcome is nominated.
<b>PO6</b> Development provides a diverse mix of building types and tenancy sizes to support a range of business and community uses and enterprise opportunities.	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
Centre design	
P07	No acceptable outcome is nominated.
Development:	
(a) is proportionate to the size and street	
frontage of the site;	
(b) maintains and enhances the existing	
streetscape;	
(c) protects adjacent amenity;	
(d) maintains appropriate levels of light and	
solar penetration, air circulation, privacy	
for adjoining properties;	
(e) provides for public space and landscape	
areas; and	
(f) reduces building bulk.	
PO8	No acceptable outcome is nominated.
Buildings are designed to:	
(a) overlook the external street network by	
having buildings built up to or close to	
street alignments and providing active	
building frontages to public streets and	
spaces; (b) respect and complement the existing	
character of the area;	
(c) maintain an appropriate human scale;	
(d) minimise the use of highly reflective	
materials; and	
(e) respond to climatic conditions.	
PO9	No acceptable outcome is nominated.
Design elements contribute to an interesting	
and attractive streetscape and	
building(s)through:	
(a) variations in materials and building form	
to enable articulation of facades and	
differentiation between buildings;	
(b) modulation in the façade, horizontally or	
vertically;	
(c) articulation of building entrances and	
openings;	
(d) corner treatments to address all street	
frontages; and	
(e) elements which assist in wayfinding and	
PO10	No accoptable outcome is naminated
Building caps and rooftops contribute to the	No acceptable outcome is nominated.
architectural distinction of the building, and	
effectively screen service structures, lift	
over-runs, plant and equipment.	
P011	No acceptable outcome is nominated.
Development is designed to facilitate the	
safety and security of people and property	
having regard to:	
(a) maximising casual surveillance and	
sight lines;	
(b) exterior building design that promotes	
safety;	
(c) adequate lighting;	
(d) appropriate signage and wayfinding;	
(e) minimisation of personal concealment	

Performance outcomes	Acceptable outcomes
and entrapment locations; and	
(f) building entrances, parking, loading and	
storage areas that are well lit and have	
clearly defined access points.	
Editor's note—Applicants should have regard to <i>Crime</i> Prevention through Environmental Design Guidelines	
for Queensland.	
Street interface	
PO12	No acceptable outcome is nominated.
Buildings are oriented to address all street	
frontages, public open space and public	
areas to:	
(a) promote interaction and casual	
surveillance;	
(b) concentrate and reinforce pedestrian	
activity;	
(c) create consolidated street edges;	
(d) avoid opaque facades to provide visual	
interest to the frontage; and	
(e) clearly define the public and private	
realm.	
PO13	No acceptable outcome is nominated.
Buildings and pedestrian entries:	
(a) are visible from the street and car	
parking areas;	
(b) incorporate sun and rain shelter, such	
as overhangs or awnings; and	
(c) are defined by design elements (such	
as doors and landscaping, etc).	No coortable sutcome is remineted
	No acceptable outcome is nominated.
Buildings include windows and openings to:	
(a) promote street life and business activities;	
(b) encourage strong indoor/outdoor	
relationships at ground level; and	
(c) to facilitate casual surveillance.	
PO15	No acceptable outcome is nominated.
Development contributes towards high	
quality streetscape outcomes that integrate	
effectively with the street and along key	
pedestrian and cycle routes.	
PO16	No acceptable outcome is nominated.
Development must ensure safe, convenient	
and legible connections and pathways are	
provided:	
(a) for pedestrians and cyclists to, from and	
within the site; and	
(b) to open space, parkland and	
community-related activities.	
Landscape design	
Editor's note–Refer also to the Landscaping code.	
PO17	No acceptable outcome is nominated.
Landscape elements are integrated in the	
building design through planting at various	
levels including on top of rooftops and within	
storeys.	
	1

Performance outcomes	Acceptable outcomes
<ul> <li>Performance outcomes</li> <li>PO18 Landscape treatments includes hard and soft elements that: <ul> <li>(a) is of a character and durability that reflects the centre;</li> <li>(b) enhance the appearance of the centre;</li> <li>(c) extends from the street edge into building entrances, foyers and onto podiums;</li> <li>(d) emphasises a clear pedestrian entry point;</li> <li>(e) screen unsightly components;</li> <li>(f) provide shading; and</li> <li>(g) reflects and reinforces a subtropical image through integrating landscape, outdoor and indoor spaces.</li> </ul></li></ul>	Acceptable outcomes No acceptable outcome is nominated.
PO19	AO19.1
Development is located, designed and operated so that adverse impacts on privacy and amenity on nearby land in a residential zone are minimised.	Buildings are set back 3m from any boundary shared with a residential zone. <b>AO19.2</b> A 1.8m high solid screen fence is provided along all boundaries shared with a residential zone. <b>AO19.3</b> A landscaped buffer with a minimum width of 2m and consisting of dense screen planting is provided along all boundaries shared with a residential zone. <b>AO19.4</b> Windows that have a direct view into an adjoining residential use are provided with fixed screening that is a maximum of 50% transparent to obscure views and maintain privacy for residents.
PO20Development minimises impacts on surrounding land and provides for an appropriate level of amenity within the centre, having regard to:(a) noise;(b) hours of operation;(c) traffic;(d) visual impact;(e) signage;(f) odour and emissions;(g) lighting;(h) access to sunlight;(i) privacy; and(j) outlook.Editor's note-Applicants may be required to engage specialists to provide detailed investigations into the above matters in order to demonstrate compliance with this performance criterion.	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
PO21	No acceptable outcome is nominated.
All uses are located, designed, orientated	No acceptable outcome is normaled.
and constructed to:	
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses; and	
(b) minimise nuisance caused by noise,	
vibration and dust emissions generated	
from any state-controlled road,	
infrastructure corridor and rail network	
in the vicinity.	
Car parking and access	
PO22	No acceptable outcome is nominated.
Parking and loading areas do not visually	
dominate the streetscape.	
Storage areas	
PO23	AO23
Ancillary storage of goods or materials and	Equipment, materials, goods and/or,
waste management areas must be located	machinery used on site are either:
in a manner that does not detract from the	(a) stored behind the front building setback
visual amenity of the local area.	and screened from view; or
	(b) stored within a building.
Effects of development	
PO24	No acceptable outcome is nominated.
Development responds sensitively to on-site	
and surrounding topography, waterways,	
drainage patterns, utility services, access,	
vegetation and adjoining land use, such that:	
(a) any hazards to people or property are	
avoided or mitigated to a tolerable level;	
(b) any earthworks are minimised;	
(c) the retention of natural drainage line is	
maximised;	
(d) the retention of existing vegetation is	
maximised;	
(e) damage or disruption to sewer,	
stormwater and water infrastructure is	
avoided; and	
(f) there is adequate buffering, screening	
or separation to adjoining development.	
Use - Multiple dwelling	4.025
PO25	A025
Development does not compromise ground level business activities being established.	Development is located either: (a) above the ground floor level; or
level busilless activities beilig established.	(b) to the rear of ground level business
	activities
PO26	A026.1
Development must provide sufficient	Development provides a minimum of 12m <sup>2</sup>
and accessible open space for residents	private open space for each dwelling with a
needs	minimum dimension of 3m in any direction.
	AO26.2
	Private open space is accessible from the
	main living area.
	AO26.3
	Development greater than 18 dwellings

Performance outcomes	Accentable outcomes
Performance outcomes PO27 Habitable spaces must not directly overlook dwellings on adjacent land.	<ul> <li>Acceptable outcomes</li> <li>provides a minimum communal open space area of 50m<sup>2</sup> with a minimum dimension of 5m.</li> <li>AO27</li> <li>Habitable room windows of a dwelling unit are separated a minimum of 9m from a habitable room window or private open space of another dwelling unit unless:</li> <li>(a) windows have translucent glazing or sill heights of at least 1.5m; or</li> <li>(b) there is a 1.8m high dividing fence at</li> </ul>
	<ul> <li>(b) there is a 1.5m high dividing fence at ground level;</li> <li>(c) outlook from windows, balconies, and terraces of a dwelling unit is screened where screening is;</li> <li>(i) a solid translucent screen or perforated panels or trellises which have a maximum of 50% openings; and</li> <li>(ii) permanent and fixed, and designed to complement the development.</li> </ul>
Use - Child care centre	
PO28 Development does not adversely impact on the amenity of area.	AO28 Hours of operation is limited to 6am to 7pm daily.
<ul> <li>PO29</li> <li>Development minimises:</li> <li>(a) the hazards of heavy traffic;</li> <li>(b) introduction of non-local traffic into minor, residential streets; and</li> <li>(c) on-site conflict between children's</li> </ul>	<ul> <li>AO29.1</li> <li>The use is not accessed from:</li> <li>(a) arterial routes; or</li> <li>(b) local access roads.</li> <li>AO29.2</li> <li>Parking spaces are located so that children</li> </ul>
activities, pedestrian movement, vehicle movement and car parking.	are not required to cross the driveway or vehicular access way to reach the building.

## 6.2.3 Industry zone category

#### 6.2.3.1 Industry zone code

#### 6.2.3.1.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note—land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

#### 6.2.3.1.2 Purpose

- (1) The purpose of the industry zone is to provide for:
  - (a) a variety of industry activities; and
  - (b) other uses and activities that:
    - (i) support industry activities; and
    - (ii) do not compromise the future use of premises for industry activities.
- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) industrial activities are located, designed and managed to maintain public safety, avoid significant adverse effects on the natural environment and minimise impacts on adjacent non-industrial land;
  - (b) high impact, noxious and hazardous industrial uses require large development sites with appropriate separation from other land use activities;
  - (c) the zone also accommodates limited activities of wholesale, trade supplies and indoor sport and recreation uses which are difficult to locate in other areas, where these have low levels of potential impacts on surrounding areas;
  - (d) other non-industrial uses that are ancillary to, and directly support, the industrial area are facilitated;
  - (e) the zone does not accommodate uses which are primarily oriented to retail sales and which are more appropriately located in centres, such as shops, shopping centres and showrooms;
  - (f) uses and works for industrial purposes are located, designed and managed to maintain safety to people, avoid significant adverse effects on the natural environment and minimise impacts on adjacent non-industrial land;
  - (g) development maximises the use of existing transport infrastructure and has access to the appropriate level of transport infrastructure (railways, freight routes and motorways) and facilities such as airports;
  - (h) development is supported by transport infrastructure that is designed to provide and promote safe and efficient transport use, walking and cycling;
  - (i) development is designed to incorporate sustainable practices including maximising energy efficiency and water conservation;
  - the scale, character and built form of development contributes to a high standard of amenity and makes a positive contribution to the public domain and streetscape particularly along major roads;
  - (k) the viability of both existing and future industrial uses are protected from the intrusion of incompatible uses;
  - (I) development responds to land constraints, including but not limited to topography, bushfire and flooding;
  - (m) adverse impacts on natural features and processes, both on-site and from adjoining areas, are minimised through location, design, operation and management of development;

- (n) development avoids significant adverse effects on water quality and the natural environment;
- (o) any caretaker's accommodation is clearly subordinate to the onsite industrial activity and is limited to one caretaker unit;
- (p) industrial uses are adequately separated from sensitive land uses to minimise the likelihood of environmental harm or environmental nuisance occurring.

#### 6.2.3.1.3 Specific benchmarks for assessment

 Table 6.2.3.1.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
Built form (if involving building work)	
PO1	4011
<ul> <li>PO1</li> <li>Buildings, outdoor storage and activity areas:</li> <li>(a) are appropriate to the height, scale, bulk and character of other buildings and activities in the surrounding industrial area;</li> <li>(b) are proportionate to the size of the site; and</li> <li>(c) do not result in a significant loss of visual amenity.</li> </ul>	<ul> <li>AO1.1</li> <li>Building height does not exceed: <ul> <li>(a) 12m; or</li> <li>(b) 8.5m where adjoining a residential premises or residential zone.</li> </ul> </li> <li>AO1.2</li> <li>Site cover including any outdoor storage areas and sales yards do not exceed 75% of the site.</li> </ul>
<b>PO2</b> Buildings, structures and industry activities are setback from the road frontage to mitigate the impact of activities on the streetscape.	<b>AO2</b> Buildings, structures and industrial activity areas are setback 6m from the road frontage.
Building design (if involving building work	)
<b>PO3</b> Buildings includes features that contribute to an attractive streetscape.	<b>AO3</b> Buildings are designed and constructed with varying façade treatments and high quality finishes such as brick, painted concrete or masonry.
<b>PO4</b> Buildings do not incorporate glass or surfaces that are likely to reflect the sun that has the potential to cause nuisance, discomfort or hazard to any part of the city and adjoining urban areas.	<ul> <li>AO4</li> <li>Any reflective glass material, metallic shade structures or other surface has:</li> <li>(a) a level of light reflectivity that does not exceed 20 percent; and</li> <li>(b) a level of heat transmission of not less than 20 percent.</li> </ul>
<b>PO5</b> Building entrances are legible and safe.	<ul> <li>A05.1 The main entry to the premises is: <ul> <li>(a) easily identifiable and directly accessible from the street with a clearly defined entrance point; and</li> <li>(b) separate to vehicle access points.</li> </ul> A05.2 Each building or tenancy is provided with a highly visible street and unit number. A05.3 Premises are provided with external lighting sufficient to provide safe ingress and egress for site users.</li></ul>
	<b>AO5.4</b> Office space is sited and orientated towards the principal road frontage of a site.

Performance outcomes	Acceptable outcomes
Amenity	
<b>P06</b> Where adjoining a residential zone, development provides adequate buffering and screening so that adverse impacts on the amenity on adjoining properties are minimised.	<ul> <li>AO6.1 New buildings, plant and equipment, active outdoor use areas, site access and car parking, servicing or outdoor storage areas are set back a minimum of 5m from any boundary adjoining a residential zone. </li> <li>AO6.2 Within the setback area adjoining a residential zone, the following is provided: <ul> <li>(a) a minimum 1.8m high solid boundary fence; and</li> <li>(b) a densely planted landscape strip, having a minimum width of 3m and the balance setback area turfed.</li> </ul></li></ul>
	AO6.3 Windows or openings that have direct views into adjoining residential buildings are provided with fixed screening that is a maximum of 50% transparent to obscure views into the adjoining residential building and maintain privacy for those residents.
<b>PO7</b> Utility elements (including refuse areas, outdoor storage, plant and equipment, loading and unloading areas) are screened from view from the street and adjoining any land in another zone.	<ul> <li>A07</li> <li>Utility elements are:</li> <li>(a) located within or behind the building; or</li> <li>(b) screened by a 1.8m high solid wall or fence; or</li> <li>(c) behind landscaping having the same screening effect as a 1.8m screen fence.</li> </ul>
PO8 Landscaping is provided to mitigate the visual impact of development and screen unsightly components. PO9 Development minimises potential conflicts with, or impacts on, other uses having regard to vibration, odour, dust or other emissions.	Editor's note—Screening can be provided by any combination of the above treatments to meet the acceptable outcome. <b>AO8</b> A minimum 2m width of landscaping is provided along the entire principal road frontage excluding the driveway. <b>AO9.1</b> Development achieves the air quality design objectives set out in the <i>Environmental</i> <i>Protection (Air) Policy 2008</i> , as amended. Editor's note—To achieve compliance, development is planned, designed and managed to ensure emissions from activities to achieve the appropriate acoustic objectives (measured at the receptor dB(A)). <b>AO9.2</b> Development that involves the storage of materials on site that are capable of generating air contaminants either by wind or when disturbed are managed by: (a) being wholly enclosed in storage bins; or (b) a watering program so material cannot become airborne.
<ul><li>PO10</li><li>Development prevents or minimises the generation of any noise so that:</li><li>(a) nuisance is not caused to adjoining premises or other nearby sensitive land</li></ul>	AO10 Development achieves the noise generation levels set out in the <i>Environmental Protection</i> ( <i>Noise</i> ) <i>Policy 2008</i> , as amended.

Performance outcomes	Acceptable outcomes
uses; and	
(b) desired ambient noise levels in	
residential areas are not exceeded.	
P011 Outdoor lighting doos not advarsally affect	A011.1
Outdoor lighting does not adversely affect the amenity of adjoining properties or create	Light emanating from any source complies with Australian Standard AS4282 Control of
a traffic hazard on adjacent roads.	the Obtrusive Effects of Outdoor Lighting.
	AO11.2
	Outdoor lighting is provided in accordance
	with Australian Standard AS 1158.1.1 –
	Road Lighting – Vehicular Traffic Category
	V) Lighting – Performance and Installation
PO12	Design Requirements. AO12.1
Development provides for the collection,	Areas where potentially contaminating
treatment and disposal of liquid wastes or	substances are stored or used, are:
sources of contamination such that off-site	(a) roofed and sealed with concrete, asphalt
releases of contaminants do not occur.	or similar impervious substance and
	bunded; and
	(b) located above the defined flood event.
	Editor's note-Refer to the Flood hazard overlay code for
	further information regarding the defined flood event. AO12.2
	Provision is made for spills to be bunded and
	retained on site for removal and disposal by
	an approved means.
	AO12.3
	Roof water is piped away from areas of
Hours of operation	potential contamination.
PO13	AO13
Hours of operation are limited to minimise	Where within 150m of a sensitive land use or
nuisance to any surrounding sensitive land	land in a residential zone, hours of operation
uses.	are limited to 7am to 6pm.
Use - Caretaker's accommodation	
PO14	AO14.1
Development:	No more than 1 caretaker's accommodation
<ul> <li>(a) is subordinate to non-residential uses on the same site; and</li> </ul>	unit with one bedroom is established on site.
(b) only accommodates one caretaker.	Caretaker's accommodation is a maximum of
	50m <sup>2</sup> in GFA.
Use - Sales office	· · · · · · · · · · · · · · · · · · ·
P015	AO15.1
The use does not adversely impact on the	Development of the sales office is in place
amenity of the surrounding land uses and	for no more than two years.
local character.	A015.2
	There are a maximum of 2 employees on site at any one time.
Use - Office	site at any one time.
PO16	A016
Offices are accommodated within the	The area used for an ancillary office use
industry zone where they are ancillary to the	does not exceed $100m^2$ GFA.
primary industrial use.	
Use - Agricultural supplies store, garden c	entre and hardware and trade supplies
P017	A017
Development:	GFA does not exceed 250m <sup>2</sup> for any

Accontable autoomee
Acceptable outcomes Agricultural supplies store, Garden centre and Hardware and trade supplies.
No acceptable outcome is nominated.
No acceptable outcome is nominated.
No acceptable outcome is nominated.
<b>AO21</b> GFA including all seating areas does not exceed 150m <sup>2</sup> .
No acceptable outcome is nominated.
A023 All buildings and structures, including equipment associated with the service station operation are setback as follows: (a) 10m from the front boundary; and (b) 2m from the side and rear boundaries
<b>AO24</b> The maximum area of retail GFA is 80m <sup>2</sup> .
·
No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
separation to sensitive land uses to avoid	
harmful exposure to air, noise and odour	
emissions from industrial uses that have the	
potential to adversely impact on human	
health, amenity and wellbeing.	
Editor's note–Applicants may be required to engage specialists to provide detailed investigations into the	
above matters in order to demonstrate compliance with	
this performance criterion.	
PO26	No acceptable outcome is nominated.
All uses are located, designed, orientated	
and constructed to:	
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses; and	
(b) minimise nuisance caused by noise,	
vibration and dust emissions generated	
from any state-controlled road,	
infrastructure corridor and rail network	
in the vicinity.	
PO27	No acceptable outcome is nominated.
Development is designed to facilitate the	
safety and security of people and property	
having regard to:	
(a) maximising casual surveillance and	
sight lines;	
(b) exterior building design that promotes	
safety;	
(c) adequate lighting;	
<ul><li>(d) appropriate signage and wayfinding;</li><li>(e) minimisation of personal concealment</li></ul>	
and entrapment locations; and	
(f) building entrances, parking, loading and	
storage areas that are well lit and have	
clearly defined access points.	
Editor's note—Applicants should have regard to Crime Prevention through Environmental Design Guidelines	
for Queensland.	
Effects of development	
PO28	No acceptable outcome is nominated.
Development responds sensitively to on-site	
and surrounding topography, waterways,	
drainage patterns, utility services, access,	
vegetation and adjoining land uses, such	
that:	
(a) any hazards to people or property are	
avoided or mitigated to a tolerable level;	
(b) any earthworks are minimised;	
(c) the retention of natural drainage lines	
are maximised;	
(d) the retention of existing vegetation is	
maximised;	
(e) damage or disruption to sewer,	
stormwater and water infrastructure is	
avoided;	
(f) the risk of introducing and spreading	
weeds and pest animals is mitigated;	
and	
(g) there is adequate buffering, screening	

Performance outcomes	Acceptable outcomes
or separation to adjoining development.	
<b>PO29</b> Development is located, designed and operated so that adverse environmental impacts and environmental harm on nearby land is minimised.	No acceptable outcome is nominated.

# 6.2.3.2 Industry investigation zone code

#### 6.2.3.2.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 6.2.3.2.2 Purpose

(1) The purpose of the industry investigation zone is to identify and protect land that may be suitable for industry activities, subject to further planning and investigation.

Editor's note–Future industrial development must be in accordance with an approved structure plan. Section 3.4.1.2(10) of the Strategic Framework and also the Reconfiguring a Lot code provide further guidance on these matters.

- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) land that is suitable for industrial purposes is not developed until necessary trunk infrastructure is provided to service the development;
  - (b) land that is suitable for future industrial purposes is located to minimise impacts on non-industrial land;
  - (c) development does not compromise the future development potential of the area for industrial purposes;
  - (d) development for warehouse is an appropriate short term or interim industrial use until urban services and infrastructure only where it:
    - (i) is limited to an outdoor storage yard only; and
    - (ii) does not involve the wholesaling of goods or equipment.

#### 6.2.3.2.3 Specific benchmarks for assessment

# Table 6.2.3.2.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	
Building height		
<ul> <li>PO1</li> <li>Buildings are:</li> <li>(a) low rise; and</li> <li>(b) consistent with the character of the area.</li> </ul>	AO1 Building height does not exceed 8.5m.	
Use - Caretakers accommodation		
<ul> <li>PO2 Development: <ul> <li>(a) Is subordinate to non-residential uses on the same site;</li> <li>(b) is very small scale;</li> <li>(c) does not compromise the future industrial use of the site; and</li> <li>(d) only accommodates one caretaker.</li> </ul></li></ul>	<ul> <li>AO2.1 No more than 1 caretaker's accommodation unit is established on the site.</li> <li>AO2.2 The caretaker's accommodation unit is a maximum of 50m<sup>2</sup> in gross floor area.</li> </ul>	
Use - Sales office		
<b>PO3</b> The use does not adversely impact on the amenity of the surrounding land uses and local character.	<ul> <li>AO3.1</li> <li>Development of the sales office is in place for no more than two years.</li> <li>AO3.2</li> <li>There are a maximum of 2 employees on site at any one time.</li> </ul>	
For all assessable development		

Performance outcomes	Acceptable outcomes
Land use	
PO4	No acceptable outcome is nominated.
Development does not reduce or preclude	
the long-term use of land within the industry	
investigation area for industrial purposes.	
Infrastructure	
PO5	No acceptable outcome is nominated.
Development is adequately serviced with	
infrastructure commensurate with its needs.	
Effects of development	
PO6	No acceptable outcome is nominated.
Development minimises impacts on non-	
industrial uses, having regard to:	
(a) noise;	
(b) traffic and parking;	
<ul><li>(c) visual impact;</li><li>(d) vibrations;</li></ul>	
(e) signage;	
(f) odour and emissions; and	
(g) lighting.	
Editor's note-Applicants may be required to engage	
specialists to provide detailed investigations into the	
above matters in order to demonstrate compliance with	
this performance criterion.	No coortable sutranna is nominated
<b>PO7</b> Development responds sensitively to on-site	No acceptable outcome is nominated.
and surrounding topography, drainage	
patterns, waterways, utility services, access,	
vegetation and adjoining land use, such	
that:	
(a) any hazards to people or property are	
avoided or mitigated to a tolerable level;	
(b) any earthworks are minimised;	
(c) the retention of natural drainage line is	
maximised; (d) the retention of existing vegetation is	
maximised;	
(e) damage or disruption to sewer,	
stormwater and water infrastructure is	
avoided;	
(f) the risk of introducing and spreading	
weeds and pest animals is mitigated;	
and	
(g) there is adequate buffering, screening	
or separation to adjoining development.	No acceptable outcome is permineted
<b>PO8</b> All uses are located, designed, orientated	No acceptable outcome is nominated.
and constructed to:	
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses; and	
(b) minimise nuisance caused by noise,	
vibration and dust emissions generated	
from any state-controlled road,	
infrastructure corridor and rail network	
in the vicinity.	(
Use - Warehouse (only where an outdoor s	
PO9	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
Development:	
<ul> <li>(a) is limited to outdoor storage yard and laydown activities;</li> <li>(b) includes no storage within a building;</li> </ul>	
and	
(c) does not involve the wholesale of goods.	

# 6.2.4 Recreation zone category

#### 6.2.4.1 Recreation and open space zone code

#### 6.2.4.1.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note—land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

#### 6.2.4.1.2 Purpose

- (1) The purpose of the recreation and open space zone is to provide for:
  - (a) a variety of cultural, educational, leisure, recreation and sporting uses and activities, including, for example:
    - (i) parks, playgrounds or playing fields for the use of residents and visitors; and
    - (ii) parks, or other areas, for the conservation of natural areas; and
  - (b) facilities and infrastructure to support the uses and activities stated in paragraph (a).
- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) recreation and open space areas are accessible to the general public for a range of outdoor activities;
  - (b) a range of functional and accessible recreation open spaces including parks, linkages and sporting fields and facilities are available for the use and enjoyment of residents and visitors;
  - (c) opportunities for sporting clubs and community uses to establish in multi purpose club facilities are facilitated;
  - (d) development is designed to incorporate sustainable practices including maximising energy efficiency and water conservation;
  - (e) development is supported by transport infrastructure that is designed to provide and promote safe and efficient access;
  - (f) impacts on adjacent areas from development and activities within the zone are managed through buffering to adjacent sensitive land uses and appropriate design, siting and operation of facilities and infrastructure;
  - (g) ancillary structures and buildings such as clubhouses, kiosks, shelters, stands, amenity facilities, picnic tables and playgrounds are provided where necessary to support safe access and essential management of sport and recreation areas;
  - (h) land that is susceptible to flooding or drainage problems is protected from inappropriate activities or facilities;
  - where areas in this zone include natural habitats such as bushland, wetlands or waterways, or act as a buffer between natural and developed areas, adverse impacts on areas of ecological values are avoided where possible;
  - (j) development responds to land constraints, including but not limited to topography, coastal hazards, bushfire and flooding;
  - (k) open space areas are planned and designed to enhance community liveability, scenic amenity and provide a retreat from developed areas.

# 6.2.4.1.3 Specific benchmarks for assessment

Table 6.2.4.1.3—Accepted development subject to requirements and assessable	
development	

Acceptable outcomes
AO1.1 Building height does not exceed 12m. AO1.2 The site cover of all buildings and structures does not exceed the lesser of 40% of the total site area or 400m <sup>2</sup> .
ling unit
No more than 1 accommodation unit is established on the site. AO2.2 Development is a maximum of 100m <sup>2</sup> in
gross floor area.
4024
<ul> <li>AO3.1 Development that shares a boundary with a residential premises or residential zone requires a minimum boundary setback of 6m for: <ul> <li>(a) temporary structures including markets;</li> <li>(b) active outdoor use or sporting areas;</li> <li>(c) site access points;</li> <li>(d) car parking areas; and</li> <li>(e) servicing or outdoor storage areas.</li> </ul> AO3.2 Development that shares a boundary with a residential premises or land in a residential zone must ensure all buildings: <ul> <li>(a) are setback a minimum of 15m from that common boundary; and</li> <li>(b) include a minimum 1.8m high solid screen fence along that common boundary; or</li> <li>(c) a landscaped buffer area consisting of dense screen planting of a minimum 3m width along that common boundary. </li> </ul></li></ul>
Editor's note–Refer also to the Landscaping code. <b>AO3.3</b> Windows that have a direct view into an adjoining residential use are provided with fixed screening that is a maximum of 50% transparent. <b>AO4.1</b> Light emanating from any source complies with Australian Standard AS4282 Control of the Obtrusive Effects of Outdoor Lighting as

Performance outcomes	Accontable outcomes
	Acceptable outcomes amended.
	AO4.2 Outdoor lighting is provided in accordance with Australian Standard AS1158.1.1 – Road Lighting – Vehicular Traffic (Category V) Lighting – Performance and Installation Design Requirements as amended.
PO5	A05
Development must not unreasonably affect the amenity of the surrounding area.	Hours of operation are limited between 7am and 10pm each day.
For all assessable development	
Land use	
PO6	No acceptable outcome is nominated.
Development facilitates the optimum enjoyment and use of the land for recreation and open space purposes.	
<b>PO7</b> Non-recreation uses occur only where they directly support the primary recreation and open space function of the site or are a compatible community-related activity.	No acceptable outcome is nominated.
<b>PO8</b> Buildings, structures and use areas are designed to ensure efficient use of buildings and facilities, and provide for multiple or shared use of facilities where practicable.	No acceptable outcome is nominated.
Design and amenity	
<b>PO9</b> Development does not impede public access to, and use of, recreation and open space facilities.	No acceptable outcome is nominated.
PO10 Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: (a) noise; (b) traffic and parking; (c) visual impact; (d) signage; (e) odour and emissions; (f) access to sunlight; and (g) privacy. Editor's note–Applicants may be required to engage specialists to provide detailed investigations into the above matters in order to demonstrate compliance with this performance criterion.	No acceptable outcome is nominated.
<ul> <li>PO11 <ul> <li>Landscaping:</li> <li>(a) enhances visual amenity;</li> <li>(b) integrates with the sport and recreation setting;</li> <li>(c) allows for active recreational and sporting activities to occur; and</li> <li>(d) ensures the sport and recreation area is highly accessible.</li> <li>Editor's note–Refer also to the Landscaping code.</li> </ul> </li> </ul>	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
PO12	No acceptable outcome is nominated.
Development must ensure safe and legible	
connections are provided for:	
(a) pedestrians and cyclists to, from and	
within the site; and	
(b) open space, parkland, recreation areas,	
centres and community-related	
activities.	
PO13	No acceptable outcome is nominated.
The site layout and design responds	
sensitively to on-site and surrounding	
topography, waterways, drainage patterns, ecological values by:	
(a) any hazards to people or property are	
avoided or mitigated to a tolerable level;	
(b) any earthworks are minimised;	
(c) the retention of natural drainage lines	
are maximised;	
(d) the retention of existing vegetation is	
maximised;	
(e) damage, safety or disruption to sewer,	
stormwater detention and water	
infrastructure is avoided;	
(f) mitigating the risk of introducing and	
spreading weeds and pest animals; and	
(g) there is adequate buffering, screening or separation to adjoining development.	
PO14	No acceptable outcome is nominated.
Development is designed to achieve safety	
for all users having regard to:	
(a) maximising casual surveillance and	
sight lines;	
(b) avoiding personal concealment and	
entrapment locations;	
(c) exterior building design that promotes	
safety;	
(d) adequate lighting;	
(e) appropriate signage and wayfinding; and	
(f) building entrances, parking areas,	
loading and storage areas that are well	
lit and have clearly defined access	
points.	
' Editor's note–Applicants may find useful guidance in	
the Queensland Government's Crime Prevention	
through Environmental Design Guidelines for	
Queensland. P015	No acceptable outcome is nominated.
All uses are located, designed, orientated	No acceptable outcome is nonlinated.
and constructed to:	
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses; and	
(b) minimise nuisance caused by noise,	
vibration and dust emissions generated	
from any state-controlled road,	
infrastructure corridor and rail network	
in the vicinity.	

# 6.2.5 Environmental zone category

#### 6.2.5.1 Environmental management and conservation zone code

#### 6.2.5.1.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 6.2.5.1.2 Purpose

- (1) The purpose of the environmental management and conservation zone is to provide for the protection and maintenance of areas that support 1 or more of the following:
  - (a) biological diversity;
  - (b) ecological integrity;
  - (c) naturally occurring landforms;
  - (d) coastal processes.
- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) the ecological values of land are protected from the impacts of inappropriate development;
  - (b) very low intensity development related to the conservation and environmental values of the area may be facilitated where a demonstrated community need exists;
  - (c) nature based tourism and outdoor recreation are facilitated where a demonstrated community need exists and the use does not detrimentally affect the environmental values of the area;
  - (d) adverse impacts from on-site and adjoining sites are minimised or avoided through the location, design and management of development and activities;
  - (e) activities undertaken by recognised traditional owners in accordance with traditional owner customs and practices may be considered;
  - (f) land is publicly accessible where this does not compromise other overall outcomes;
  - (g) development does not fragment state, regional or local environmental corridors and maintains linkages to areas with other ecological values.

#### 6.2.5.1.3 Specific benchmarks for assessment

# Table 6.2.5.1.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	
Use - Caretakers accommodation		
<ul> <li>PO1</li> <li>Development is:</li> <li>(a) ancillary to the primary use; and</li> <li>(b) does not compromise the low density, natural and open space function of the site.</li> </ul>	AO1.1No more than 1 caretaker's accommodation unit is established on the site.AO1.2Caretakers accommodation is a maximum of 100m² in gross floor area.AO1.3Development does not involve the clearing of native vegetation.	
For assessable development		
Land use		
PO2 Development:	No acceptable outcome is nominated.	

Performance outcomes       Acceptable outcomes         (a) is consistent with the environmental character of the locality; and       (b) protects rural, natural and scenic values of the locality.         (b) protects rural, natural and scenic values of the locality.       No acceptable outcome is nominated.         PO3       No acceptable outcome is nominated.         Development provides for public access to the land except where:       No acceptable outcome is nominated.         (a) environmental values are adversely impacted; and       No acceptable outcome is nominated.         (b) there is a risk to public safety.       Use - Nature based tourism         PO4       Development directly supports visitation to the land for conservation purposes.       No acceptable outcome is nominated.         PO5       Development is of a scale and intensity that does not compromise the very low density       AO5.1
Character of the locality; and (b) protects rural, natural and scenic values of the locality.No acceptable outcome is nominated.PO3 Development provides for public access to the land except where: (a) environmental values are adversely impacted; and (b) there is a risk to public safety.No acceptable outcome is nominated.Use - Nature based tourismNo acceptable outcome is nominated.PO4 Development directly supports visitation to the land for conservation purposes.No acceptable outcome is nominated.PO5 Development is of a scale and intensity thatAO5.1 Building height does not exceed 4.5m.
<ul> <li>(b) protects rural, natural and scenic values of the locality.</li> <li>PO3         Development provides for public access to the land except where:         <ul> <li>(a) environmental values are adversely impacted; and</li> <li>(b) there is a risk to public safety.</li> </ul> </li> <li>Use - Nature based tourism         <ul> <li>PO4             <ul> <li>Development directly supports visitation to the land for conservation purposes.</li> <li>PO5             <ul> <li>Development is of a scale and intensity that</li> <li>AO5.1             <ul> <li>Building height does not exceed 4.5m.</li> </ul> </li> </ul> </li> </ul></li></ul></li></ul>
values of the locality.       No acceptable outcome is nominated.         PO3       No acceptable outcome is nominated.         Development provides for public access to the land except where:       No acceptable outcome is nominated.         (a) environmental values are adversely impacted; and       Vertice         (b) there is a risk to public safety.       Vertice         Use - Nature based tourism       PO4         Development directly supports visitation to the land for conservation purposes.       No acceptable outcome is nominated.         PO5       AO5.1         Development is of a scale and intensity that       Building height does not exceed 4.5m.
PO3       No acceptable outcome is nominated.         Development provides for public access to       No acceptable outcome is nominated.         (a) environmental values are adversely       impacted; and         (b) there is a risk to public safety.       Use - Nature based tourism         PO4       No acceptable outcome is nominated.         Development directly supports visitation to       No acceptable outcome is nominated.         PO5       AO5.1         Development is of a scale and intensity that       Building height does not exceed 4.5m.
Development provides for public access to the land except where:         (a) environmental values are adversely impacted; and         (b) there is a risk to public safety.         Use - Nature based tourism         PO4         Development directly supports visitation to the land for conservation purposes.         PO5         PO5         Development is of a scale and intensity that
the land except where:       (a) environmental values are adversely impacted; and         (b) there is a risk to public safety.       (b) there is a risk to public safety.         Use - Nature based tourism       PO4         Povelopment directly supports visitation to the land for conservation purposes.       No acceptable outcome is nominated.         PO5       AO5.1         Development is of a scale and intensity that       Building height does not exceed 4.5m.
impacted; and (b) there is a risk to public safety.NoUse - Nature based tourismNoPO4 Development directly supports visitation to the land for conservation purposes.No acceptable outcome is nominated.PO5 Development is of a scale and intensity thatAO5.1 Building height does not exceed 4.5m.
(b) there is a risk to public safety.         Use - Nature based tourism         PO4         Development directly supports visitation to the land for conservation purposes.         PO5         Development is of a scale and intensity that    AO5.1 Building height does not exceed 4.5m.
Use - Nature based tourism         PO4       No acceptable outcome is nominated.         Development directly supports visitation to the land for conservation purposes.       No acceptable outcome is nominated.         PO5       AO5.1         Development is of a scale and intensity that       Building height does not exceed 4.5m.
PO4 Development directly supports visitation to the land for conservation purposes.No acceptable outcome is nominated.PO5 Development is of a scale and intensity thatAO5.1 Building height does not exceed 4.5m.
Development directly supports visitation to the land for conservation purposes.AO5.1PO5AO5.1Development is of a scale and intensity thatBuilding height does not exceed 4.5m.
the land for conservation purposes.PO5Development is of a scale and intensity thatBuilding height does not exceed 4.5m.
PO5       AO5.1         Development is of a scale and intensity that       Building height does not exceed 4.5m.
Development is of a scale and intensity that Building height does not exceed 4.5m.
does not compromise the very low density AO5 2
and environmental character of the locality. Development does not involve the clearing c
native vegetation.
AO5.3
Development does not exceed 6 guests at
any one time.
Effects of development
PO6 No acceptable outcome is nominated.
Development responds sensitively to on-
site and surrounding topography, coastal
foreshores, waterways, drainage patterns,
utility services, access, vegetation and
adjoining land use, such that:
(a) any hazards to people or property are
avoided or mitigated to a tolerable
level;
(b) any earthworks are minimised;
(c) the retention of natural drainage lines
are maximised;
(d) the retention of existing vegetation is
maximised;
(e) damage or disruption to sewer, stormwater and water infrastructure is
avoided;
(f) the risk of introducing and spreading
weeds and pest animals is mitigated;
and
(g) there is adequate buffering, screening
or separation to adjoining development.
P07 No acceptable outcome is nominated.
All uses are located, designed, orientated
and constructed to:
(a) minimise noise dust, odour or other
nuisance from existing lawful uses; and
(b) minimise nuisance caused by noise,
vibration and dust emissions generated
from any state-controlled road,

#### 6.2.6 Other zone category

### 6.2.6.1 Community facilities zone code

#### 6.2.6.1.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note-land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the Economic Development Act 2012. Refer also to 9.2 of the planning scheme.

#### 6.2.6.1.2 Purpose

- The purpose of the community facilities zone is to provide for community-related uses, (1) activities and facilities, whether publicly or privately owned, including, for example: educational establishments;
  - (a)
  - hospitals: and (b)
  - community infrastructure of an artistic, social or cultural nature. (c)
- (2)The purpose of the zone will be achieved through the following overall outcomes:
  - development is generally consistent in scale, height and bulk with that of (a) surrounding development;
  - development is sited, designed and operated in a way that does not adversely (b) impact on the amenity of adjoining properties through buffering and appropriate design, siting and operation of facilities and infrastructure;
  - other complementary uses may occur within this zone, where community-(c) related activities and facilities remain the primary use and continue to effectively meet community needs;
  - community facilities are in highly accessible locations and are designed to (d) promote safe and efficient public use through walking and cycling;
  - adverse impacts on areas of environmental significance, natural features and (e) processes are avoided;
  - development is designed to incorporate sustainable practices including (f) maximising energy efficiency and water conservation;
  - development responds to land constraints, including but not limited to (g) topography, bushfire and flooding.

#### 6.2.6.1.3 Specific benchmarks for assessment

#### Table 6.2.6.1.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
Built form - where involving building work	
P01	A01
Built form is of a height that:	Building height does not exceed 12m.
(a) is low-medium rise and visually	
unobtrusive;	
(b) protects residential amenity and	
minimises overshadowing and	
overlooking where adjoining an existing	
residential use or a residential zone.	
PO2	AO2.1
Front building setbacks and orientation	Buildings have their main facade and entry
provide for an attractive streetscape that is	facing the street.

Performance outcomes	Acceptable outcomes
compatible with existing characteristics of the local area.	<ul> <li>AO2.2</li> <li>Front boundary setbacks for buildings are:</li> <li>(a) within 20% of the average front setback of adjoining buildings; or</li> <li>(b) where there are no adjoining buildings, 6m.</li> </ul>
<b>PO3</b> Development minimises the bulk of buildings to assist integration with surrounding development and character of the locality.	AO3 Walls are articulated so that they do not exceed in length of 15m without a change in plane of at least 1m depth.
Amenity	
PO4 Development provides adequate separation and buffering from any adjoining residential premises or residential zone so that residential privacy and amenity is not adversely affected.	<ul> <li>AO4.1 New buildings are set back 3m or half the height of that part of the building, whichever is the greater, from any boundary shared with a residential use or land within a residential zone.</li> <li>AO4.2 Where development adjoins a residential use or land within a residential zone: <ul> <li>(a) a 1.8m high solid screen fence is provided along that common boundary; or</li> <li>(b) a landscaped buffer with a minimum width of 2m and consisting of dense screen planting is provided along that common boundary.</li> </ul> </li> </ul>
	Editor's note-Refer also to the Landscaping Code. <b>AO4.3</b> Windows that have a direct view into an adjoining residential use are provided with fixed screening that is a maximum of 50% transparent to obscure views and maintain privacy for residents. <b>AO4.4</b> Plant and air-conditioning equipment is screened from view of the road or adjoining residential activity.
<b>PO5</b> The amenity of the locality is not unreasonably affected as a result of development.	<ul> <li>AO5</li> <li>Hours of operation are limited to:</li> <li>(a) 7am to 6pm; or</li> <li>(b) 6am to 10pm where not adjoining an existing residential use or land within a residential zone.</li> </ul>
<b>P06</b> Outdoor lighting does not adversely affect the amenity of adjoining properties or create a traffic hazard on adjacent roads.	AO6.1 Light emanating from any source complies with Australian Standard AS4282 Control of the Obtrusive Effects of Outdoor Lighting as amended. AO6.2 Outdoor lighting is provided in accordance with Australian Standard AS1158.1.1 – Road Lighting – Vehicular Traffic (Category V)
P07	Lighting – Performance and Installation Design Requirements as amended. A07

Derformence euteemee	Accentable outcomes
Performance outcomes	Acceptable outcomes
Refuse storage areas and storage of goods	The open area used for the storage of refuse,
or materials in open areas is presented in a	vehicles, machinery, goods and materials
manner that does not detract from the	used on the site is:
visual amenity of the locality.	(a) located no closer than 3m from any
	boundary; and
	(b) are screened from view by a 1.8m high
	solid screen.
Use - Caretakers accommodation	1
PO8	A08.1
	No more than 1 caretaker's accommodation
Development:	
(a) is ancillary to the primary use; and	unit is established on the site.
(b) provides adequate open space for the	A08.2
caretaker.	The caretaker's accommodation unit is a
	maximum of 50m <sup>2</sup> in gross floor area.
	AO8.3
	Private open space area is provided which:
	(a) is directly accessible from a habitable
	room; and
	(b) where a balcony, a veranda or a deck,
	has a minimum area of 15m <sup>2</sup> with
	minimum horizontal dimensions of
	1.25m.
For all assessable development	
Land use	1
PO9	AO9
Non-community related activities only occur	Development for a shop or food and drink
where they:	outlet is:
(a) support or are otherwise	(a) a maximum of 150m <sup>2</sup> ; and
complementary, to the community	(b) part of the building including community
related activities or facilities on the site;	related activities.
and	
(b) are subordinate to those community	Otherwise no acceptable outcome is
activities or facilities.	nominated.
PO10	No acceptable outcome is nominated.
Development does not prejudice the	
ongoing operation and expansion of	
existing community related activities on the	
site.	
	No acceptable outcome is nominated.
P011	I NO ACCEDIADIE OLICOME IS NOMINATED
Development facilitates opportunities for	
appropriate co-location of community	
appropriate co-location of community related activities or facilities.	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b>	
appropriate co-location of community related activities or facilities.	No acceptable outcome is nominated.
appropriate co-location of community related activities or facilities. Design and amenity PO12 Development maintains a high level of	
appropriate co-location of community related activities or facilities. Design and amenity PO12	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to:	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: (a) noise;	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: (a) noise; (b) traffic and parking;	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: (a) noise; (b) traffic and parking; (c) visual impact;	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: (a) noise; (b) traffic and parking; (c) visual impact; (d) signage;	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: (a) noise; (b) traffic and parking; (c) visual impact; (d) signage; (e) odour and emissions;	
<ul> <li>appropriate co-location of community related activities or facilities.</li> <li><b>Design and amenity</b></li> <li><b>PO12</b></li> <li>Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: <ul> <li>(a) noise;</li> <li>(b) traffic and parking;</li> <li>(c) visual impact;</li> <li>(d) signage;</li> <li>(e) odour and emissions;</li> <li>(f) access to sunlight; and</li> </ul></li></ul>	
appropriate co-location of community related activities or facilities. <b>Design and amenity</b> <b>PO12</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: (a) noise; (b) traffic and parking; (c) visual impact; (d) signage; (e) odour and emissions;	
<ul> <li>appropriate co-location of community related activities or facilities.</li> <li><b>Design and amenity</b></li> <li><b>PO12</b></li> <li>Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: <ul> <li>(a) noise;</li> <li>(b) traffic and parking;</li> <li>(c) visual impact;</li> <li>(d) signage;</li> <li>(e) odour and emissions;</li> <li>(f) access to sunlight; and</li> </ul></li></ul>	

Performance outcomes	Acceptable outcomes
above matters in order to demonstrate compliance	
with this performance criterion.	
PO13	No acceptable outcome is nominated.
Development must ensure safe, convenient	
and legible connections are provided:	
(a) for pedestrians and cyclists to, from and	
within the site;	
(b) to open space, parkland, centres and	
community-related activities.	
P014	No acceptable outcome is nominated.
Development is designed to achieve safety	
for all users having regard to:	
(a) maximising casual surveillance and	
sight lines;	
(b) avoiding personal concealment and	
entrapment locations;	
(c) exterior building design that promotes	
safety;	
<ul><li>(d) adequate lighting;</li><li>(e) appropriate signage and wayfinding;</li></ul>	
and	
(f) building entrances, parking areas,	
loading and storage areas that are well	
lit and have clearly defined access	
points.	
Editor's note-Applicants may find useful guidance in	
the Queensland Government's <i>Crime Prevention</i> through Environmental Design Guidelines for	
Queensland.	
PO15	No acceptable outcome is nominated.
Design elements contribute to an	
interesting and attractive streetscape and	
building through:	
(a) variations in material and building form	
to enable articulation of facades and	
differentiation between buildings;	
(b) modulation in the façade, horizontally	
or vertically;	
(c) articulation of building entrances and	
openings;	
(d) corner treatments to address both	
street frontages;	
(e) elements which assist in wayfinding	
and legibility; and	
(f) elements which relate to the context	
including surrounding buildings, parks,	
streets and open spaces.	
Effects of development	
P016	No acceptable outcome is nominated.
Development responds sensitively to on-	
site and surrounding topography,	
waterways, drainage patterns, utility	
services, access, vegetation and adjoining	
land uses, such that:	
(a) any unreasonable hazards to people or	
property are avoided or mitigated to a	
tolerable level;	
<ul><li>(b) any earthworks are minimised;</li><li>(c) the retention of natural drainage line is</li></ul>	
L (c) the retenuori of hatural drainage line is	

Performance outcomes	Acceptable outcomes
<ul> <li>maximised;</li> <li>(d) the retention of existing vegetation is maximised;</li> <li>(e) damage or disruption to sewer, stormwater and water infrastructure is avoided; and</li> <li>(f) there is adequate buffering, screening</li> </ul>	
or separation to adjoining development.	
PO17	No acceptable outcome nominated.
All uses are located, designed, orientated and constructed to:	
<ul> <li>(a) minimise noise dust, odour or other nuisance from existing lawful uses; and</li> <li>(b) minimise nuisance caused by noise, vibration and dust emissions generated from any state-controlled road, infrastructure corridor and rail network in the vicinity.</li> </ul>	

# 6.2.6.2 Emerging community zone code

#### 6.2.6.2.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note-land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

#### 6.2.6.2.2 Purpose

- (1) The purpose of the emerging community zone is to:
  - (a) identify land that is intended for an urban purpose in the future;
  - (b) protect land that is identified for an urban purpose in the future from incompatible uses; and
  - (c) provide for the timely conversion of non-urban land to land for urban purposes.

Editor's note–Future urban development must be in accordance with an approved structure plan. Part 3 (Strategic Framework) provides further guidance on these matters.

- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) land that is considered generally suitable for urban purposes where detailed planning studies will need to be undertaken to identify developable areas that address scenic, environmental and infrastructure constraints;
  - (b) interim development does not compromise the future development potential of the area for urban purposes and uses that are incompatible with residential uses are not encouraged;
  - development does not compromise the efficient provision of infrastructure, consideration of environmental constraints and desired settlement pattern for the area;
  - (d) significant historical, architectural, topographic, landscape, scenic, social, recreational and cultural features and associations, as well as natural habitat areas, wildlife corridors, wetlands and waterway corridors are protected;
  - (e) roads and other transport corridors are coordinated and interconnected to ensure pedestrian, bike, public transport and private vehicles have accessibility between neighbourhoods, centres and other locations;
  - (f) development responds to land constraints, including but not limited to topography, dust, bushfire and flooding.

#### 6.2.6.2.3 Specific benchmarks for assessment

# Table 6.2.6.2.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	
Building height		
<ul> <li>PO1</li> <li>Buildings:</li> <li>(a) are low rise;</li> <li>(b) do not create overshadowing on adjoining residential properties; and</li> <li>(c) do not adversely impact on the</li> </ul>	AO1 Building height does not exceed 8.5m.	
character and amenity of the area.  Residential density		
PO2	AO2.1	
Development reflects the very low density	Residential density is limited to one dwelling	

Performance outcomes	Acceptable outcomes
character of the area.	per allotment where a dwelling house (including one secondary dwelling). <b>AO2.2</b> Where a dwelling house, any secondary dwelling is: (a) is a maximum of 80m <sup>2</sup> GFA; and (b) within 10m of the main building.
Use - Caretakers accommodation	
<ul> <li>PO3</li> <li>Development: <ul> <li>(a) does not compromise the future urban use of the site;</li> <li>(b) is very small scale; and</li> <li>(c) is subordinate to the primary use of the site.</li> </ul> </li> </ul>	<ul> <li>AO3.1</li> <li>No more than 1 caretaker's accommodation unit is established on the site.</li> <li>AO3.2</li> <li>The caretaker's accommodation unit is a maximum of 100m<sup>2</sup> in gross floor area.</li> </ul>
Use - Sales office	
<b>PO4</b> The use does not adversely impact on the amenity of the surrounding land uses and local character.	AO4.1 Development of the sales office is in place for no more than two years. AO4.2 The site coverage of the building is a maximum of 50% of the site area. AO4.3
	There are a maximum of 2 employees on site at any one time.
	The use operates between 9am and 6pm Monday to Saturday and 9am to 1pm on Sunday.
For all assessable development	
Land use	
<b>PO5</b> Interim non-urban development does not reduce or preclude the long-term use of the site or nearby land for urban purposes, having regard to the scale and nature of the activity and its likely impacts.	No acceptable outcome is nominated.
Use - Outdoor sport and recreation	
<ul> <li>PO6</li> <li>All buildings must be:</li> <li>(a) associated with the Outdoor sport and recreation activity; and</li> <li>(b) low in scale and density.</li> </ul>	No acceptable outcome is nominated.
<b>PO7</b> Development provides adequate separation, screening and buffering from any adjoining residential premises or residential zone so that residential privacy and amenity is not adversely affected.	<ul> <li>A07.1 Development that shares a boundary with a residential premises or a residential zone requires a minimum boundary setback of 6m for: <ul> <li>(a) active outdoor use or sporting areas;</li> <li>(b) site access points;</li> <li>(c) car parking areas; and</li> <li>(d) servicing or outdoor storage areas.</li> </ul> A07.2 Development that shares a boundary with a residential premises or land in a residential zone must ensure all buildings: <ul> <li>(a) are setback a minimum of 15m from that</li> </ul></li></ul>

Performance outcomes	Acceptable outcomes
	common boundary; and
	<ul> <li>(b) include a minimum 1.8m high solid screen fence along that common boundary; or</li> <li>(c) a landscaped buffer area consisting of</li> </ul>
	dense screen planting of a minimum 3m width along that common boundary.
PO8	Editor's note–Refer also to the Landscaping code.
Outdoor lighting does not adversely affect the amenity of adjoining properties or create a traffic hazard on adjacent roads.	<b>AO8.1</b> Light emanating from any source complies with Australian Standard AS4282 Control of the Obtrusive Effects of Outdoor Lighting as amended.
	AO8.2 Outdoor lighting is provided in accordance with Australian Standard AS1158.1.1 – Road Lighting – Vehicular Traffic (Category V) Lighting – Performance and Installation Design Requirements as amended.
Effects of development	Design Requirements as amended.
PO9	No acceptable outcome is nominated.
<ul> <li>Development responds sensitively to on-site and surrounding topography, drainage patterns, utility services, access, vegetation and adjoining land use, such that:</li> <li>(a) any hazards to people or property are avoided or mitigated to a tolerable level;</li> <li>(b) any earthworks are minimised;</li> <li>(c) the retention of natural drainage line is maximised;</li> <li>(d) the retention of existing vegetation is maximised;</li> <li>(e) damage or disruption to sewer, stormwater and water infrastructure is avoided;</li> <li>(f) the risk of introducing and spreading weeds and pest animals is mitigated; and</li> <li>(g) there is adequate buffering, screening or separation to adjoining development.</li> </ul>	
<ul> <li>PO10 Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: <ul> <li>(a) noise and air quality;</li> <li>(b) traffic and parking;</li> <li>(c) visual impact;</li> <li>(d) signage;</li> <li>(e) odour and emissions; and</li> <li>(f) lighting.</li> <li>Editor's note-Applicants may be required to engage specialists to provide detailed investigations into the above matters in order to demonstrate compliance with this performance criterion.</li> </ul></li></ul>	No acceptable outcome is nominated.
<b>PO11</b> All uses are located, designed, orientated and constructed to:	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
<ul> <li>(a) minimise noise dust, odour or other nuisance from existing lawful uses; and</li> <li>(b) minimise nuisance caused by noise, vibration and dust emissions generated from any state-controlled road, infrastructure corridor and rail network in the vicinity.</li> </ul>	

# 6.2.6.3 Limited development zone code

#### 6.2.6.3.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 6.2.6.3.2 Purpose

(1) The purpose of the limited development zone is to identify land that is significantly affected by 1 or more development constraints, including, for example, constraints relating to defence requirements, flooding, historical subdivisions, land contamination, past or future mining activities or topography.

The purpose of the limited development zone code is to limit the scale and form of development in those areas affected by significant localised flooding within parts of the Clermont and Nebo area.

Development must not create any unacceptable risks from natural hazards to people and property.

- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) development constraints limit the number and type of land uses that can occur due to natural hazards that are of high or extreme risk to people and property;
  - (b) new uses and works reflect a low intensity nature, are provided with an appropriate level of infrastructure and access and are designed appropriately given the constraints of the land;
  - (c) low impact outdoor recreation activities are possible within the zone where compatible with the land constraints and the amenity of surrounding urban areas.

#### 6.2.6.3.3 Specific benchmarks for assessment

Table 6.2.6.3.3—Assessable	development
----------------------------	-------------

Performance outcomes	Acceptable outcomes
Land use	
<ul> <li>PO1 Development: <ul> <li>(a) is very low impact;</li> <li>(b) avoids any unacceptable risk to people or property from natural hazard impacts.</li> </ul> Editor's note-a site based assessment is required to demonstrate compliance with PO1(b). Refer also to the</li></ul>	No acceptable outcomes are nominated.
Hazards PSP. Amenity	
<ul> <li>PO2</li> <li>Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to: <ul> <li>(a) noise;</li> <li>(b) traffic and parking;</li> <li>(c) visual impact;</li> <li>(d) signage;</li> <li>(e) odour and emissions;</li> <li>(f) access to sunlight; and</li> <li>(g) privacy.</li> </ul> </li> <li>Editor's note-Applicants may be required to engage</li> </ul>	No acceptable outcomes are nominated.

Performance outcomes	Acceptable outcomes
specialists to provide detailed investigations into the	Acceptable outcomes
above matters in order to demonstrate compliance with	
this performance criterion.	
Effects of development	
PO3	No acceptable outcome is nominated.
Development responds sensitively to on-site	
and surrounding topography, drainage	
patterns, waterways, utility services, access,	
vegetation and adjoining land use, such that:	
(a) any hazards to people or property are	
avoided or mitigated to a tolerable level;	
(b) any earthworks are minimised;	
(c) the retention of natural drainage line is	
maximised;	
(d) the retention of existing vegetation is	
maximised;	
(e) damage or disruption to sewer,	
stormwater and water infrastructure is	
avoided;	
(f) the risk of introducing and spreading	
weeds and pest animals is mitigated;	
(g) there is adequate buffering, screening or	
separation to adjoining development; and	
(h) development does not occur in erosion	
prone areas within the coastal	
management district.	
PO4	No acceptable outcome is nominated.
All uses are located, designed, orientated	
and constructed to:	
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses; and	
(b) minimise nuisance caused by noise,	
vibration and dust emissions generated	
from any state-controlled road,	
infrastructure corridor and rail network in	
the vicinity.	

### 6.2.6.4 Minor tourism zone code

#### 6.2.6.4.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 6.2.6.4.2 Purpose

(a)

- (1) The purpose of the minor tourism zone is to provide for:
  - a variety of activities, facilities and places that:
    - (i) are for, or support tourism; and
    - (ii) have less than 20 employees; and
    - (iii) are in coastal, environmental, rural or urban areas; and
  - (b) permanent accommodation for employees, if required for the activities, facilities and places stated in paragraph (a) and appropriate for the area.

Development provides for tourist facilities and related short term accommodation and services that provide for the needs of tourists and visitors. Permanent residential accommodation for only management and employed personnel may be appropriate.

- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) the primary use in this zone is for tourism purposes by way of short stay holidays associated with caravan parks, camping and/or cabins;
  - (b) a range of uses are provided only where subordinate to or directly associated with tourism and nature based tourism opportunities activities;
  - (c) development services the day to day convenience needs of tourists, visitors and staff;
  - (d) development is of a scale that does not impact on the viability of surrounding centres;
  - (e) development provides a high level of amenity for visitors;
  - (f) development minimises adverse impacts on ecological values;
  - (g) development protects and enhances the unique local, scenic, environmental, cultural and historic character of the locality;
  - (h) development responds to land constraints including topography, bushfire, flooding and coastal hazards.

#### 6.2.6.4.3 Specific benchmarks for assessment

# Table 6.2.6.4.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
Built form	
PO1	A01
Buildings and other structures are; (a) low rise; and	Building height does not exceed 8.5m.
(b) designed to reflect a low density that	
maintains open space and rural or coastal character.	
Uses - Caretakers accommodation or dwe	lling unit
PO2	AQ2.1
Development is: (a) ancillary to the primary use; and	No more than 1 accommodation unit is established on the site.
(b) does not compromise the small scale tourism function of the site.	AO2.2 Development is a maximum of 100m <sup>2</sup> in

Acceptable outcomes
gross floor area.
No acceptable outcome is nominated.
<b>AO4</b> The combined maximum GFA of any ancillary kiosk and food and drink outlet does not exceed 100m <sup>2</sup> .
<ul> <li>A05.1</li> <li>Where adjoining a residential use or land in a residential zone: <ul> <li>(a) a minimum side and rear boundary setback of 3m is required for any:</li> <li>(i) ancillary kiosk or food and drink outlet premises;</li> <li>(ii) site access points; and</li> <li>(iii) car parking areas;</li> </ul> </li> <li>(b) a minimum boundary setback of 10m is required for any: <ul> <li>(i) amenity buildings; and</li> <li>(ii) servicing or outdoor storage areas.</li> <li>(iii) temporary structures including caravans and tents; and</li> <li>(iv) active outdoor use areas.</li> </ul> </li> <li>A05.2 Plant and air-conditioning equipment is screened from view of the road or adjoining residential activity.</li></ul>
AO6 Hours of operation of any ancillary kiosk or food and drink outlet are limited to 06am to 8pm.
No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses; and	
(b) minimise nuisance caused by noise,	
vibration and dust emissions generated from any state-controlled road,	
infrastructure corridor and rail network	
in the vicinity.	
Protection of natural values	
PO9	No acceptable outcome is nominated.
The site layout and design responds	
sensitively to on-site and surrounding	
topography, coastal foreshore areas,	
waterways, drainage patterns, ecological	
values by:	
(a) any hazards to people or property are avoided or mitigated to a tolerable level;	
(b) any earthworks are minimised;	
(c) the retention of natural drainage lines are maximised;	
(d) the retention of existing vegetation is	
maximised;	
(e) damage, safety or disruption to sewer,	
stormwater detention and water	
infrastructure is avoided; and	
(f) there is adequate buffering, screening or	
separation to adjoining development.	

### 6.2.6.5 Rural zone code

#### 6.2.6.5.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note-land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

#### 6.2.6.5.2 Purpose

- (1) The purpose of the rural zone is to:
  - (a) provide for rural uses and activities; and
  - (b) provide for other uses and activities that are compatible with:
    - (i) existing and future rural uses and activities; and
      - (ii) the character and environmental features of the zone; and
  - (c) maintain the capacity of land for rural uses and activities by protecting and managing significant natural resources and processes; and
  - (d) ensure sensitive land uses do not encroach into areas affected by hazardous levels of dust associated with mining activity.
- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) areas for use for primary production are conserved and fragmentation is avoided through maintaining very large lots to support rural agricultural activities and lots to support the functional requirements of resource related activities.
  - (b) the viability of both existing and future rural uses and resource related activities are protected from the intrusion of incompatible uses;
  - (c) sensitive land uses are not:
    - (i) located within the Potential hazardous dust level overlay;
    - subjected to unreasonable risks associated with resource extraction activities associated with mining and quarrying having regard to vibration, odour, dust or other emissions;
  - (d) the establishment of a wide range of rural pursuits is facilitated, including cropping, intensive horticulture, aquaculture, grazing, intensive animal industries, animal husbandry and animal keeping and other compatible primary production uses;
  - (e) cropping and horticultural activities are encouraged on productive Agricultural Land Classification Class A and B agricultural land;
  - (f) renewable energy facilities and extractive industries:
    - (i) mitigate impacts on the environment and adjoining land uses;
    - (ii) do not degrade Class A and B agricultural land;
    - (iii) rehabilitate sites upon completion of activities; and
    - (iv) are supported by necessary infrastructure.

Editor's note–For extractive industry, refer also to the Extractive resources and minerals overlay code in Part 7 and Extractive industry code in Part 8.

- (g) the establishment of outdoor recreation and small-scale tourism facilities in suitable locations is facilitated only where they do not compromise the use of the land for rural activities and minimise any land-use conflicts;
- (h) natural features such as creeks, gullies, waterways, wetlands and bushland are retained, managed and separated from adjacent development where possible;
- (i) rural land uses incorporate sustainable practices to prevent soil erosion, landslide, protect the quality of land resources and water catchments, maintain habitat values of waterways and native timber and forest areas;

- (j) adverse impacts of land use, both on-site and from adjoining areas, are avoided and any unavoidable impacts are minimised through location, design, operation and management;
- (k) urban and rural residential expansion does not occur on land in the rural zone.

### 6.2.6.5.3 Specific benchmarks for assessment

Table 6.2.6.5.3—Accepted subject to requirements and assessable development

Table 6.2.6.5.3—Accepted subject to requir	-
Performance outcomes	Acceptable outcomes
Built form	
<b>PO1</b> Buildings are designed and located so as not to adversely impact on the rural character and amenity of the locality.	<ul> <li>AO1.1 Building height does not exceed 12m.</li> <li>AO1.2 Buildings, other than a roadside stall, are setback a minimum of:</li> <li>(a) 10m from the front boundary and side boundaries for allotments greater than 2ha; or</li> <li>(b) 5m front boundary and side boundaries for allotments less than 2ha.</li> </ul>
Residential density	
PO2 Residential density reflects the low intensity rural character of the locality.	<ul> <li>AO2.1 Residential density is limited to: <ul> <li>(a) one dwelling house (including a secondary dwelling) or one dual occupancy per allotment; and</li> <li>(b) one dwelling up to 200m<sup>2</sup> GFA where for rural workers' accommodation.</li> </ul> AO2.2 Any secondary dwelling is: <ul> <li>(a) a maximum of 150m<sup>2</sup> gross floor area; and</li> <li>(b) within 50m of the main building.</li> </ul></li></ul>
Amonity	(b) within control the main building.
Amenity         PO3         Sensitive land uses do not encroach on existing or approved rural, open cut coal mining and extractive industry activities or other uses that may result in an adverse impact on amenity, health or safety.         Editor's note–Where not achieving AO3, a site based assessment is required to demonstrate compliance with PO3. Refer also to the Hazards PSP regarding Potential Hazardous Dust.	<ul> <li>AO3 Sensitive land uses are separated: <ul> <li>(a) from intensive animal industry uses</li> <li>(where a cattle feedlot) by:</li> <li>(i) up to 500 head – 700m</li> <li>(ii) 501 to 5,000 head – 1.5km</li> <li>(iii) 5,001 to 10,000 head – 2km</li> <li>(iv) &gt;10,000 head – 2km</li> </ul> (b) from animal keeping (if only catteries and kennels) by a minimum of 700m; <ul> <li>(c) from waste disposal areas connected to an animal husbandry operation by a minimum of 1km;</li> <li>(d) from cropping on areas of agricultural land by a minimum of 300m;</li> <li>(e) from other agricultural activities (excluding cropping activities) by a minimum of 100m;</li> <li>(f) from other rural activities, not elsewhere mentioned, by a minimum of 100m;</li> <li>(g) from railway activities by a minimum of 100m;</li> <li>(h) from the mining lease boundaries of open cut coal mining projects by a</li> </ul></li></ul>

Performance outcomes	Acceptable outcomes	
	minimum of 10km	
	Editor's note–Mining lease boundaries can b on the Queensland Government Mines Onlin service - MyMinesOnline.	
	This setback is required to adequately separ land uses from potentially hazardous dust lev associated with open cut mining activity.	
	<ul> <li>(i) by not being located within the I hazardous dust level overlay mathematical activities (j) from existing industrial activities (k) from a high pressure gas pipelin 200m;</li> <li>(l) from the Galilee Basin State Development Area boundary by and</li> </ul>	ap OM10; s by 1km; ne by
	Editor's note-Refer to map AM1 in Schedule	2.
	(m) from extractive industry operation follows:	ons as
	Operation Separation	distance
	Extraction or processing involving blasting or crushing Extraction or processing 200m	
	not involving blasting or crushing	
PO4	Haul route 100m	
Outdoor lighting does not adversely affect the amenity of adjoining properties or create a traffic hazard on adjacent roads.	Light emanating from any source co with Australian Standard AS4282 C the Obtrusive Effects of Outdoor Lig current version. <b>A04.2</b> Outdoor lighting is provided in accor with Australian Standard AS 1158.1 Lighting – Vehicular Traffic Categor Lighting – Performance and Installa Design Requirements or current ver	ontrol of hting or rdance .1 – Road y V) tion
PO5	A05	
Development does not adversely impact on the amenity of the surrounding rural or	Plant and air-conditioning equipmer areas and processing activities are	
residential land uses and/or rural landscape	from view of the road or adjoining re	
character.	uses.	
<ul> <li>PO6</li> <li>Development ensures:</li> <li>(a) vulnerability to landslip, erosion and land degradation is minimised; and</li> <li>(b) the safety of people and property.</li> <li>Editor's note- where not achieving AO6, a site based assessment and landslide risk management plan is required to demonstrate compliance with PO6. Refer to the Hazards PSP.</li> </ul>	<b>AO6</b> Development is not located on slope than 15%.	es greater
Stock routes		
PO7 Development located on a stock route shown on Agriculture land overlay map OM2 does not compromise the use of the stock route by travelling stock. PO8	AO7 Sensitive land uses are separated a minimum of (a) 200m from a surveyed stock rou (b) 800m from an unsurveyed stock AO8	ute; or

Performance outcomes	Acceptable outcomes
Development on or crossing a stock route	Development provides:
does not impede the free movement of	(a) for grade separation of transport
stock.	infrastructure and stock; or
	(b) alternate unimpeded and watered stock
	route access.
Use - Caretakers accommodation	
PO9	AO9
Development is ancillary to the primary use.	No more than 1 caretaker's accommodation
	unit is established on the site.
Use - Roadside stall	
PO10	AO10.1
Roadside stalls are of a scale in keeping	Structures associated with the use are limited
with the rural character of the locality.	to 30m <sup>2</sup> gross floor area. AO10.2
	A roadside stall is setback a minimum of 10m
	from the front and side boundaries.
	AO10.3
	The roadside stall only sells produce grown
	on site.
For all assessable development	
Land use	
PO11	No acceptable outcomes are nominated.
Development:	
(a) is consistent with the rural character of	
the locality;	
(b) supports the primary rural function of	
the zone;	
(c) protects rural, natural and scenic	
values of the locality; and (d) includes boundary realignments where	
used to align with mining or petroleum	
tenements	
PO12	No acceptable outcomes are nominated.
Tourism (including associated	
accommodation) and recreation-related	
uses are:	
(a) small scale; and	
(b) compatible with rural production and	
agricultural land, natural resources and	
landscape amenity. Design and amenity	
PO13	No acceptable outcome is nominated.
Development is designed to achieve safety	
for all users having regard to:	
(a) maximising casual surveillance and	
sight lines;	
(b) avoiding personal concealment and	
entrapment locations;	
(c) exterior building design that promotes	
safety;	
(d) adequate lighting;	
(e) appropriate signage and wayfinding;	
and (f) building optropoor, parking aroos	
<ul> <li>building entrances, parking areas, loading and storage areas that are well</li> </ul>	
lit and have clearly defined access	
in and have orderly defined access	1

Performance outcomes	Acceptable outcomes
points.	
Editor's note–Applicants may find useful guidance in the Queensland Government's Crime Prevention through Environmental Design Guidelines for Queensland.	
PO14	AO14.1
Development minimises potential conflicts with, or impacts on, other uses having regard to vibration, odour, dust or other	Development achieves the air quality design objectives set out in the <i>Environmental</i> <i>Protection (Air) Policy 2008</i> , as amended.
emissions.	<ul> <li>AO14.2</li> <li>Development that involves the storage of materials on site that are capable of generating air contaminants either by wind or when disturbed are managed by:</li> <li>(a) being wholly enclosed in storage bins; or</li> <li>(b) a watering program so material cannot become airborne.</li> </ul>
PO15	AO15
Development prevents or minimises the	Development achieves the noise generation
<ul> <li>generation of any noise so that:</li> <li>(a) nuisance is not caused to adjoining premises or other nearby sensitive land uses; and</li> </ul>	levels set out in the <i>Environmental Protection</i> ( <i>Noise</i> ) <i>Policy</i> 2008, as amended.
(b) desired ambient noise levels in	
residential areas are not exceeded.	
PO16	No acceptable outcomes are nominated.
Development does not unduly impact on the existing amenity and character of the locality having regard to:	
(a) the scale, siting and design of buildings and structures;	
<ul> <li>(b) visibility from roads and other public view points, screening vegetation and landscaping;</li> </ul>	
<ul> <li>(c) the natural landform and avoidance of visual scarring; and</li> </ul>	
(d) vibration, odour, dust, spray drift and other emissions.	
PO17	No acceptable outcomes are nominated.
All uses are located, designed, orientated and constructed to:	
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses including rural and industrial uses;	
(b) minimise nuisance caused by noise,	
vibration and dust emissions generated	
to the state-controlled road and rail network in the vicinity of the land.	
PO18	No acceptable outcome is nominated.
Development ensures ecological values,	the acceptable edicome is norminated.
habitat corridors and soil and water quality	
are protected, having regard to:	
(a) maximising the retention of vegetation	
and the protection of vegetation from	
the impacts of development;	
(b) minimising the potential for erosion and minimisation of earthworks;	
(c) maximising the retention and protection	
	1

Performance outcomes	Acceptable outcomes
of natural drainage lines and	
hydrological regimes;	
(d) avoidance of release of biohazards into	
the environment;	
(e) mitigating the risk of introducing and	
spreading weeds and pest animals; and	
(f) avoidance of leeching by nutrients,	
pesticides or other contaminants, or	
potential for salinity.	
Use - Animal keeping (kennels or catteries	
PO19	AO19.1
Development is sited, constructed and	A minimum site area of 5 hectares is
managed such that:	required.
<ul><li>(a) animals are securely housed; and</li><li>(b) the use does not create an</li></ul>	A019.2 Buildings used for animal keeping are
unreasonable nuisance beyond the site	Buildings used for animal keeping are constructed with impervious reinforced
boundaries.	concrete floors, gravity drained to the effluent
	collection/treatment point.
	AO19.3
	Animal proof fencing or other appropriate
	barrier features are provided to a minimum
	height of 1.8m within the site to prevent the
	escape of animals.
	AO19.4
	Animals are kept in fenced enclosures, inside
	buildings at all times between the hours of
	6pm and 7am.
	AO19.5
	A person who is responsible for the
	supervision of the operation of the development is accommodated on the
	premises at all times.
	AO19.6
	Animal enclosures are set back to roads,
	streets and water resources as follows:
	Road frontages 50m
	Top bank of creek, river, stream, wetland, 100m
	edge of well, bore, dam, weir, intake or the like which provides potable water supply to
	the site or surrounds
	Top bank of dry or perennial gully 30m
Use – Agricultural supplies store, bulk lan wholesale nursery and garden centre	ascaping supplies, rural industry,
PO20	AO20.1
Development is located and designed on	A minimum site area of 5 hectares is
sites of sufficient size, to minimise adverse	required.
impacts on:	AO20.2
(a) the amenity of the setting, in particular	A minimum 15m setback is required from any
noise, odour and dust emissions;	adjoining property boundary.
(b) the amenity of neighbours; and	AO20.3
(c) operating within the safe and effective	Sales, storage, handling, packaging and
design capacity of the region's road	production areas are setback a minimum of:
system.	(a) 100m from any sensitive land use (50m
	for Garden centre);
	(b) 50m from state-controlled roads and
	20ms from all other roads;
	(c) 20m from any residential dwelling on the
	same or adjoining site (10m for Garden centre);
	oonuo),

Performance outcomes	Accontable outcomes
Performance outcomes	Acceptable outcomes
	(d) 30m from top bank of creek, river, stream
	or wetland edge of well, bore, dam, weir,
	or intake that provides potable water.
	AO20.4
	Infrastructure and material storage areas are
	confined to free draining areas and sites on
	slopes not exceeding 10%.
	AO20.5
	There is direct access from the property
	boundary to a sealed road.
	AO20.6
	Hours of operation are limited between 7am
	and 5pm.
Use - Club or community use	
PO21	AO21.1
Development is located and designed on	A minimum site area of 5 hectares is
sites of sufficient size, to minimise adverse	required.
impacts on:	AO21.2
(a) the amenity of the setting, in particular	Siting and layout includes:
noise, odour and dust emissions; and	(a) the total area of covered buildings and
(b) the amenity of neighbours.	roof structures is no greater than 10% of
	site area; and
	(b) no building or structure is closer than
	15m to any site boundary.
	A021.3
	Buildings and structures associated with the
	use is limited to:
	(a) shelters;
	(b) toilets;
	(c) kiosks;
	(d) hall/function area.
	AO21.4
	Hours of operation are limited between 7am
	and 10pm.
Use – Renewable energy facility	ана торпі.
PO22	No acceptable outcome is nominated.
	no acceptable outcome is nominated.
Development is: (a) located to allow for connections into	
relevant energy supply networks;	
(b) located to avoid alienating highly	
productive agricultural land;	
(c) accessible to an appropriate level of	
road infrastructure to support the	
facility; and	
(d) located to avoid impacting coal or	
mineral resources or tenements.	
PO23	No acceptable outcome is nominated.
Development ensures the site is returned to	
its pre-development condition and land use	
upon cessation of the renewable energy	
facility.	

# 6.2.6.6 Rural residential zone code

#### 6.2.6.6.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

### 6.2.6.6.2 Purpose

- (1) The purpose of the rural residential zone is to provide for residential uses and activities on large lots, including lots for which the local government has not provided infrastructure and services.
- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) development of large rural residential lots with dwelling houses where there is limited provision of infrastructure;
  - (b) development is not serviced with urban standard infrastructure;
  - (c) development provides a high level of residential amenity and character appropriate for the rural residential zone;
  - (d) natural features such as creeks, gullies, waterways, wetlands and vegetation and bushland are retained, enhanced and buffered from the impacts of development. Any unavoidable impacts are minimised through location, design operation and management requirements;
  - (e) non-residential uses are limited to meet the day-to-day needs of the residential catchment where not in proximity to land suitably zoned for centre activities;
  - (f) development responds to land constraints, including but not limited to topography, bushfire and flooding.

#### 6.2.6.6.3 Specific benchmarks for assessment

# Table 6.2.6.6.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
Built form	
<b>PO1</b> Buildings are designed and located so as	AO1 Building height does not exceed 8.5m.
not to adversely impact on the rural residential character of the area.	
<ul> <li>PO2 Buildings and other structures are located on the site to: <ul> <li>(a) protect the amenity of residents and neighbours; and</li> <li>(b) not impact on existing rural industries on neighbouring rural zoned land.</li> </ul></li></ul>	<ul> <li>AO2.1 Buildings, other than a roadside stall, are setback a minimum of: <ul> <li>(a) 6m from the front boundary and 3m from the side boundaries for allotments greater than 2 hectares; or</li> <li>(b) 5m front boundary and side boundaries for existing allotments less than 2 hectares. </li> <li>AO2.2 Animal husbandry areas including any stables are setback a minimum of 20m from any boundary.</li></ul></li></ul>
Residential density	
<b>PO3</b> Residential density reflects the very low intensity character of the locality.	<b>AO3.1</b> Residential is limited to one dwelling house per allotment including a secondary dwelling

Performance outcomes	Acceptable outcomes
	AO3.2
	Any secondary dwelling is:
	(a) a maximum of $80m^2$ gross floor area; and
	(b) within 25m of the main building.
Sales office	
PO4	A04.1
The use does not adversely impact on the	Development of the sales office is in place for
amenity of the surrounding land uses and local character.	no more than two years. AO4.2
	The site coverage of the building is a
	maximum of 50% of the site area.
	A04.3
	There are a maximum of 2 employees on site
	at any one time.
	A04.4
	The use operates between 9am and 6pm
	Monday to Saturday and 9am to 1pm on
	Sunday.
Use - Roadside stall	
PO5	A05.1
Roadside stalls are of a scale in keeping with the rural residential character of the	Structures associated with the use are limited
area.	to 30m <sup>2</sup> gross floor area. AO5.2
	Structures associated with the use are
	setback:
	(a) 0m from the front boundary and 3m from
	the side boundary for allotments greater
	than 2 hectares; or
	(b) 5m from the front boundary side
	boundary for existing allotments less than
	2 hectares. AO5.3
	The roadside stall only sells produce grown
	on site.
For all assessable development	
Land use	
PO6	No acceptable outcomes are nominated.
Non-residential uses and are limited to	no acceptable outcomes are nominated.
those which:	
(a) do not impact on residential amenity;	
(b) are compatible with neighbouring rural	
uses;	
(c) are complementary to local character	
and amenity; and	
<ul> <li>(d) support the day to day needs of residents in the rural residential zone.</li> </ul>	
Use - Community use PO7	A07.1
Development is located and designed on	A minimum site area for a community use is
sites of sufficient size to minimise adverse	2 hectares.
impacts on:	A07.2
(a) the amenity of the setting, in particular	Siting and layout of the community use
noise, odour and dust emissions;	includes:
(b) the amenity of neighbours; and	(a) a total area of covered buildings and roof
(c) the safe and effective design capacity	structures that is no greater than 10% of
of the region's road system.	the site area; and
	(b) no building or structure closer than 15m

Performance outcomes	Acceptable outcomes
<b>PO8</b> Development maintains a high level of amenity within the site and minimises impacts on surrounding areas, having regard to:	to any site boundary. <b>AO7.3</b> Buildings and structures associated with a community use only include: (a) shelters; (b) toilets; (c) stands and/or grandstands; (d) kiosks; (e) hall/function area; or (f) lighting. <b>AO7.4</b> Hours of operation are limited to 07am and 10pm daily. No acceptable outcomes are nominated.
(a) traffic and parking;	
<ul><li>(b) visual impact;</li><li>(c) signage;</li><li>(d) access to sunlight;</li><li>(e) privacy.</li></ul>	
Editor's note–Applicants may be required to engage specialists to provide detailed investigations into the above matters in order to demonstrate compliance with this performance criterion.	
Effects of development	
PO9	No acceptable outcomes are nominated.
<ul> <li>Development responds sensitively to onsite and surrounding topography, drainage patterns, utility services, access, vegetation and adjoining land uses, such that:</li> <li>(a) any hazards to people or property are avoided or mitigated to a tolerable level;</li> <li>(b) any earthworks are minimised;</li> <li>(c) the retention of natural drainage lines are maximised;</li> <li>(d) the retention of existing vegetation is maximised;</li> <li>(e) damage or disruption to sewer, stormwater and water infrastructure is avoided;</li> <li>(f) the risk of introducing and spreading weeds and pest animals is mitigated; and</li> <li>(g) there is adequate buffering, screening or separation to adjoining development.</li> </ul>	
PO10	No acceptable outcomes are nominated.
All uses are located, designed, orientated	
and constructed to:	
<ul> <li>(a) minimise noise dust, odour or other nuisance from existing lawful uses; and</li> <li>(b) minimise nuisance caused by noise, vibration and dust emissions generated from any state-controlled road, infrastructure corridor and rail network</li> </ul>	

Performance outcomes	Acceptable outcomes
in the vicinity.	

### 6.2.6.7 Special purpose zone code

### 6.2.6.7.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

### 6.2.6.7.2 Purpose

- (1) The purpose of the special purpose zone is to:
  - (a) provide for public facilities and infrastructure that are publicly or privately owned or operated; and
  - (b) ensure that incompatible uses do not encroach on the public facilities and infrastructure.

The zone is to provide for utility infrastructure network elements such as:

- (a) sewerage treatment plants, pump stations and other related network elements;
- (b) water supply facilities, water treatment plants, water reservoirs and other related network elements;
- (c) high voltage electricity transmission corridors, substations, gas and other related network elements;
- (d) telecommunication exchanges and certain telecommunication transmission facilities;
- (e) refuse management facilities; and
- (f) transport infrastructure network elements such as railway corridors and the Clermont and Moranbah airports.

Development is buffered from encroachment by incompatible uses.

- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) special uses and works that are owned or operated by federal, state or local government and government entities are accommodated within this zone. These activities include, airports, rail lines, rail stations, the provision of water supply, sewerage, electricity, gas, telecommunications, transport, drainage and other like services;
  - (b) development is located appropriate to the type of proposed special purpose and is generally consistent in scale, height and bulk with that of the surrounding development;
  - (c) the viability of special purpose uses are protected by excluding development that could limit the ongoing operation of existing special purpose uses or prejudice appropriate new activities;
  - (d) development will be provided with a level of infrastructure that is appropriate to the use;
  - (e) development responds to land constraints, including but not limited to topography, coastal hazard, bushfire and flooding;
  - (f) adverse impacts on natural features and processes, both on-site and from adjoining areas, are minimised through location, design, operation and management of development;
  - (g) development avoids significant adverse effects on water quality and the natural environment.
- (3) The purpose of the zone will also be achieved through the following additional overall outcomes for particular precincts:
  - (a) Air services precinct:

- (i) development provides only for air services within the airport operations area;
- (ii) development ensures the efficient and safe operation of the Moranbah and Clermont airports.

Editor's note-Refer also to the Airport environs overlay code and Regional infrastructure overlay code.

### 6.2.6.7.3 Specific benchmarks for assessment

Table 6.2.6.7.3—Assessable	development
----------------------------	-------------

Table 0.2.0.7.5—Assessable development	
Performance outcomes	Acceptable outcomes
Built form	
<b>PO1</b> Buildings, structures and high impact industry and specialised industrial activities are setback from the road frontage to mitigate the impact of activities on the streetscape.	<ul> <li>AO1 Buildings, structures and specialised industrial activity areas are setback: <ul> <li>(a) 10m for land on a sub-arterial or arterial</li> <li>road; and</li> <li>(b) 6m for land on a road other than a sub-arterial or arterial road.</li> </ul></li></ul>
Caretaker's accommodation	
<ul> <li>PO2</li> <li>Development for caretaker's accommodation;</li> <li>(a) is subordinate to non-residential uses on the same site; and</li> <li>(b) provides adequate private open space for residents.</li> </ul>	AO2.1 No more than 1 caretaker's accommodation unit is established per non-residential land use. AO2.2 Caretaker's accommodation is a maximum of 100m <sup>2</sup> in gross floor area. AO2.3
	<ul> <li>Caretaker's accommodation is provided with a private open space area which:</li> <li>(a) is directly accessible from a habitable room; and</li> <li>(b) where a balcony, a veranda or a deck, has a minimum area of 15m<sup>2</sup> with minimum horizontal dimensions of 1.25m.</li> </ul>
<ul> <li>AO3</li> <li>Development for caretaker's accommodation provides a safe living environment for residents through:</li> <li>(a) adequate separation from the source of any emissions generated by the primary use of the site; and</li> <li>(b) design and construction features which mitigate noise, lighting and air quality impacts on habitable rooms.</li> </ul>	No acceptable outcome is nominated.
Land use	
<ul> <li>PO4</li> <li>Development: <ul> <li>(a) does not compromise the use of land for special purposes including public utilities and infrastructure; and</li> <li>(b) requires larger sites in locations that are well separated from sensitive land uses.</li> </ul> </li> </ul>	No acceptable outcome is nominated.
<ul> <li>PO5</li> <li>Where in the Air services precinct, development:</li> <li>(a) is only associated with air services activities; and</li> </ul>	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
<ul> <li>(b) ensures the safe operation of air services activities.</li> </ul>	
Editor's note–Refer also to the Airport environs overlay code.	
Building design	
<b>PO6</b> Buildings include features that contribute to an attractive streetscape commensurate with the zone.	<ul> <li>AO6.1 The unarticulated length of external walls along a road frontage does not exceed 15m. </li> <li>AO6.2 Buildings: <ul> <li>(a) are designed and constructed with varying façade treatments and high quality finishes such as brick, painted concrete or masonry; and</li> <li>(b) does not incorporate highly reflective materials.</li> </ul></li></ul>
<b>PO7</b> Building entrances are legible and safe.	<ul> <li>AO7.1 The main entry to the premises is: <ul> <li>(a) easily identifiable and directly accessible from the street with a clearly defined entrance point; and</li> <li>(b) separate to vehicle access points.</li> </ul> AO7.2 Each building is provided with a highly visible street number. AO7.3 Premises are provided with external lighting sufficient to provide safe ingress and egress for site users. AO7.4 Ancillary office space is sited and orientated towards the principal road frontage of a site.</li></ul>
<ul> <li>PO8</li> <li>Development is designed to facilitate the safety and security of people and property having regard to: <ul> <li>(a) maximising casual surveillance and sight lines;</li> <li>(b) exterior building design that promotes safety;</li> <li>(c) adequate lighting;</li> <li>(d) appropriate signage and wayfinding;</li> <li>(e) minimisation of personal concealment and entrapment locations; and</li> <li>(f) building entrances, parking, loading and storage areas that are well lit and have clearly defined access points.</li> </ul> </li> <li>Editor's note-Applicants should have regard to <i>Crime Prevention through Environmental Design Guidelines for Queensland</i>.</li> </ul>	No acceptable outcome is nominated.
Amenity	
<b>PO9</b> Utility elements (including refuse areas, outdoor storage, plant and equipment, loading and unloading areas) are screened from view from the street and land within other zones.	<ul> <li>AO9</li> <li>Utility elements are:</li> <li>(a) located within or behind the building; or</li> <li>(b) screened by a 1.8m high solid wall or fence; or</li> <li>(c) behind landscaping having the</li> </ul>

Performance outcomes	Acceptable outcomes
	same screening effect as a 1.8m screen fence.
	Editor's note–Screening can be provided by any combination of the above treatments to meet the acceptable outcome.
<b>PO10</b> Landscaping is provided to mitigate the visual impact of development and screen unsightly components. Editor's note–Refer also to the Landscaping code.	AO10 Landscaping is provided along the entire principal site frontage, excluding driveway, with a minimum width of: (a) 4m along an arterial road; and (b) 2m along any other road.
<b>PO11</b> Outdoor lighting does not adversely affect the amenity of adjoining properties or create a traffic hazard on adjacent roads.	AO11.1 Light emanating from any source complies with Australian Standard AS4282 Control of the Obtrusive Effects of Outdoor Lighting.
	AO11.2 Outdoor lighting is provided in accordance with Australian Standard AS 1158.1.1 – Road Lighting – Vehicular Traffic Category V) Lighting – Performance and Installation Design Requirements.
Effects of development	
<ul> <li>PO12 Development responds sensitively to on-site and surrounding topography, coastal foreshores, waterways, drainage patterns, utility services, access, vegetation and adjoining land use, such that: <ul> <li>(a) any hazards to people or property are avoided or mitigated to a tolerable level;</li> <li>(b) any earthworks are minimised;</li> <li>(c) the retention of natural drainage line is maximised;</li> <li>(d) the retention of existing vegetation is maximised;</li> <li>(e) damage or disruption to sewer, stormwater and water infrastructure is avoided;</li> <li>(f) the risk of introducing and spreading weeds and pest animals is mitigated; and</li> <li>(g) there is adequate buffering, screening or separation to adjoining development.</li> </ul></li></ul>	No acceptable outcome is nominated.
<b>PO13</b> Development minimises potential conflicts with, or impacts on, other uses having regard to vibration, odour, dust or other emissions.	<ul> <li>AO13.1 Development achieves the air quality design objectives set out in the <i>Environmental Protection (Air) Policy 2008</i>, as amended. </li> <li>AO13.2 Development that involves the storage of materials on site that are capable of generating air contaminants either by wind or when disturbed are managed by: <ul> <li>(a) being wholly enclosed in storage bins; or</li> <li>(b) a watering program so material cannot become airborne.</li> </ul></li></ul>
<b>PO14</b> Development prevents or minimises the generation of any noise so that:	<b>AO14</b> Development achieves the noise generation levels set out in the <i>Environmental</i>

Performance outcomes	Acceptable outcomes
<ul> <li>(a) nuisance is not caused to adjoining premises or other nearby sensitive land uses; and</li> <li>(b) desired ambient noise levels in residential areas are not exceeded.</li> </ul>	Protection (Noise) Policy 2008, as amended.
<b>P015</b> Development provides for the collection, treatment and disposal of liquid wastes or sources of contamination such that off-site releases of contaminants do not occur.	<ul> <li>AO15.1 Areas where potentially contaminating substances are stored or used, are: <ul> <li>(a) roofed and sealed with concrete, asphalt or similar impervious substance and bunded; and</li> <li>(b) located at a level above the defined flood event.</li> </ul> AO15.2 Provision is made for spills to be bunded and</li></ul>
	retained on site for removal and disposal by an approved means. <b>AO15.3</b> Roof water is piped away from areas of potential contamination.
<b>P016</b> Development is located, designed and operated so that adverse environmental impacts and environmental harm on nearby land is minimised.	No acceptable outcome is nominated.
<ul> <li>PO17</li> <li>All uses are located, designed, orientated and constructed to:</li> <li>(a) minimise noise dust, odour or other nuisance from existing lawful uses; and</li> <li>(b) minimise nuisance caused by noise, vibration and dust emissions generated from any state-controlled road, infrastructure corridor and rail network in the vicinity.</li> </ul>	

### 6.2.6.8 Specialised centre zone code

#### 6.2.6.8.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note–land within this zone that is also included within the Moranbah Priority Development Area is regulated by the Moranbah Urban Development Area Development Scheme under the *Economic Development Act 2012*. Refer also to 9.2 of the planning scheme.

### 6.2.6.8.2 Purpose

(1) The purpose of the specialised centre zone is to acknowledge the specialised use of existing Workforce accommodation within some urban centres throughout the Isaac region. No further development is intended in this zone until this specialised use of Workforce accommodation ceases.

Editor's note-Refer also to 3.3.1.3 in the Strategic Framework of this planning scheme.

### 6.2.6.9 Township zone code

#### 6.2.6.9.1 Application

This code applies to development where the code is identified as applicable in categories of assessment and development.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

### 6.2.6.9.2 Purpose

- (1) The purpose of the township zone is to provide for:
  - (a) small to medium urban areas in a rural or coastal area; and
  - (b) a variety of uses and activities to service local residents, including, for example, business, community, education, industrial, open space, recreation, residential or retail uses or activities; and
  - (c) tourist attractions and short-term accommodation, if appropriate for the area.
- (2) The purpose of the zone will be achieved through the following overall outcomes:
  - (a) a range of residential, retail, commercial, administrative and cultural uses are provided;
  - (b) non-residential uses, where consistent with township character and avoids natural hazards, can include:
    - (i) tourist related uses such as tourist parks and small scale short term accommodation; and
    - (ii) highway related services at Carmila.
  - (c) non-residential uses are co-located to minimise the amenity impacts on any adjoining residential uses;
  - (d) development protects and enhances the unique local or historic character of a town;
  - (e) development services the needs of both local residents, residents of the surrounding coastal hinterland areas and visitors;
  - (f) development is designed to incorporate sustainable practices including maximising energy efficiency and water conservation;
  - (g) development provides a high level of amenity;
  - (h) community facilities and infrastructure that directly supports the local community is facilitated;
  - natural features such as creeks, gullies, waterways, wetlands, habitats, vegetation and bushland are retained, enhanced and buffered from the impacts of adjacent uses and any unavoidable impacts are minimised through location, design, operation and management requirements;
  - (j) development responds to land constraints, including but not limited to topography, coastal hazards bushfire and flooding.
- (3) The purpose of the zone will be also achieved through the following additional overall outcomes for the particular precinct:
  - (a) Holiday and residence precinct:
    - development in the small communities of Clairview and Carmila Beach consist of Dwelling houses only and maintains the character and amenity of these coastal communities;
    - dwelling houses (including extensions) are limited in scale and size and must respond to identified coastal hazard impacts to mitigate risks to people and property to an acceptable or tolerable level;
    - (iii) secondary dwellings are not supported in areas exposed to coastal hazards;

## (iv) reconfiguring a lot development is not supported in areas exposed to coastal hazards.

Editor's note-refer also to the Coastal hazard overlay code in section 7.2.4.

### 6.2.6.9.3 Specific benchmarks for assessment

# Table 6.2.6.9.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	
	-	
Building height (if involving building work		
PO1 Buildings are:	AO1 Building height does not exceed 8.5m.	
(a) low rise and visually unobtrusive; and	Building height does not exceed 6.5m.	
(b) located and designed to reflect the low		
density or village character of the area.		
Residential density (where a dwelling hou	(02	
PO2	A02.1	
Development reflects the low density	Residential density is a maximum of:	
character of the locality.	(a) one Dwelling house per allotment	
	including one secondary dwelling) where	
	not in the Holiday and Residence	
	precinct; or	
	(b) one Dwelling house per allotment with no	
	secondary dwelling where in the Holiday	
	and Residence precinct	
	AO2.2	
	Where a Dwelling house, any secondary	
	dwelling is:	
	(a) is a maximum of 80m <sup>2</sup> gross floor area;	
	and (b) within 10m of the main building	
Amonity		
Amenity	400	
<b>PO3</b> The amenity of any adjoining residential	AO3 Where non-residential development adjoins a	
uses is not unreasonably affected as a	residential use, hours of operation are limited	
result of non-residential activity.	to 7am to 6pm.	
	·	
	Editor's note–This does not apply to Nature based tourism, short term accommodation and Tourist Park.	
PO4	AO4.1	
Development provides adequate buffering	Where non-residential development adjoins a	
and screening from any adjoining	residential use, a 1.8m high solid screen	
residential premises so that the privacy and	fence is provided along all boundaries shared	
amenity of residential premises are not	with residential premises.	
adversely affected.	AO4.2	
	Plant and air-conditioning equipment is	
	screened from view of the road or adjoining	
	residential premises.	
Infrastructure and services		
<b>PO5</b> Development is serviced by an adequate,	AO5 Development is:	
safe and reliable supply of potable and	(a) connected to Council's reticulated water	
general use water, connected to reticulated	supply network in St Lawrence in	
	accordance with the <i>Development works</i>	
water supply where possible.		
water supply where possible.	planning scheme policy; or	
water supply where possible.		

Performance outcomes	Acceptable outcomes
	policy.
<ul> <li>PO6</li> <li>Development is serviced on site by appropriate waste water disposal infrastructure which ensures: <ul> <li>(a) no adverse ecological impacts on the receiving environment;</li> <li>(b) cumulative impacts of onsite waste water treatment are considered in assessing the likely environmental impacts;</li> <li>(c) public health is maintained;</li> <li>(d) the location, site area, soil type and topography is suitable for on any site waste water treatment; and</li> <li>(e) the reuse of waste water does not contaminate any surface water or ground water.</li> </ul> </li> </ul>	AO6 Development treats waste water on site in accordance with <i>Council's Development</i> <i>works planning scheme policy.</i> Editor's note–Where practical, waste water treatment areas are not located in areas exposed to coastal hazards.
Use - Caretakers accommodation	
<ul> <li>PO7 Development: <ul> <li>(a) is ancillary to a non-residential use on the same site;</li> <li>(b) provides adequate open space for the caretaker; and</li> <li>(c) does not compromise the low density or township character of the immediate area.</li> </ul></li></ul>	<ul> <li>AO7.1 No more than 1 caretaker's accommodation unit is established on the site.</li> <li>AO7.2 The caretaker's accommodation unit is a maximum of 100m<sup>2</sup> in gross floor area.</li> <li>AO7.3 Private open space area is provided which: <ul> <li>(a) is directly accessible from a habitable room; and</li> <li>(b) where a balcony, a veranda or a deck, has a minimum area of 15m<sup>2</sup> with minimum horizontal dimensions of 1.25m.</li> </ul> </li> </ul>
For all assessable development	
Land use	
<ul> <li>PO8 Non-residential development: <ul> <li>(a) occurs at a scale which provides for the day to day convenience needs of township residents, hinterland areas and tourists;</li> <li>(b) does not impact on the viability of the region's centres;</li> <li>(c) does not compromise the low density township character of the locality;</li> <li>(d) does not include large format, land consumptive commercial uses; and</li> <li>(e) locates in clusters adjoining other non-residential uses (where possible).</li> </ul></li></ul>	No acceptable outcome is nominated.
Design and amenity	
<b>PO9</b> Non-residential development provides adequate separation, buffering and screening from any adjoining residential premises so that the privacy and amenity of residential premises are not adversely affected.	<ul> <li>AO9</li> <li>Where non-residential activities adjoin residential premises, a minimum boundary side and rear setback of 3m is required for any:</li> <li>(a) buildings;</li> <li>(b) temporary structure including markets;</li> </ul>

Performance outcomes	Acceptable outcomes
	(c) active outdoor use areas;
	(d) site access points;
	(e) car parking areas;
	(f) servicing or outdoor storage areas.
PO10	No acceptable outcome is nominated.
Development has a high quality	
appearance and makes a positive	
contribution to the streetscape.	
PO11	No acceptable outcome is nominated.
Development maintains a high level of	
amenity within the site and minimises	
impacts on surrounding areas, having	
regard to:	
(a) noise;	
(b) traffic and parking;	
(c) visual impact;	
(d) odour and emissions;	
(e) lighting;	
(f) access to sunlight; and	
(g) privacy.	
Editor's note–Applicants may be required to engage	
specialists to provide detailed investigations into the	
above matters in order to demonstrate compliance with this performance criterion.	
PO12	No acceptable outcome is nominated.
Development is located, designed,	
orientated and constructed to:	
(a) minimise noise dust, odour or other	
nuisance from existing lawful uses	
including rural and industrial uses;	
(b) minimise nuisance caused by noise,	
vibration and dust emissions generated	
to the state-controlled road and rail	
network in the vicinity of the land.	
PO13	No acceptable outcome is nominated.
Development is designed to achieve safety	
for all users having regard to:	
(a) maximising casual surveillance and	
sight lines;	
(b) avoiding personal concealment and	
entrapment locations;	
(c) exterior building design that promotes	
safety; (d) adequate lighting;	
(e) appropriate signage and wayfinding;	
and	
(f) building entrances, parking areas,	
loading and storage areas that are well	
lit and have clearly defined access	
points.	
Editor's note–Applicants may find useful guidance in the Queensland Government's Crime Prevention	
through Environmental Design Guidelines for	
Queensland.	
PO14	No acceptable outcome is nominated.
Development responds sensitively to on-	
site and surrounding topography, coastal	
foreshores, drainage patterns, utility services, access, vegetation and adjoining	
services, access, vegetation and aujoining	

Performance outcomes	Acceptable outcomes
land use, such that:	
(a) any hazards to people or property are	
avoided or mitigated to a tolerable	
level;	
(b) any earthworks are minimised;	
(c) the retention of natural drainage lines are maximised;	
(d) the retention of existing vegetation is	
maximised;	
(e) damage or disruption to sewer,	
stormwater and water infrastructure is	
avoided; and	
(f) there is adequate buffering, screening	
or separation to adjoining development.	viet ments
Use - Short term accommodation and Tou PO15	AO15.1
Development is of a scale that does not	Development of short term accommodation
compromise the low density and village	where a:
character of the locality.	(a) Motel does not exceed 15 motel units;
	(b) Backpackers establishment does not
	exceed 30 beds.
	AO15.2
	Development for a Tourist park does not
	exceed 50 park sites including 10 holiday cabins.
PO16	AO16
Development provides adequate separation	Where a tourist park adjoins a residential
from any adjoining residential premises so	premises, the minimum setback to any
that the privacy and amenity of residential	communal buildings is 10m.
premises are not adversely affected.	
Use - Service station	
P017	A017
Buildings and structures allow for the safe operation of the Service station.	All buildings and structures, including equipment associated with the service station
operation of the bervice station.	operation are setback as follows:
	(a) 10m from the front boundary; and
	(b) 3m from the side and rear boundaries.
PO18	A018
Retail components are ancillary to the	The maximum area of retail gross floor area
Service station use.	including any Food and drink outlet is 150m <sup>2</sup> .
Use - Child care centre	
PO19 Child care centre minimises:	AO19.1 The use is not accessed from:
(a) the hazards of heavy traffic;	(a) arterial routes; or
(b) introduction of non-local traffic into	(b) local access roads.
minor, residential streets; and	AO19.2
(c) on-site conflict between children's	Parking spaces are located so that children
activities, pedestrian movement, vehicle	are not required to cross the driveway or
movement and car parking.	vehicular access way to reach the building.
Where in the Holiday and Residence preci	
PO20	AO20
Development is limited to very low density residential uses that address the impacts of	Development is limited to Dwelling houses and Home-based business with no
local coastal hazards.	secondary dwellings.
	coordary anoningo.
Editor's note–Refer also to the Coastal hazards overlay code in section 7.2.4.	

## Part 7 Overlays

### 7.1 Preliminary

- (1) Overlays identify areas in the planning scheme that reflect state and local level interests and that have one or more of the following characteristics:
  - (a) there is a particular sensitivity to the effects of development
  - (b) there is a constraint on land use or development outcomes
  - (c) there is the presence of valuable resources
  - (d) there are particular opportunities for development.
- (2) Overlays are mapped and included in **Schedule 2 (Mapping)**.<sup>25</sup>
- (3) The changed category of development or assessment, if applicable, for development affected by an overlay are in **Part 5 (Tables of assessment)**.
- (4) Some overlays may be included for information purposes only. This should not result in a change to the category of development or assessment or any additional assessment benchmarks.
- (5) Assessment benchmarks for an overlay may be contained in one or more of the following:
  - (a) a map for an overlay
  - (b) a code for an overlay
  - (c) a zone code
  - (d) a development code.
- (6) Where development is proposed on premises partly affected by an overlay, the assessment benchmarks for the overlay only relate to the part of the premises affected by the overlay.
- (7) The overlays for the planning scheme are:
  - (a) Acid sulphate soils overlay
  - (b) Airport environs overlay
  - (c) Bushfire hazard overlay
  - (d) Coastal hazard overlay
  - (e) Environmental significance overlay
  - (f) Extractive resources and minerals overlay
  - (g) Flood hazard overlay
  - (h) Heritage overlay;
  - (i) Regional infrastructure overlay
  - (j) Water resource catchments overlay.
- (8) The following overlays for the planning scheme without code(s) are:
  - (a) Agriculture land overlay
  - (b) Potential hazardous dust level overlay.

<sup>&</sup>lt;sup>25</sup> Note–Section 5.8 (Categories of development and assessment – Overlays) and each code in Part 7 (Overlays) identifies where the elements for each overlay are mapped.

### 7.2 Overlay codes

### 7.2.1 Acid sulphate soils overlay code

### 7.2.1.1 Application

This code applies to development where the code is identified as applicable in the categories of development and assessment for the Acid sulphate soils overlay and applies to any areas identified on **Map OM1—Acid sulphate soils overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

### 7.2.1.2 Purpose

- (1) The purpose of the Acid sulphate soils overlay code is to ensure that development activities within potential Acid sulphate soils areas avoid or mitigate the risks and consequences associated with the disturbance of these soils.
- (2) The purpose of the Acid sulphate soils overlay code will be achieved through the following overall outcome:
  - (a) development in potential acid sulphate soil areas is undertaken so that:
    - (i) the disturbance of acid sulphate soils is avoided, or
    - (ii) where disturbance is unavoidable, the generation or release of acid and metal contaminants from disturbed acid sulphate soils can be managed so there are no adverse impacts on the natural and built environment or human health.

#### 7.2.1.3 Specific benchmarks for assessment

## Table 7.2.1.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
<b>PO1</b> Development avoids disturbing acid sulphate soils or is managed appropriately to prevent the mobilisation and release of acid and metal contaminants.	No acceptable outcome is nominated.
Editor's note–Compliance with this performance criterion must be demonstrated through the submission of an acid sulphate soil investigation report and management plan. Refer also to the Hazards PSP.	

### 7.2.2 Airport environs overlay code

### 7.2.2.1 Application

This code applies to development where the code is identified as applicable in the categories of development and assessment for the Airport environs overlay and applies to any areas identified on **Map OM3—Airport environs overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

### 7.2.2.2 Purpose

- (1) The Airport environ overlay mapping identifies the Moranbah and Clermont airports as well as the Swampy Ridge RSR as the major aviation facilities in the region. The purpose of the Airport environs overlay code is to:
  - (a) protect the ongoing operation of these airports and their associated aviation facilities;
  - (b) minimise safety risks to aircraft operations and aviation facilities;
  - (c) ensure current and future airport operations are not adversely impacted upon by inappropriate development and land uses;
  - (d) maintain reasonable levels of amenity for development surrounding these airports.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) development protects the safety of aircraft and aviation facilities operating within an airport's operational airspace;
  - (b) development does not increase the risk to public safety near airport runways;
  - (c) development including any buildings or intrusions do not encroach the obstacle limitation surface;
  - (d) development protects aviation facilities including navigation, communication and surveillance equipment and facilities from incompatible intrusions, land uses, buildings, structures and works;
  - (e) development does not generate air emissions, attract wildlife or generate inappropriate lighting that compromises aircraft safety.

Editor's note-Aviation facilities include navigation, communication, or surveillance installations provided to assist the safe and efficient movement of aircraft and may be located either on or off airport.

### 7.2.2.3 Specific benchmarks for assessment

## Table 7.2.2.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
Obstructions and hazards	
<ul> <li>PO1 Development (including any associated permanent or temporary structures and landscaping) does not: <ul> <li>(a) cause a permanent or temporary physical or transient obstruction to the safe movement of aircraft within the airport's operational airspace and Obstacle Limitation Surface; or <ul> <li>(b) obstruct a clear line of sight between the Swampy Ridge RSR and communication satellites</li> </ul></li></ul></li></ul>	<ul> <li>AO1 Buildings, structures (both free standing and attached to buildings, including signs, masts or antennae), cranes and other construction equipment or activities and vegetation at its mature height do occur within the: <ul> <li>(a) Obstacle Limitation Surface; or</li> <li>(b) any building restricted area as mapped for the Swampy Ridge RSR.</li> </ul></li></ul>

Performance outcomes	Acceptable outcomes
<ul> <li>(a) There is no Obstacle Limitation Surface for the Moranbah airport.</li> <li>(b) Development will require referral to Air services Australia to demonstrate compliance with PO2.</li> </ul>	
Lighting and reflective surfaces	
<ul> <li>PO2 Development does not cause an obstruction or hazard to the safe movement of aircraft within an airport's operational airspace through external lighting that could: <ul> <li>(a) distract or interfere with a pilot's vision; or</li> <li>(b) confuse the visual identification of a runway approach or navigational lighting from the air.</li> </ul></li></ul>	<ul> <li>AO2.1</li> <li>Within the Lighting buffer area, outdoor lighting (including street lighting and security lighting) does not involve any of the following: <ul> <li>(a) straight parallel lines of lighting 500m to 1000m in length;</li> <li>(b) lighting which extends more than 3 degrees above the horizon;</li> <li>(c) coloured, flashing or sodium lighting;</li> <li>(d) flare plumes; or</li> <li>(e) buildings with reflective cladding.</li> </ul> </li> <li>AO2.2</li> <li>Within Light restriction zone A, light does not exceed 0 candela.</li> <li>AO2.3</li> <li>Within Light restriction zone B, light does not exceed 50 candela.</li> <li>AO2.4</li> <li>Within Light restriction zone C, light does not exceed 150 candela.</li> <li>AO2.5</li> <li>Within Light restriction zone D, light does not exceed 450 candela.</li> </ul>
Emissions	
<b>PO3</b> Development within an airport's Obstacle Limitation Surface does not significantly increase air turbulence, reduce visibility or cause an obstruction or hazard to the safe movement of aircraft through the emission of particulates, gasses or other materials.	<ul> <li>AO3 Development does not generate: <ul> <li>(a) gaseous plumes with a velocity exceeding 4.3m per second;</li> <li>(b) smoke, dust, ash or steam that will penetrate operational airspace areas; or</li> <li>(c) emissions with depleted oxygen content.</li> </ul></li></ul>
Wildlife hazards	
<b>PO4</b> Development does not cause an obstruction or hazard to the safe movement of aircraft within an airport's operational airspace through the attracting of a significant	AO4.1 Within 13km of airport runways, development does not involve a putrescible waste disposal facility. AO4.2
number of wildlife, in particular birds and bats.	<ul> <li>Within 8km of airport runways, development does not involve:</li> <li>(a) aquaculture; or</li> <li>(b) food handling or processing of an industrial nature; or</li> <li>(c) stock handling or slaughtering; or</li> <li>(d) pig production; or</li> <li>(e) fruit production; or</li> <li>(f) turf production; or</li> <li>(g) the keeping or protection of wildlife outside enclosures.</li> </ul> A04.3 Within 3km of airport runways, development does not involve:

Performance outcomes	Acceptable outcomes
	(a) the keeping, handling or racing of
	horses; or
	(b) outdoor dining, food handling or
	food consumption.
Airport public safety areas	
PO5	A05
<ul> <li>Development within the public safety areas located at the end of the airport runways avoids:</li> <li>(a) a significant increase in the number of people living, working or congregating in those areas; and</li> <li>(b) the use or storage of hazardous materials.</li> </ul>	<ul> <li>Development within the public safety areas, does not involve:</li> <li>(a) sensitive land uses;</li> <li>(b) any new building or increase in gross floor area for any existing business, industrial, community, sport and recreation uses or other non-residential use; or</li> <li>(c) any uses involving the production, manufacture or bulk storage of flammable or hazardous materials or</li> </ul>
Aviation facilities	goods.
PO6	No acceptable solution is nominated.
<ul> <li>Development is located and designed to protect the function of aviation facilities from structures or devices that:</li> <li>(a) emit electrical or electromagnetic radiation;</li> <li>(b) incorporate reflective surfaces that adversely impact on the functioning of navigation or communication facilities.</li> </ul>	

### 7.2.3 Bushfire hazard overlay code

### 7.2.3.1 Application

This code applies to development where the code is identified as applicable in the categories of development and assessment for the Bushfire hazard overlay code and applies to any areas identified on **Map OM4—Bushfire hazard overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

### 7.2.3.2 Purpose

- (1) The purpose of the Bushfire hazard overlay code is to ensure that:
  - (a) that the risks to life, property, community, economic activity and the environment during uncontrolled bushfire events are avoided or minimised; and
  - (b) development does not increase the potential for bushfire damage or risk on-site or to other property.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - development is compatible with the nature of the bushfire hazard except where there is an overriding need for the development in the public interest and no other site is suitable and reasonably available for the proposal;
  - (b) development siting, layout, design and access minimises the risks to personal safety, and damage to property, infrastructure and other assets;
  - (c) development directly, indirectly and cumulatively avoids an unacceptable increase in severity of bushfires and does not increase the potential for damage on the site or to other properties.
  - (d) the potential for the release of hazardous material as a result of a bushfire event is avoided;
  - (e) evacuation and disaster management responses including firefighting and access for emergency services during bushfire events is facilitated;
  - (f) community infrastructure is located and designed to function effectively at all times.

#### 7.2.3.3 Specific benchmarks for assessment

## Table 7.2.3.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
Site suitability	
<b>PO1</b> Development maintains the safety of people and property.	No acceptable outcome is nominated.
Editor's note–A site specific bushfire hazard assessment and management plan is required to demonstrate compliance with this performance criterion. Refer to the Hazards PSP.	
PO2	AO2
Development does not result in a higher concentration of people living, working or congregating in a bushfire prone area	The following uses are not located on land within a high to very high bushfire hazard area:
unless it can be demonstrated:	(a) child care facility;
(a) there is an overriding community need	(b) community care centre;
in the public interest; and	(c) educational establishment;
(b) no other site is suitable and reasonably	(d) hostel;
available.	(e) hospital;
	(f) industry involving manufacture or

Performance outcomes	Acceptable outcomes
	storage of hazardous materials in bulk (g) multiple dwelling; (h) nature based tourism; (i) workforce accommodation; (j) residential care facility; (k) retirement facility; (l) rural workers' accommodation; (m) shopping centre; (n) short-term accommodation; (o) tourist attraction; (p) tourist park.
Siting of development	
<ul> <li>PO3 The siting, layout and design of development avoids or mitigate the risks associated with bushfire hazard through: <ul> <li>(a) being situated on that part of the site</li> <li>that has the lowest level of bushfire risk;</li> <li>(b) fire mitigation measures that do not</li> <li>adversely impact on areas having high</li> <li>environmental values.</li> </ul> Editor's note- <ul> <li>(i) a site specific bushfire hazard assessment and</li> <li>management plan is required to demonstrate</li> <li>compliance with this performance criterion. Refer</li> <li>to the Hazards PSP;</li> </ul> (ii) buildings in a bushfire hazard area must meet the <ul> <li>requirements of AS3959-2009 – the Australian</li> <li>Standard for the Construction of Buildings in</li> <li>Bushfire Prone Areas and the requirements of the</li> <li>Building Code of Australia.</li> </ul></li></ul>	No acceptable outcome is nominated.
Water supply	
PO4 Development in areas with a reticulated water supply have adequate flow and pressure for fire-fighting purposes at all times.	<b>AO4</b> The water supply network has a minimum sustained pressure and flow of at least 10 litres per second at 200kPa.
<b>PO5</b> Development in areas without a reticulated water supply have an appropriate dedicated water supply for fire-fighting purposes, that is safely located and freely accessible for fire-fighting purposes at all times.	<ul> <li>AO5 Development involving a gross floor area greater than 50m<sup>2</sup> where a reticulated water supply is not available is: <ul> <li>(a) provided with an easily accessible fire resistant on-site water storage of not less than 5,000 litres (eg. concrete tank with fire brigade fittings, in-ground swimming pool, dam fed by a permanent water source) that is within 100m of the development; and <li>(b) has a hard-standing area allowing a heavy rigid fire appliance safe access to within 6m of the storage facility.</li> </li></ul> Editor's note–Plastic water tanks are not considered to be fire resistant.</li></ul>
Roads, fire access trails and firebreaks	
<ul> <li>PO6</li> <li>Roads and fire access trails are designed and constructed to:</li> <li>(a) enable efficient access to buildings and structures for fire-fighting purposes for</li> </ul>	<ul> <li>AO6.1</li> <li>Roads and fire access trails are designed and constructed to:</li> <li>(a) have a maximum gradient of 12.5%;</li> <li>(b) a minimum cleared width of 6m and a</li> </ul>

Performance outcomes	Acceptable outcomes
emergency services; and	minimum formed width of 4m;
<ul><li>(b) swift evacuation in emergency situations.</li></ul>	<ul> <li>(c) provides passing and turning areas for fire- fighting appliances at intervals of not less than 500m;</li> </ul>
	<ul> <li>(d) have a vehicular access at each end to roads or a bushfire trail; and</li> </ul>
	(e) not involve any cul-de-sac.
	<b>AO6.2</b> Development has direct access to an evacuation route with a potential fire intensity exposure no greater than 2 kw/m <sup>2</sup> .
	<ul> <li>Editor's note-The distance from hazardous vegetation to achieve 2kw/m<sup>2</sup> is generally:</li> <li>(i) 58m in a very high bushfire hazard areas;</li> <li>(ii) 52m in a high bushfire hazard area; and</li> <li>(iii) 44m in a medium bushfire hazard area.</li> </ul>
	AO6.3
	Development incorporates an area of managed vegetation that separates lot
	boundaries from hazardous vegetation by a distance of:
	<ul> <li>(a) 20m to a high or very high bushfire risk area; or</li> </ul>
	<ul><li>(b) 10m to a medium risk bushfire area and includes a fire access trail.</li></ul>
	Editor's note–Any fire access trail is secured by public ownership or an access easement in favour of Isaac Regional Council and the Queensland Fire and Rescue Service.
<ul> <li>PO7</li> <li>Development provides for adequate fire breaks that minimise bushfire hazard by:</li> <li>(a) separating hazardous vegetation from development areas; and</li> <li>(b) facilitating access for firefighting and emergency vehicles.</li> </ul>	No acceptable outcome is nominated.
Editor's note–A site specific bushfire hazard assessment and management plan is required to demonstrate compliance with this performance criterion. Refer to the Hazards PSP.	
<b>P08</b> Development is located and designed to incorporate a bushfire defendable space which achieves separation between buildings, building envelopes and hazardous vegetation necessary to reduce risk to an acceptable or tolerable level.	<ul> <li>AO8.1</li> <li>Buildings, or building envelopes, are separated by hazardous vegetation by a distance that achieves a radiant heat flux level at any point on the building, or building envelope, respectively that does not exceed:</li> <li>(a) 10kW/m<sup>2</sup> where involving a vulnerable use, essential service uses or hazardous chemical facility use; or</li> <li>(b) 29W/m<sup>2</sup> otherwise.</li> </ul>
	Editor's note-The radiant flux levels and separation distances are to be established in accordance with state guidance on hazard assessments. Where a separation distance is proposed to be achieved by utilising existing, cleared developed areas external to the site, certainty must be established (through tenure or other means) that the land will remain cleared of hazardous vegetation. For staged development, temporary separation distances, perimeter roads or fire trails may be absorbed as part of subsequent stages.

Performance outcomes	Acceptable outcomes
	<b>AO8.2</b> Development ensures buildings or building envelopes are separated from adjacent buildings or building envelopes by 8m.
Hazardous materials	
<b>PO9</b> The potential for the release of hazardous materials as a result of a bushfire event is avoided.	<b>AO9</b> Development involving the production or storage of hazardous materials is not located within a high or very high bushfire hazard area.
Reconfiguration of a lot	
<b>PO10</b> Additional lots avoid the risk of bushfire hazard to personal and property safety and increased risk of damage to assets.	<b>AO10</b> New lots (including rear lots) do not occur in a bushfire prone area.
Editor's note–A site specific bushfire hazard assessment and management plan may demonstrate that the site is not within a bushfire hazard area or has a low degree of bushfire risk. Refer also to the Hazards PSP.	
Essential community infrastructure	
Editor's note-The term essential community infrastructure	e is defined in the State Planning Policy.
<ul> <li>PO11 Development for essential community infrastructure is located, designed and sited to: <ul> <li>(a) protect the safety of people during a bushfire;</li> <li>(b) not increase the exposure of people to the risk from a bushfire event; and</li> <li>(c) function effectively during and</li> </ul></li></ul>	No acceptable outcome is nominated.
immediately after bushfire events. Editor's note–A site specific bushfire hazard assessment and management plan is required to demonstrate compliance with this performance criterion. Refer to the Hazards PSP.	

### 7.2.4 Coastal hazard overlay code

### 7.2.4.1 Application

This code applies to development where the code is identified as applicable in the applicable categories of assessment and development for the Coastal hazard overlay code and applies to any areas identified on **Map OM5—Coastal hazard overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's notes–Several terms referenced in this code are defined in either the State Planning Policy or Planning Regulation 2017. In addition to this, the Isaac Coastal Hazard Study (2019) has informed Coastal hazard overlay mapping in Schedule 2 specifically for the communities of Greenhill, St Lawrence, Clairview and Carmila Beach. These include Foreshore Limits Areas which reference the following terms relevant to those locations throughout this overlay code:

- (i) Coastal hazard: means coastal erosion of the foreshore or tidal inundation (including temporary or permanent inundation) that has the potential for loss or harm to the community, property and the environment.
- (ii) Storm tide inundation area: is the area affected by the rise in coastal waters including wave run up associated with major weather events and also inundation associated with tidal processes and sea level rise.
- (iii) Erosion prone area: this represents the combination of short term erosion and long term shoreline recession associated with possible sediment loss and sea level rise.
- (iv) Area of imminent erosion threat: the area between the Highest Astronomical Tide (HAT) and the foreshore area that is exposed to potential immediate threat of coastal erosion.
- (v) Area of reduced foundation capacity: is the area immediately landward of the erosion prone area where the soil capacity has the potential to be compromised following a major weather event. This has the potential to undermine the structural and foundation gualities of buildings and structures.
- (vi) Coastal Planning Level: this represents the minimum habitable floor level and enclosed non habitable floor level (allowing for 0.5m freeboard) for properties on the coastline that includes the 100-years ARI design still storm tide level factoring a projected sea level rise of 0.8m by 2100.

Applicants are also to refer to the Hazards PSP for further guidance in achieving compliance with this overlay code.

### 7.2.4.2 Purpose

- (1) The purpose of the Coastal hazard overlay code is to:
  - (a) avoid or mitigate the risks to people and property from coastal hazards to an acceptable or tolerable level;
  - (b) protect or enhance naturally occurring coastal processes;
  - (c) provide opportunities for appropriate coastal-dependant development;
  - (d) minimise the socio-economic costs of coastal hazard impacts from permanent and temporary inundation associated with sea level rise, coastal erosion and storm tide inundation;
  - (e) ensure integration of climate change factors in the assessment of coastal hazard impacts on development and to achieve an acceptable or tolerable level of risk to enhance the community's resilience to present day and future coastal hazards;
  - (f) ensure public access to and the use of coastal and riverine foreshores is maintained or enhanced.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - development does not occur seaward of the area of imminent erosion threat in order to allow for natural coastal processes and fluctuations and to maintain or enhance the protective function of landforms and vegetation that can mitigate the risks of coastal hazard impacts;
  - (b) development does not occur within an erosion prone area unless:
    - (i) the development cannot be feasibly located elsewhere; and
    - (ii) the coastal dependent development is located, designed and constructed to withstand coastal hazard impacts; or
    - (iii) the development is temporary, readily relocatable or able to be abandoned development; or

- (iv) the development can mitigate the risks to people and property to an acceptable or tolerable level.
- (c) development only occurs within the storm tide inundation area where the floor levels associated with sensitive land uses are above the defined storm tide event to allow the flow of storm tide water.;
- (d) development within the area of reduced foundation capacity must demonstrate structural and foundation mitigation measures associated with buildings and structures that can respond to short term impacts from major weather events that may temporarily undermine soil capacity;
- (e) development maintains or enhances public access to the foreshore;
- (f) development supports, and does not unduly burden, disaster management response or recovery capacity and capabilities;
- (g) development directly, indirectly and cumulatively avoids an increase in the severity of coastal hazards and the potential for damage to the site or to other properties;
- (h) the potential for the release of hazardous materials is avoided;
- (i) essential community infrastructure is located and designed to function effectively during and immediately after a coastal hazard event.

### 7.2.4.3 Specific benchmarks for assessment

## Table 7.2.4.3(a)—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
Where in a Foreshore Limits Area	
<ul> <li>Editor's note–Refer to the:</li> <li>relevant Coastal hazard overlay hazard mapping in Schedule 2 for Clairview, Carmila Beach, Greenhill and St Lawrence; and</li> <li>Table 7.2.4.3(b) of the Coastal hazard overlay code.</li> </ul>	
Accepted development subject to requirem	nents and assessable development
<b>PO1</b> Development (excluding coastal dependant development) where including buildings and associated structures are not located within the area of imminent erosion threat.	<b>AO1</b> Development does not occur with the area of imminent erosion threat.
<ul> <li>PO2</li> <li>Development for a sensitive use ensures all habitable floor levels and enclosed non habitable floor levels:</li> <li>(a) are above the defined storm tide event including appropriate freeboard; and</li> <li>(b) allow for the flow through of coastal waters in storm tide events.</li> </ul>	<ul> <li>AO2</li> <li>Development for a sensitive land use: <ul> <li>(a) ensures all habitable floor levels and</li> <li>enclosed non habitable floor levels are</li> <li>equal to or greater than the coastal</li> <li>planning level identified in Table</li> <li>7.2.4.3(b); or</li> </ul> </li> <li>(b) locates outside a storm tide inundation area.</li> </ul>
Assessable development only	
<ul> <li>Where in a Foreshore Limits Area</li> <li>Editor's note–Refer to the:</li> <li>relevant Coastal hazard overlay hazard mapping in S Lawrence; and</li> <li>Table 7.2.4.3(b) of the Coastal hazard overlay code.</li> </ul>	chedule 2 for Clairview, Carmila Beach, Greenhill and St
PO3	No acceptable outcome nominated.

Performance outcomes	Acceptable outcomes
<ul> <li>Development in an erosion prone area:</li> <li>(a) does not intensify the extent of existing development within the erosion prone area; or</li> <li>(b) mitigates the risks to people or property to an acceptable or tolerable level.</li> </ul>	
Editor's note–A site specific coastal hazard assessment is required to demonstrate compliance with this performance criterion. Refer to the Hazards PSP.	
<b>PO4</b> Development within the area of reduced foundation capacity ensures structural foundations associated with buildings and structures mitigates the temporary impacts of reduced bearing capacity associated with short term weather events.	No acceptable outcome is nominated.
Where not in a Foreshore Limits Area	·
Editor's note–Refer to the relevant Coastal hazard overla	y hazard mapping in Schedule 2.
<ul> <li>PO5 Development does not occur within an erosion prone area unless: <ul> <li>(a) the development cannot be feasibly located elsewhere; and</li> <li>(b) it is coastal-dependent development designed and constructed to improve resilience against future coastal hazards allowing for sea level rise; or <ul> <li>(c) it is essential community infrastructure; or</li> <li>(d) the development is temporary, readily relocatable or able to be abandoned development.</li> </ul> Editor's note-A site specific coastal hazard</li></ul></li></ul>	No acceptable outcome nominated.
assessment is required to demonstrate compliance with this performance criterion. Refer to the Hazards PSP.	
<ul> <li>PO6</li> <li>Development does not locate in a storm tide inundation area unless: <ul> <li>(a) it does not result in an increase in the intensity of development on the site; or</li> <li>(b) it avoids any increase in risk to people or property from coastal hazard impacts, including impacts from sea level rise; or</li> <li>(c) risks can be mitigated to achieve an acceptable or tolerable level of risk to personal safety and property damage, including impacts from sea level rise.</li> </ul> </li> <li>Editor's note-A site specific coastal hazard assessment is required to demonstrate compliance with this performance criterion. Refer to the Hazards PSP.</li> </ul>	No acceptable outcome nominated.
P07	No acceptable outcome nominated.

Porformanco outcomos	Accontable outcomes
Performance outcomes	Acceptable outcomes
Development has direct and safe access to	
an evacuation route above the defined	
storm tide inundation level.	
Editor's note-Evacuation routes do not include land in	
a high storm tide inundation area.	
PO8	No acceptable outcome is nominated.
Development directly, indirectly and	
cumulatively avoids an unacceptable	
increase in the severity of coastal hazards	
and does not significantly increase the	
potential for damage on the site or to other	
properties.	
Reconfiguring a lot	
PO9	AO9
The siting, layout and design of lot	New lots, roads and infrastructure are not
reconfiguration avoids adverse impacts of	located within a coastal hazard area.
coastal hazards and does not result in the	
creation of new lots within a coastal hazard	
area.	
Essential community infrastructure within	a storm tide inundation area
PO10	AO10
Essential services infrastructure (e.g. on-	Any components of essential community
site electricity, gas, water supply, sewerage	infrastructure that are likely to fail to function
and telecommunications) maintains its	or may result in contamination when
function during and immediately after a	inundated by coastal waters (eg. electrical
defined storm tide event.	switchgear and motors, water supply pipeline
	air valves) are:
	(a) located above the defined storm tide
	event level; or
	(b) designed and constructed to prevent
	coastal water intrusion/infiltration.
Public access	
P011	No acceptable outcome is nominated.
Development (structures, buildings and	
works) maintains or enhances safe and	
convenient public access to and along the	
foreshore, except where restriction of	
access is for safety reasons.	
PO12	No acceptable outcome is nominated.
Public access infrastructure is designed and	· ·
located to:	
(a) maintain or enhance natural and cultural	
values of the foreshore;	
(b) avoid areas of significant aquatic or	
terrestrial habitat values;	
(c) maintain the natural movement of sand	
and sediment;	
(d) avoid contributing to surface or	
geological instability or erosion of the	
foreshore;	
(e) utilise single access points wherever	
possible;	
(f) direct people away from sensitive areas;	
(g) be compatible with scenic coastal	
landscape values; and	
· ·	
(h) ensure users remain on the footpath	
and walkways to minimise physical	

Performance outcomes	Acceptable outcomes
impacts on the local environment	
through appropriate signage and	
fencing.	
Coastal protection work	
PO13	No acceptable outcome is nominated.
Coastal protection works or erosion control	
structures are:	
(a) consistent with a shoreline management	
plan for the area; or	
(b) constructed only to protect coastal-	
dependant development or other existing permanent structures from	
imminent adverse coastal erosion	
impacts if abandonment or relocation of	
the structures is not feasible, and a	
relevant shoreline management plan	
has not been prepared.	
Editor's note-Erosion control structures are structures	
designed to protect land or permanently alter sediment	
transport processes and include structures such as seawalls or revetments (rock walls), groynes, artificial	
reefs and breakwaters. Where a shoreline erosion	
management plan has not been prepared and coastal protection work is required to protect existing structures	
from coastal erosion threats, beach nourishment is	
favoured in preference to erosion control structures.	
The location and materials for beach nourishment works are to ensure the natural characteristics and	
landform of the beach or foreshore is maintained.	
Applications demonstrate the consideration of beach	
nourishment techniques and include a statement of why nourishment (in whole or part) has not been	
adopted as the preferred means of managing the	
coastal erosion risk.	
Hazardous materials	
<b>PO14</b> Public safety and the environment are not	No acceptable outcome is nominated
adversely affected by the impacts of coastal	
erosion or storm-tide inundation on	
hazardous materials manufactured or stored	
in bulk.	
Community infrastructure	
PO15	AO15
Essential community infrastructure is able to	Essential community infrastructure is located
function effectively during and immediately	in an area that is above the storm tide event
after a storm tide inundation event.	level for that activity in accordance with
	Table 7.2.4.3(c)—Recommended storm-tide
	event levels for Essential community infrastructure.
	ที่แลรแน่นั่นแย่.

Table 7.2.4.3(b)—Coastal Planning Levels for Clairview, Carmila Beach, Greenhill and	
St Lawrence	

Location	Foreshore Limit Area	Coastal Planning Level (m AHD)
Clairview	Area 1	7.5
	Area 2	7.3
	Area 3	7.2
Carmila Beach	Area 1	6.4
	Area 2	6.4
Greenhill	Area 1	7.0
	Area 2	6.9
St Lawrence	Area 1	7.9

Table 7.2.4.3(c)—Recommended storm-tide event levels for essential community
infrastructure

Type of Essential community service infrastructure	Recommended storm-tide event level (RSTEL)
Emergency services facilities*	0.2% annual exceedance probability (AEP)
Emergency shelters	See reference **
Hospitals and associated facilities	0.2% AEP
Major switch yards and substations*	0.5 AEP
Police facilities*	0.2% AEP
Power stations	0.2% AEP
Sewerage treatment plants*	0.01% AEP
School facilities	0.55 AEP
Stores of valuable records or items of historic or cultural significance (eg. galleries and libraries)	0.5% AEP
Water treatment plants*	0.5% AEP
Works of an electricity entity not otherwise listed in this table Communication network facilities	No specific recommended storm-tide event level but development proponents should ensure that the infrastructure is optimally located and designed to achieve suitable levels of service, having regard to the processes and policies of the administrating government agency.

\* The RSTEL applies only to electrical and other equipment that, if damaged by floodwater or debris, would prevent the infrastructure from functioning. This equipment should either be protected from damage or designed to withstand inundation. Also some police and emergency service facilities (e.g. water police and search and rescue operations) are dependent on direct water access. RSTELs do not apply to these aspects but other operational areas should be located above the RSTEL to the greatest extent possible.

\*\*Design Guidelines for Queensland Public Cyclone Shelters is available at www.hpw.qld.gov.au.

### 7.2.5 Environmental significance overlay code

### 7.2.5.1 Application

This code applies to development where the code is identified as applicable in the categories of development and assessment for the Environmental significance overlay and applies to any areas identified on **Map OM6—Environmental significance overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

### 7.2.5.2 Purpose

- (1) The purpose of the Environmental significance overlay code is to:
  - protect Matters of National Environmental Significance (MNES) and Matters of State Environmental Significance (MSES) and their associated ecological processes and biodiversity values;
  - (b) maintain or enhance the health and resilience of biodiversity to support ecological integrity;
  - (c) maintain or enhance ecological connectivity to preserve fauna movement, habitat values, remnant vegetation and ecological processes;
  - (d) protect or enhance water quality, ecosystem health and the natural hydrological functioning of waterways, wetlands and their riparian areas and buffers; and
  - (e) protect, rehabilitate and manage coastal natural resources, biodiversity and ecosystem services values.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) development avoids adverse impacts on MNES and their associated ecological processes and biodiversity values;
  - (b) development avoids adverse impacts on MSES and their associated ecological processes and biodiversity values, unless:
    - (i) it is demonstrated that MSES do not exist on the site; or
    - where adverse environmental impacts cannot be avoided, impacts are minimised and an environmental offset is provided for any residual adverse impacts and a net environmental benefit is achieved;
  - development avoids direct and indirect impacts resulting in species or habitat loss or disturbance, soil degradation or pollution due to vegetation clearing, erosion and contamination, acidification, salinity, waste disposal or modification to natural processes;
  - (d) fragmentation of remnant vegetation, ecological corridors and existing habitat is avoided to maintain ecological functions and biodiversity values and to maintain or increase the resilience of ecosystems and habitat to threatening processes, including the impacts of climate change;
  - (e) a network of connecting corridors and linkages between areas supporting MNES, MSES, wetlands, waterways, remnant vegetation, habitat areas and other natural areas are maintained, created or restored, including provision for continuous links from the coast to upper catchments;
  - (f) development including infrastructure, is designed and located to maintain and enhance continuity of wildlife movement (including fish passage) and ecological processes for terrestrial and aquatic species;
  - (g) the hydrological regime of wetlands and waterways is protected and rehabilitated;
  - (h) development avoids encroachment or expansion into sensitive terrestrial or aquatic habitats along the coastal foreshore or riparian areas unless it is for management of public access, recreation, public use or other public benefit;
  - (i) development maintains sustainable community access to beaches, waterways, national parks and other land in protected area estates;

- (j) development incorporates and maintains an appropriate buffer in accordance with minimum best practice distances so as to avoid adverse impacts;
- (k) development maintains or enhances the scenic amenity of important natural coastal landscapes, views and vistas.

### 7.2.5.3 Specific benchmarks for assessment

## Table 7.2.5.3—Accepted development subject to requirements and assessable development

_	development		
Per	formance outcomes	Acceptable outcomes	
Env	vironmental protection and buffering		
PO'	1	A01	
by:	velopment maintains and protects MNES	Development locates outside of an area supporting MNES.	
	locating in areas that avoid adverse impacts on MNES; ensuring underlying ecological processes and biodiversity values of MNES are maintained or enhanced.	Editor's note–Areas identified with matters of environmental significance can be located through the Federal Government Department of Environment and Energy website.	
(i) (ii)	or's note– consideration must be given to the requirements of the Environment Protection and Biodiversity Conservation Act 1999; an environmental and ecological assessment may be required to demonstrate compliance with this performance criterion.		
by:	elopment maintains and protects MSES	<b>AO2</b> Development locates outside of an area supporting MSES as shown on OM6.	
	locating in areas that avoid adverse impacts on MSES; or		
(b)	where adverse environmental impacts cannot be avoided, impacts are minimised and an environmental offset is provided for any residual adverse impacts; and		
(c)	the underlying ecological processes and biodiversity values of MSES are maintained or enhanced.		
Edito	pr's note-		
(i) (ii)	to assist in demonstrating achievement of an environmental and ecological assessment may be required to demonstrate compliance with this performance criterion; where it is demonstrated that adverse impacts cannot be avoided or minimised, significant residual impacts on matters of state environmental significance may require an offset in accordance in accordance with the <i>Environmental Offsets Act 2014</i> .		
Buf	Buffers		
an a con (a) (b)	velopment is setback from and provides adequate vegetated buffer to areas taining MNES or MSES to: protect these areas and their values from threatening processes; avoid edge effects such as undesirable microclimate effects and threats from non-native or pest fauna or flora; and	<ul> <li>AO3</li> <li>A buffer extending from the outside edge of an area of MNES or MSES is provided and has a minimum width of:</li> <li>(a) 200m where located outside an urban area; or</li> <li>(b) 50m where located within an urban area.</li> </ul>	
(C)	maintain and enhance ecological		

Performance outcomes	Acceptable outcomes
connectivity.	
	404
<ul> <li>PO4 <ul> <li>An adequate buffer to a wetland in a MNES</li> <li>or MSES area is provided and maintained</li> <li>to:</li> <li>(a) protect or enhance habitat values, connectivity and other ecological processes and values;</li> <li>(b) protect water quality and aquatic conditions;</li> <li>(c) maintain natural micro-climatic conditions;</li> <li>(d) maintain natural hydrological processes;</li> <li>(e) prevent mass movement, gully erosion, rill erosion, sheet erosion, tunnel erosion, stream bank erosion, wind erosion, or scalding; and</li> <li>(f) prevent loss or modification of chemical, physical or biological properties or functions</li> </ul> </li> </ul>	A04 A vegetated and development free buffer is provided and maintained extending from the high bank or highest astronomical tide of the following: (a) 100m wide buffer to a river; or (b) 50m wide buffer to waterway; or (c) 100m from a declared fish habitat area.
functions of soil. PO5	A05
Isolated habitat areas are linked by a continuous corridor to provide effective ecological connectivity and to create additional linkages along waterways, wetlands, drainage lines, ridgelines, coastlines and other areas where possible.	Development provides a continuous corridor with a minimum width of 100m linking areas of protected vegetation to each other and other vegetation areas off-site.
Assessable development	·
General	
PO6	No acceptable outcome is nominated.
Alterations to natural landforms, hydrology and drainage patterns do not adversely impact on areas containing MNES or MSES.	
P07	No acceptable outcome is nominated.
Development retains and enhances riparian vegetation along watercourses and drainage corridors, and vegetation along timbered ridgelines.	
PO8	No acceptable outcome is nominated.
Development avoids direct and indirect impacts on significant ecological communities and significant species and their habitats, including disturbance from the presence of vehicles, pedestrian use, increased exposure to domestic animals and noise and lighting impacts.	
PO9	No acceptable outcome is nominated.
Areas of habitat that support a critical life cycle stage such as feeding, breeding or roosting or ecological function for threatened species, ecological communities or migratory species are protected and not impacted by development.	
<b>PO10</b> Buffering, rehabilitation or restoration protects and enhances MNES and MSES	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
and their underlying ecological processes,	
habitat and biodiversity values by:	
(a) using site appropriate and locally	
occurring native species;	
(b) replicating as far as practicable, the	
species composition and structural	
components of healthy remnant	
vegetation and associated habitats,	
including understorey vegetation; and	
(c) excluding environmental weeds,	
declared plants and other non-native	
plants likely to displace native flora or	
fauna species or degrade habitat.	
PO11	No acceptable outcome is nominated.
Development:	
(a) avoids the introduction of pest species	
(plant or animal) that pose a risk to the	
ecological integrity and biodiversity	
values of MNES and MSES; and	
(b) includes appropriate pest management	
practices to control any existing threat of pest species in a way that provides	
for the long term ecological integrity of	
MNES and MSES.	
Ecological corridors	
PO12	No acceptable outcome is nominated.
Development protects an ecological	
corridor, enhances ecological connectivity	
and habitat extent and effectively links	
habitats on and/or adjacent to the site.	
Editor's note–Ecological corridors and habitat linkages	
have dimensions and characteristics to support:	
(a) ecological processes and functions that enable	
the natural change in distributions of species and provide connectivity between populations of	
species over long periods of time;	
(b) ecological responses to climate change;	
<ul> <li>(c) connectivity between large tracts and patches of remnant vegetation, habitat areas and areas</li> </ul>	
supporting MNES and MSES; and	
(d) effective and unhindered day-to-day and seasonal	
movement of avian, terrestrial and aquatic fauna.	
Wetland ecological values PO13	No acceptable outcome is nominated.
Development involving the clearing of	No acceptable outcome is nonnilated.
vegetation protects the biodiversity,	
ecological values and processes, and	
hydrological functioning of a wetland area,	
including:	
(a) water quality values;	
(b) aquatic habitat values;	
(c) terrestrial habitat values;	
(d) usage of the site by native wetland	
fauna species or communities.	
Wetland hydrology and stormwater manag	ement
P014	No acceptable outcome is nominated.
The existing surface water hydrological	
regime of the wetland is enhanced or	
maintained through:	

Performance outcomes	Acceptable outcomes
(a) providing a net ecological benefit and	
improvement to the environmental	
values and functioning of a wetland in a	
wetland protection area; or	
•	
(b) rehabilitating the existing hydrological	
regime, or restoring the natural	
hydrological regime of a wetland in a	
wetland protection area.	
Public access	
PO15	No acceptable outcome is nominated.
Development adjacent to state coastal	
foreshores or tidal water is located,	
designed and operated to:	
(a) maintain existing access to and along	
coastal foreshores and riparian banks;	
(b) minimise any loss of access to and	
along coastal foreshores or riparian	
banks through providing appropriate	
alternative access to coastal foreshores	
and riparians areas.	
PO16	No acceptable outcome is nominated.
Public access infrastructure is designed and	
located to:	
(a) maintain or enhance natural and cultural	
values of the foreshore;	
(b) avoid areas of significant aquatic or	
terrestrial habitat values;	
(c) maintain the natural movement of sand	
and sediment;	
(d) avoid contributing to surface or	
geological instability or erosion of the	
foreshore;	
(e) utilise single access points wherever	
possible;	
(f) direct people away from sensitive areas;	
(g) be compatible with scenic coastal	
landscape values; and	
(h) ensure users remain on the footpath	
and walkways to minimise physical	
impacts on the local environment	
through appropriate signage and	
fencing.	
Land degradation	l
PO17	No acceptable outcome is nominated.
Development avoids land degradation	
in a wetland area, including:	
(a) mass soil movement, gully erosion, rill	
erosion, sheet erosion, tunnel erosion,	
stream bank erosion, wind erosion, or	
scalding;	
(b) loss or modification of chemical,	
physical or biological properties or	
functions of soils.	
PO18	No acceptable outcome is nominated.
Degraded areas supporting MNES or MSES	
or other environmental values important to	
the maintenance of underlying ecological	
processes required to maintain biodiversity,	

Performance outcomes	Acceptable outcomes
are rehabilitated as near as is practical to the naturally occurring state of native plant species and ecological communities.	
Monitoring	
<b>PO19</b> During construction and operation of development, ongoing management, monitoring and maintenance is undertaken to ensure impacts on areas supporting MNES or MSES and their underlying ecological processes and biodiversity values are avoided or minimised.	No acceptable outcome is nominated.

### 7.2.6 Extractive resources and minerals overlay code

### 7.2.6.1 Application

This code applies to development where the code is identified as applicable in the categories of assessment and development for the extractive resources and minerals overlay code and applies to any areas identified on **Map OM7—Extractive resources and minerals overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

### 7.2.6.2 Purpose

- (1) The purpose of the extractive resources and minerals overlay code is to protect current or future extractive and mineral resources from inappropriate development that might prevent or severely constrain the economic recovery of those resources.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) the development of extractive and mineral resources is not compromised by incompatible land uses other than development that is a development commitment or development that constitutes an overriding community benefit;
  - (b) development does not increase the number of people living or congregating within the separation area of a Key Resource Area or within the separation area of any identified transport route;
  - (c) development adjacent to an identified transport route does not adversely impact on the safety or efficiency of transportation of extractive material; and
  - (d) development includes design, orientation and construction measures that minimises impacts from existing and future extractive industries on people working or congregating in the separation area.

### 7.2.6.3 Specific benchmarks for assessment

### Table 7.2.6.3—Assessable development

Performance outcomes	Acceptable outcomes
Development within a resource/processing	area
P01	No acceptable outcome is nominated.
Development where not for Extractive	
industry or mining:	
(a) does not involve a sensitive land use;	
(b) does not increase the number of people	
living in this area;	
(c) does not increase the number of lots in	
this area;	
(d) ensures the long-term availability of the	
extractive resource is maintained except	
only where the following can be demonstrated:	
(i) there is an overriding benefit to	
the community; and	
(ii) the development cannot reasonably	
be located elsewhere.	
PO2	No acceptable outcome is nominated.
Any Extractive industry expansion does not	
compromise the function of the adjoining	
separation area in providing a buffer	
between the extractive/processing	
operations and any uses outside the	
separation area.	

Performance outcomes	Acceptable outcomes
	Acceptable outcomes
Development within a separation area	
<ul> <li>PO3</li> <li>Development: <ul> <li>(a) does not increase the number of people living in the separation area;</li> <li>(b) minimises impacts from existing and future extractive industries on people working or congregating in the separation area; and</li> <li>(c) does not compromise the function of the separation area as a buffer from incompatible uses outside the buffer area.</li> </ul> </li> </ul>	No acceptable outcome is nominated.
PO4	No acceptable outcome is nominated.
<ul> <li>Development incorporates design, orientation and construction measures that mitigate the potential adverse effects from an existing or future extractive industry by:</li> <li>(a) locating buildings and structures the greatest distance practicable from the resource/processing areas and associated transportation routes;</li> <li>(b) designing buildings so the areas where people live, work and congregate (habitable rooms) are furthermost from the resource/processing area and associated transportation route;</li> <li>(c) minimising openings in walls closest to these effects;</li> <li>(d) providing mechanical ventilation to habitable rooms;</li> <li>(e) use appropriate construction methods and materials including insulation and glazing materials; and</li> <li>(f) providing private outdoor recreation space adjacent to a building façade shielded from the extractive industry or resource.</li> </ul>	
Development within a transport route sepa	ration area
<b>P05</b> Development does not increase the number of people living in the transport route's separation area.	No acceptable outcome is nominated.
<b>PO6</b> Development does not adversely affect the safe and efficient operation of vehicles transporting extractive materials.	No acceptable outcome is nominated.
<b>PO7</b> Development with direct vehicle access to a transport route does not adversely impact the safety and efficiency of transport route.	No acceptable outcome is nominated.

## 7.2.7 Flood hazard overlay code

#### 7.2.7.1 Application

This code applies to development where the code is identified as applicable in the categories of assessment and development for the Flood hazard overlay code and applies to any areas identified on **Map OM8—Flood hazard overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 7.2.7.2 Purpose

- (1) The purpose of the Flood hazard overlay code is to ensure that development on land subject to a defined flood<sup>1</sup> event<sup>2</sup> (DFE) avoids or mitigates the risk of flood hazard<sup>3</sup> to protect people, property, the environment and economic activity and, to ensure development does not adversely affect other properties or the hydraulic efficiency of a waterway or floodplain.
- (2) The purpose of the code will be achieved through compliance with the following overall outcomes:
  - (a) development does not occur on land subject to flooding from a defined flood event unless:
    - (i) it is compatible with the level of risk having regard to flow depth, flow velocity, rate of flood level rise and the duration of the inundation;
    - (ii) the impacts of flooding can be managed such that there can be no foreseeable risk to personal safety or to property;
  - (b) development does not result in an increase in the extent or severity of flood risk to the site or other land;
  - (c) the flood storage or the conveyance of waterways and flood plains is not diminished;
  - (d) the potential for the release of hazardous material is not increased;
  - (e) development supports, and does not unduly burden disaster management response or recovery capacity and capabilities;
  - (f) community infrastructure is located and designed to function effectively during and immediately after a flood hazard event;
  - (g) development of sensitive land uses, where in the Limited development zone, is not supported due to the high to extreme flood risk.

Editor's notes-

- 1. The term 'flood' is used to describe the temporary inundation of land by expanses of water that overtop the natural or artificial banks of a creek, river, lake or estuary resulting from prolonged or intensive rainfall in the catchments of these water bodies.
- 2. The term 'defined flood event' or DFE is used to describe level of a 1% annual exceedance probability (AEP) event (including an allowance for climate change) where determined by a flood study. It should be noted that higher flood events that the DFE can occur.
- 3. Flood hazard categories as referenced throughout this code are identified in Table 7.2.7.3(b) Flood hazard categories.
- 4. A site specific flood hazard assessment is required to demonstrate compliance with various aspects of this overlay code. Refer also to the Hazards PSP.

## 7.2.7.3 Specific benchmarks for assessment

Table 7.2.7.3(a)         Accepted development subject to requirements and assessable	
development	

development	
Performance outcomes	Acceptable outcomes
Siting of development	
<ul> <li>PO1 Development: <ul> <li>(a) does not provide unacceptable risks to people and property from flood hazard impacts or, the risks are mitigated to an acceptable or tolerable level; and</li> <li>(b) does not intensify or locate a use in an extreme or high hazard area, in order to avoid risks to people, property and the environment.</li> </ul></li></ul>	No acceptable outcome is nominated.
PO2	AO2
Development is sited to enable safe evacuation in the event of a flood.	Development has direct access to land above the DFE by an evacuation route that is: (a) flood free; or (b) within a low or medium flood hazard area and not within an extreme or high flood hazard area.
<b>PO3</b> Signage is provided within flood hazard areas to alert residents and visitors to the flood hazard.	<ul> <li>AO3</li> <li>Signage is provided on site (regardless of whether the land is in public or private ownership) indicating:</li> <li>(a) the position and path of all safe evacuation routes off the site; and</li> <li>(b) if the site contains or is within 100m of a floodable waterway, hazard warning signage and depth indicators are also provided at key hazard points such as floodway crossings or entrances to low-lying reserves.</li> </ul>
Reconfiguring a lot	
<b>PO4</b> The siting, layout and design of lot reconfiguration avoids or mitigates the adverse impacts associated with flooding to protect the safety of people and property.	<ul> <li>AO4.1 No new lots or roads are created in an extreme or high flood hazard area.</li> <li>AO4.2 Within low or medium flood hazard areas, the creation of any new lot must be a minimum of 0.3m above the DFE.</li> <li>AO4.3 For new lots (whether or not for residential purposes), a designated building envelope commensurate with the scale of the first state of the state of the</li></ul>
	development and intent of the zone is provided at or above the DFE.
<b>PO5</b> Road and pathway layout ensures residents are not physically isolated from adjacent flood free urban areas and provides a safe and clear evacuation route path.	AO5.1 New arterial, sub-arterial and collector roads are located above the 2% AEP flood level. AO5.2 Development does not involve cul-de-sacs or dead end streets within an extreme, high or medium flood hazard area.

Performance outcomes	Acceptable outcomes
Building floor levels	
PO6	AQ6.1
The floor levels of sensitive land uses have an acceptable level of flood immunity to maintain the safety of people from flood hazard impacts.	New buildings and extensions to existing buildings with sensitive land uses are not located in in extreme or high hazard areas.
Editor's note-The term 'sensitive land uses' is defined in the <i>Planning Regulation 2017.</i>	Habitable rooms have a minimum floor level at least 0.5m above the DFE.
	<b>AO6.3</b> Floor levels of non-habitable rooms (other than Class 10 buildings) are above the DFE, or allow for the flow through of floodwaters on the ground floor.
	<b>AO6.4</b> Where involving an extension to an existing residential use that has habitable rooms below the level referred to in <b>AO6.2</b> , any extension does not exceed 25m <sup>2</sup> gross floor area.
<b>PO7</b> Non-residential development is designed and located to minimise damage to property and content from flooding impacts.	A07.1 New buildings and extensions to existing buildings are not located in an extreme or high hazard areas. A07.2
	The floor level of non-residential buildings (other than Class 10 buildings) is above the DFE or allow for the flow through of floodwaters on the ground floor.
	<b>A07.3</b> Materials stored on-site are those that are easily able to be moved off-site in a flood event.
Earthworks	
<b>PO8</b> Development including any earthworks	No acceptable outcome is nominated.
must:	
<ul> <li>(a) not adversely impact on or change the flood characteristics of a floodplain or waterway;</li> </ul>	
<ul><li>(b) not reduce existing flood storage and flow capacity;</li></ul>	
(c) avoid any physical change to a floodplain or natural waterway;	
<ul> <li>(d) avoid increased scour and erosion;</li> <li>(e) not increase the depth, velocity or direction of the flow, the rate of flood level rise or the duration of inundation on the site or on land external to the site; and</li> </ul>	
(f) not remove any riparian or riverine vegetation.	
Hazardous materials	
PO9	A09.1
Public safety and the environment are not adversely affected by the impacts of floodwater on hazardous materials	Development does not involve the manufacture or storage of hazardous materials within a flood hazard area.

Performance outcomes	Acceptable outcomes
manufactured or stored in bulk.	<b>AO9.2</b> Where it can be demonstrated that there is a low or medium flood risk, the manufacture or storage of hazardous materials takes place above the DFE flood levels.
	Editor's note–A site specific flood hazard assessment is required to demonstrate compliance with this performance criterion. Refer to the Hazards PSP.
Intensive animal industry	
<b>PO10</b> The use of land for intensive animal husbandry does not establish or intensify in a flood hazard area, in order to avoid risk to the environment.	<b>AO10</b> Intensive animal husbandry, including the storage of bulk food and any associated water treatment facilities, does not occur on land below the DFE.
Essential community infrastructure	
Editor's note-The term essential community infrastructure	
<b>PO11</b> Essential community infrastructure is able to function effectively during and immediately after flood events.	AO11 Community infrastructure is provided at or above the recommended flood level specified in Table 7.2.7.3(c)— Recommended levels for community infrastructure.
<b>PO12</b> Essential services infrastructure (e.g. on- site electricity, gas, water supply, sewerage and telecommunications) maintains its function during and immediately after a DFE flood event.	<ul> <li>AO12</li> <li>Any components of infrastructure that are likely to fail to function or may result in contamination when inundated by flood water (eg. electrical switchgear and motors, water supply pipeline air valves) are:</li> <li>(a) located above the DFE; or</li> <li>(b) designed and constructed to prevent floodwater intrusion/infiltration.</li> </ul>

## Table 7.2.7.3(b)—Flood hazard categories

Critoria	Degree of Flood Hazard			
Criteria	Low	Medium	High	Extreme
Wading ability	If necessary children and the elderly could wade. (Generally, safe wading velocity depth product is less than 0.24.)	Fit adults can wade. (Generally, safe wading velocity depth product is less than 0.4.)	Fit adults would have difficulty wading. (Generally, where wading velocity depth product is less than 0.6.)	Wading is not an option.
Evacuation distances	<200 metres	200–400 metres	400-600 metres	>600 metres
Maximum flood depths	<0.3 metres	<0.6 metres	<1.2 metres	>1.2 metres
Maximum flood velocity	<0.4 metres per second	<0.8 metres per second	<1.5 metres per second	>1.5 metres per second
Timing Note–This category cannot be implemented until evacuation times have been established in the Counter Disaster Plan (flooding).	Ample for flood forecasting. Warning and evacuation routes remain passable for twice as long as evacuation time.	Evacuation routes remain trafficable for 1.5 times as long as the evacuation route.	Evacuation routes remain trafficable for only up to minimum evacuation time.	There is insufficient evacuation time.

Editor's note–The evacuation times for various facilities or areas would (but not necessarily) be included in the Counter Disaster Plan (flooding). Generally safe wading conditions assume even walking surfaces with no obstructions, steps, soft underfoot, etc.

Table 7.2.7.3(c)-	-Recommended flo	od levels for comm	nunity infrastructure
-------------------	------------------	--------------------	-----------------------

Development	Level of flood immunity annual exceedance probability (AEP)
Development involving:	0.2% AEP flood event
(a) emergency services;	
(b) hospitals and associated facilities.	
Development involving:	0.5% AEP flood event
(a) emergency/evacuation shelters;	
(b) the storage of valuable records or	
items of historic/cultural significance	
(e.g. libraries, galleries);	
(c) aeronautical facilities;	
<ul><li>(d) telecommunication facilities;</li><li>(e) substations;</li></ul>	
(f) water treatment plants;	
(g) regional fuel storage;	
(h) food storage warehouse;	
(i) retirement facility and residential	
care facility.	
Sewerage treatment plants (requiring	1% AEP flood event
licensing as an environmentally relevant	
activity).	

## 7.2.8 Heritage overlay code

#### 7.2.8.1 Application

This code applies to development where the code is identified as applicable in the categories of assessment and development for the Heritage overlay and applies to any areas identified on **Map OM9—Heritage overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 7.2.8.2 Purpose

- (1) The purpose of the Heritage overlay code is to ensure:
  - (a) the cultural heritage places throughout the Isaac region are conserved for present and future communities;
  - (a) development is compatible with the cultural heritage significance of the Local heritage place; and
  - (b) any development and works undertaken is consistent with the Burra Charter.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) the cultural heritage significance of the Isaac region's local heritage places is maintained and protected;
  - (b) local heritage places are protected from inappropriate removal and demolition unless there no adverse impact on the heritage significance of that place or there is an unacceptable human safety risk;
  - (c) archaeological features and artefacts are identified and appropriately managed;
  - (d) development within a Local Heritage place is visually subservient to the heritage place and does not impact on its cultural heritage significance.

Editor's note–Demonstrating compliance with aspects of the Heritage overlay code may require the preparation of the following information:

- Statement of Impact for development and works within or adjoining a heritage place
- Heritage Management Plan for development and works within a heritage place
- Archaeological Management Plan for development and works within a heritage place where known or potential archaeological deposits exist.

Local cultural heritage citations are included in Schedule 5.

This overlay applies to local heritage places identified in Schedule 5. Queensland heritage places are identified and protected under the *Queensland Heritage Act 1992* and the *Planning Act 2016*. Places of Aboriginal cultural heritage are subject to and protected under the *Aboriginal Cultural Heritage Act 2003*.

#### 7.2.8.3 Specific benchmarks for assessment

#### Table 7.2.8.3—Assessable development

Performance outcomes	Acceptable outcomes	
Demolition or removal within a Local heritage place		
<ul> <li>PO1 <ul> <li>Any demolition must:</li> <li>(a) not result in the loss of the cultural heritage significance of the heritage place; or</li> <li>(b) demonstrate the building or structure to be demolished is not capable of structural repair and represents a safety hazard; or</li> <li>(c) ensure that part of the local heritage place is not of cultural heritage significance.</li> </ul></li></ul>	No acceptable outcome is nominated.	

Performance outcomes	Acceptable outcomes
PO2	No acceptable outcome is nominated.
F02	No acceptable outcome is nonlinated.
Development is compatible with the	
conservation and management of the	
cultural heritage significance of the Local	
heritage place.	
Editor's note–Development follows the principles of the	
ICOMOS Charter for the Conservation of Places of	
Cultural Heritage Significance ( <i>Burra Charter 2013</i> ) or subsequent versions.	
PO3	No acceptable outcome is nominated.
Development does not adversely affect the	
heritage significance of the heritage place	
and is compatible with its heritage values	
including:	
(a) maintaining views to and from	
the heritage place where significant;	
(b) consistency with the character,	
setbacks, setting or appearance of the	
heritage place;	
(c) minimising for overshadowing on to the	
heritage place;	
(d) avoiding altering, removing or	
concealing significant heritage features;	
and	
(e) consistency with open space	
and landscaping features.	
PO4	No acceptable outcome is nominated.
Any reconfiguring a lot:	
(a) does not diminish the cultural	
significance of the Local heritage place	
including maintaining its historical context, landscape settings and	
consistency with the prevailing built	
environment;	
(b) reflects the pattern and layout of the	
original subdivision in the area; and	
(c) does not reduce public access to the	
Local heritage place.	
Carrying out building work, operational wo	ork or other works within a Local heritage
place	-
PO5	No acceptable outcome is nominated.
Building work incorporates design elements	
which are compatible with the values of the	
heritage place in terms of:	
(a) architectural features;	
(b) external materials; and	
(c) finishes and colours.	
PO6	No acceptable outcome is nominated.
Excavation or other earthworks do not	
create an adverse impact on archaeological	
and heritage values of the Local heritage	
place.	Ne econteble automa in marchinete t
PO7	No acceptable outcome is nominated.
Any new fencing, landscaping, access or	
car parking arrangements are designed and sited in a manner that:	
(a) does not have a detrimental impact	
on the significant values or views of	

Performance outcomes	Acceptable outcomes
<ul> <li>the place;</li> <li>(b) enhances the overall appearance of the Local heritage place; and</li> <li>(c) is sensitive to materials, colours, scale, placement and layout of the place.</li> </ul>	
Archaeology	
<b>PO8</b> Development does not adversely impact on known or potential archaeological deposits.	No acceptable outcome is nominated.
General	
<b>PO9</b> Any changes as a result of development and associated works to a Local heritage place are appropriately managed and documented.	A09 Development is compatible with a conservation management plan prepared in accordance with the Australia ICOMOS Charter for Places of Cultural Heritage Significance. Editor's note–An archival quality photographic record is made of the features of the place that are impacted because of the development.

## 7.2.9 Regional infrastructure overlay code

#### 7.2.9.1 Application

This code applies to development where the code is identified as applicable in the categories of assessment and development for the Regional infrastructure overlay code and applies to any areas identified on **Map OM11—Regional Infrastructure overlay map**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 7.2.9.2 Purpose

- (1) The purpose of the Regional infrastructure overlay code is to:
  - (a) protect regionally significant infrastructure from nearby development that is sensitive to, or creates a risk for the infrastructure; and
  - (b) protect nearby development from the potential impacts of the regionally significant infrastructure.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) infrastructure requirements are integrated in structure planning and subdivision of newly developing areas;
  - (b) effective separation and interface treatment is provided to major infrastructure sites and corridors to avoid risk to people and property and to minimise noise, odour and visual impacts;
  - (c) easy access is provided to and along major infrastructure sites and corridors;
  - (d) development does not compromise the safe and efficient operation, maintenance or expansion of major infrastructure;
  - (e) existing and planned regional infrastructure facilities and corridors are protected from encroachment by sensitive land uses or incompatible development;
  - (f) development does not create any threat to the provision of a safe and reliable supply of services and infrastructure to all users, and avoids any potential interference with the ongoing operation, maintenance and augmentation of the services and infrastructure;
  - (g) development does not increase the potential for safety concerns, nuisance and complaints and minimises the need for measures to be introduced in the operation of the infrastructure to reduce potential impacts on surrounding areas; and
  - (h) development minimises overlooking of and visual exposure to the infrastructure sites and corridors.

#### 7.2.9.3 Specific benchmarks for assessment

#### Table 7.2.9.3—Assessable development

Performance outcomes	Acceptable outcomes
General	
<b>PO1</b> Development does not increase risk to community health or safety, or the operation and reliability of major supply infrastructure.	No acceptable outcome is nominated.
PO2	AO2
<ul> <li>Development involving a sensitive land use is sufficiently separated from major infrastructure to:</li> <li>(a) ensure community safety;</li> <li>(b) minimise the likelihood of nuisance or complaint; and</li> </ul>	<ul> <li>Habitable buildings and sensitive land uses maintain a setback of at least:</li> <li>(a) 50m from a transmission (Powerlink operated) substation;</li> <li>(b) 20m from any other substation;</li> <li>(c) 20m from a transmission line up to</li> </ul>

<ul> <li>Performance outcomes</li> <li>(c) is located, designed and constructed to protect the integrity of the major infrastructure; and</li> <li>(d) maintains adequate access for any required maintenance or upgrading of the major infrastructure.</li> <li>PO3</li> <li>Other than where they are separated from the infrastructure by a road, buildings are oriented to avoid direct overlooking of major infrastructure or corridors.</li> </ul>	Acceptable outcomes 132kV; (d) 30m from a transmission line up to 33kV – 275kV; (e) 40m from a transmission line greater than 275kV; (f) 200m from a high pressure gas pipeline; and (g) 20m from water infrastructure. No acceptable outcome is nominated. Editor's note–The figure below provides an illustration of buildings oriented away from infrastructure. No deceptable outcome is nominated. Editor's note–The figure below provides an illustration of buildings oriented away from infrastructure.
<b>PO4</b> Major infrastructure within private land is protected by easement in favour of the service provider.	<b>AO4</b> Existing easements are maintained and where none currently exist, new easements are created which are sufficient for the provider's requirements.
Electricity infrastructure	
<ul> <li>PO5</li> <li>Where major electricity infrastructure is located within public open space, the dimensions and characteristics of the open space area are sufficient to accommodate the electricity easement, in combination with compatible recreational facilities and landscaping, so that: <ul> <li>(a) it has an open and expansive character, with landscape design which assists in breaking up the linear and vertical dominance of the infrastructure;</li> <li>(b) landscaping is located outside the easement area and substantively screens and softens the appearance of poles, towers or other structures; and</li> <li>(c) recreational facilities and landscaping are compatible with the electricity infrastructure, having regard to safety, height, the conductivity of materials and access to the electricity infrastructure by the electricity provider.</li> </ul> </li> </ul>	No acceptable outcome is nominated. Editor's note-The figures below provide an example of a well integrated transmission corridor.

Performance outcomes	Acceptable outcomes
<ul> <li>Pofo</li> <li>Where major electricity infrastructure is located in a road:</li> <li>(a) an attractive, functional and safe streetscape is achieved;</li> <li>(b) street furniture, planting and lighting are compatible with the electricity infrastructure, having regard to safety, height, the conductivity of materials;</li> <li>(c) the reserve has sufficient width to accommodate significant landscaping which assists in screening and softening poles, towers or other structures and equipment from nearby sensitive land uses;</li> <li>(d) the clearances required under schedules 4 and 5 of the <i>Electrical Safety Regulations 2002</i> can be achieved; and</li> </ul>	Acceptable outcomes         Image: State of the stat
(e) convenient access to the infrastructure by the electricity provider is maintained.	
PO7	A07
Development avoids potential noise nuisance from electricity substations.	Noise emissions do not exceed 5db(A) above background noise level at the facia of a building measured in accordance with AS 1055.

Performance outcomes	Acceptable outcomes
PO8	AO8
There is sufficient space within the site to establish landscaping which substantively assists in screening and softening poles, towers or other structures and equipment associated with major electricity infrastructure and substations.	A minimum 3m wide densely planted landscaped buffer is provided along the boundary adjoining the major electricity infrastructure, including provision for advanced trees and shrubs that will grow to a minimum height of 10m.
	Editor's note-The figures below provide an example but are not drawn to scale. Applicants may find guidance in Powerlink's "Screening your home from powerlines – A guide for planting trees and shrubs outside of easements to screen powerlines". Applicants should also note that vegetation will need to maintain statutory clearances (refer Ergon's Standard for Vegetation Management and Standard for Vegetation Clearance Profile.) Applicants should also note that vegetation will need to maintain statutory clearances (refer Ergon's Standard for Vegetation Management and Standard for Vegetation Clearance Profile). Editor's note-Refer also to the Landscaping code.
	SIDE VIEW
	3m WIDE POWER LINE VEGETATION BUFFER IN EASEMENT
	HOUSE
	HOUSE
High pressure gas pipelines	
<b>PO9</b> Development ensures adequate separation between the use, structures and works and the high pressure gas pipeline corridor to minimise the risk of harm to people or property.	<b>AO9</b> Buildings and structures are set back a minimum of 40m from a high pressure gas pipeline.
Editor's note—it is recommended the applicant consult with the relevant pipeline operator prior to the lodging a	

Performance outcomes	Acceptable outcomes
development application to determine how compliance	Acceptable outcomes
with the performance outcome can be achieved	
Reconfiguring a lot	
PO10	No acceptable outcome is nominated.
Reconfiguration of lots does not	No acceptable outcome is norminated.
compromise or adversely impact upon the	
efficiency, functionality and integrity of	
major infrastructure and services networks.	
PO11	No acceptable outcome is nominated.
Lot reconfiguration integrates major	No acceptable outcome is nominated.
infrastructure sites and corridors within the	
overall layout. Layout and design:	
(a) ensures land of sufficient size and	
suitability is allocated to accommodate	
the existing and future major	
infrastructure networks;	
(b) as far as possible, minimises the likely	
visual prominence of major	
infrastructure; and	
(c) provides for an interface to surrounding	
uses that minimises the potential for	
nuisance (including noise and odour),	
health and safety concerns.	
Editor's note-Applicants should consult with the infrastructure providers early in the planning process to	
determine relevant infrastructure requirements.	
PO12	No acceptable outcome is nominated.
Where the reconfiguration involves major	
electricity infrastructure corridor, the	
corridor is incorporated within a useable	
public open space network wherever	
possible.	
Operational works	
PO13	AO13
Development within a water supply	Development does not involve works within a
infrastructure buffer is located, designed	water infrastructure corridor.
and constructed to:	
(a) protect the integrity of the water supply	
infrastructure;	
(b) maintains adequate access for any	
required maintenance or upgrading	
work to the water supply infrastructure.	
P014	No acceptable outcome is nominated.
Earthworks do not restrict access to	
substations or to and along major electricity	
infrastructure by the electricity providers,	
using their normal vehicles and equipment.	
PO15	No acceptable outcome is nominated.
There is no worsening of flooding, drainage	Editor's note–The figures below illustrate the concept.
or erosion conditions affecting the	
infrastructure.	

Performance outcomes	Acceptable outcomes
	NEW FILLING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING DUISTING
<b>PO16</b> Development maintains the clearances required under schedules 4 and 5 of the <i>Electrical Safety Regulations 2002.</i>	No acceptable outcome is nominated.
<ul> <li>PO17 Earthworks are undertaken in a way which: <ul> <li>(a) ensures stability of the land on or adjoining substations and major electricity infrastructure;</li> <li>(b) does not otherwise impact on the safety and reliability of the electricity infrastructure; and</li> <li>(c) does not restrict the placement or use of the electricity provider's equipment.</li> </ul></li></ul>	<ul> <li>AO17.1 No earthworks are undertaken:</li> <li>(a) for overhead transmission infrastructure, within 20m of a transmission tower or pole; or</li> <li>(b) for overhead distribution infrastructure, within 10m of a tower, pole or stay; or</li> <li>(c) for substations, within 10 of a property boundary shared with the substation.</li> <li>Editor's note-The figures below illustrate the concept.</li> </ul>
	NO EXCAVATIONS, FILLING OR EQUIPMENT CLOSE TO TOWER BASE

Performance outcomes	Acceptable outcomes
renormance outcomes	OVERHEAD VIEW
	NO EXCAVATIONS, FILLING
	OR EQUIPMENT CLOSE TO POLE AND STAY
	NIIIN.
	WORK
	10m (distribution)
	20m (transmission)
	NO
	WORK
	A017.2
	No earthworks are undertaken, or other
	loading or displacement of earth caused,
	within the easement of an underground
	power line.
PO18	AO18.1
Other services and infrastructure works	Underground services are not located within
(such as stormwater, sewerage, water and	20m of a tower, pole, stay or substation
the like) do not impact on the safety and	boundary.
reliability of substations or major electricity	AO18.2
infrastructure.	No valve pits occur within:
	(a) for transmission infrastructure, 60m of a
	tower, pole or stay; or
	(b) for distribution infrastructure, 20m of a
	tower, pole or stay
	AO18.3
	Pipelines with cathodic protection systems,
	comply with part 11 of the <i>Electrical Safety</i>
	Regulation.
	A018.4
	Underground services traversing an
	easement, cross at right angles to the
	overhead or underground lines. AO18.5
	Trenches for services are backfilled to be
	compacted in 150mm layers to at least 95%
	modified dry density compaction ratio.
	AO18.6
	Trenches under construction are not left
	open overnight.
PO19	AO19.1
Vegetation does not pose a risk to the	Vegetation planted within an easement of an
safety or reliability of electricity infrastructure.	overhead powerline or, where there is no
	easement, the area of influence of a
	powerline, has a mature height of no more
	than 3.5 metres.
	AO19.2
	Vegetation planted within an underground
	powerline easement does not have a mature
	root system in >150mm depth and is not
	located directly over the powerline.
	AO19.3

Performance outcomes	Acceptable outcomes
	Vegetation adjoining easements complies with the clearance dimensions illustrated in the figure below.
	A5°
	NO TREES WITHIN Sm OF TOWER
	<ul> <li>AO19.4</li> <li>Planting complies with (as relevant to the infrastructure concerned):</li> <li>(a) Energex's Safe Tree Guidelines; or</li> <li>(b) Ergon's Plant Smart brochures; or</li> <li>(c) Powerlink's Screening Your Home from Powerlines information sheet and Property and Easements / Landowner information sheets).</li> </ul>
	Editor's note–Further information can be found on the websites of the abovementioned infrastructure providers.

### 7.2.10 Water resource catchments overlay code

#### 7.2.10.1 Application

This code applies to development where the code is identified as applicable in the table of assessment for the Water resource catchments overlay code.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 7.2.10.2 Purpose

- (1) The purpose of the Water resource catchments overlay code is to ensure that development does not, individually or cumulatively, adversely impact on the quality or quantity of water supply that service communities. Water resource catchments in the Isaac region include:
  - (a) Teresa Creek dam Clermont;
  - (b) Burdekin Falls dam; and
  - (c) Nebo Borefields.
- (2) The purpose of the code will be achieved through compliance with the following overall outcomes:
  - (a) development maintains or improves water quality within water resource catchment areas;
  - (b) development, cumulatively or individually, does not significantly reduce the quantity of water entering the water resource catchment areas;
  - (c) development does not cause or permit pollutants, sediments or nutrients to enter a watercourse, wetland, lake, spring or aquifer within water resource catchment areas.

#### 7.2.10.3 Specific benchmarks for assessment

## Table 7.2.10.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	
Land use impacts		
<ul> <li>PO1</li> <li>Land use activities within water resource catchment areas are avoided where they:</li> <li>(a) degrade or contribute to the degradation of water quality; and</li> <li>(b) adversely affect the physical integrity of waterways, lakes, springs, riparian areas, wetlands and natural ecosystems.</li> </ul>	No acceptable outcome is nominated.	
Reconfiguring a lot		
<b>PO2</b> New lots are an appropriate configuration to ensure that its use will not result in the export of nutrients, pollutants or sediments by overland stormwater flow or infiltration into groundwater.	No acceptable outcome is nominated.	
Separation distances		
<b>PO3</b> Development, land use and activities are setback from features contributing to catchment water to enhance water quality for human consumption and ecosystem functioning.	<ul> <li>AO3</li> <li>Development, land uses and activities do not occur within:</li> <li>(a) 50m of the bank of an intermittent watercourse;</li> <li>(b) 100m to the bank of a permanent</li> </ul>	

Performance outcomes	Acceptable outcomes
	watercourse; (c) 400m of the full supply level of Burdekin
	Falls dam or a water resource supply bore.
Earthworks	
P04	No acceptable outcome is nominated.
Excavation and filling work or changes to natural drainage paths associated with the reconfiguring of a lot do not adversely affect water quality within the catchment area.	
Vegetation management	
PO5	No acceptable outcome is nominated.
<ul> <li>Development is managed in a way that:</li> <li>(a) protects riparian vegetation; and</li> <li>(b) maintains the function of remnant vegetation in controlling erosion and associated loss to the soil fertility.</li> </ul>	
Stormwater and wastewater management	
PO6	No acceptable outcome is nominated.
Stormwater management systems are	· ·
designed, constructed and operated to	
ensure that the water quality of water	
catchments are protected by avoiding	
concentration of stormwater flows that	
significantly increases erosion and transport	
of sediment and other contaminants to the	
lake or its watercourses.	
P07	No acceptable outcome is nominated.
On-site waste water disposal does not	
adversely impact on the water quality,	
including groundwater quality, of the locality.	
Editor's note-Applicants may be required to engage specialists to provide detailed investigations into the above matters in order to demonstrate compliance with this performance criterion.	

## Part 8 Development codes

## 8.1 **Preliminary**

(1) Development codes are codes for assessment where identified as an applicable code in **Part 5 (Tables of assessment).** 

Editor's note—Assessment benchmarks for certain assessable development and requirements for certain accepted development are also contained in the Regulation.

- (2) Use codes and other development codes are specific to each planning scheme area.
- (3) The following are the use codes for the planning scheme:
  - (a) Extractive industry code;
  - (b) Home based business code; and
  - (c) Telecommunications facility use code.
- (4) The following are the other development codes for the planning scheme:
  - (a) Development works code;
  - (b) Landscaping code; and
  - (c) Reconfiguring a lot code.

## 8.2 Use codes

### 8.2.1 Extractive industry code

#### 8.2.1.1 Application

This code applies to development identified as requiring assessment against the Extractive industry code by the tables of assessment in **Part 5 (Tables of assessment)**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 8.2.1.2 Purpose

- (1) The purpose of the extractive industry code is to:
  - facilitate the optimum use of extractive resources in identified areas in the region limited to the Extractive resources and minerals overlay area and parts of the Rural zone;
  - (b) ensure extractive industry operations occur in a manner that minimises impacts on public safety, amenity, the natural environment, road traffic and the road network; and
  - (c) ensures rehabilitation occurs following extraction.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) extractive industry activities including haulage routes are separated from sensitive uses to mitigate:
    - (i) encroachment on extractive industry operations by sensitive uses; and
    - (ii) extractive industry operational impacts on sensitive uses including visual, light, vibration and air, noise and water quality impacts;
  - (b) extractive industry activities are designed and managed to mitigate as far as possible, impacts on the site and surrounding area's environmental values;
  - (c) extractive industry activities are designed and managed as far as possible to protect the visual amenity and landscape character of the surrounding area;
  - (d) conflict on the region's road network between public road users and haulage traffic is minimised through the use of specified haul routes by heavy vehicles;
  - (e) land disturbed by extractive industry activities is progressively rehabilitated to ensure the site is environmentally stable and capable of reuse.

#### 8.2.1.3 Specific benchmarks for assessment

#### Table 8.2.1.3—Assessable development

Performance outcomes	Acceptable outcomes
Design and operation	
PO1	No acceptable outcome is nominated.
Extractive industry is located and operated to maintain public safety.	
PO2	AO2
Extractive industry is located and operated	Extractive industry activities are screened
to minimise potential visual impacts on nearby areas and sensitive land uses.	<ul> <li>from view from public roads, public vantage points and sensitive land uses by</li> <li>(a) natural topographic features such as ridgelines; or</li> <li>(b) a minimum 30m wide landscaped native</li> </ul>
	vegetation buffer.
PO3	AO3.1
Extractive industry is located and operated to minimise potential air, noise, air and	Noise and vibration impacts do not exceed acceptable levels contained within the

Performance outcomes	Acceptable outcomes
vibration impacts on nearby areas and sensitive land uses.	Environmental Protection (Noise) Policy 2008, as amended. <b>AO3.2</b> Air quality impacts including dust do not exceed acceptable levels contained within the Environmental Protection (Air) Policy 2008, as amended. <b>AO3.3</b> Blasting and crushing operations are limited to the hours of 9am to 5pm Monday to Friday. <b>AO3.4</b> Other extractive industry operations are limited to the hours of 6am to 6pm Monday to Saturday.
<ul> <li>PO4 Extractive industry operations avoid or minimise impact on the visual and landscape character of hilltops and ridgelines. </li> <li>PO5 Extractive industry operations avoid or minimises impact on areas of ecological significance, ecological processes or biodiversity values external to the site.</li></ul>	A04 Extractive industry operations areas are located a minimum of 50m from any hilltop or ridgeline (measured horizontally from the peak). No acceptable outcome is nominated.
Stormwater management	
<ul> <li>PO6</li> <li>Stormwater drainage systems are designed, constructed and maintained to:</li> <li>(a) prevent ponding in excavated areas;</li> <li>(b) minimise and control erosion;</li> <li>(c) prevent pollution of ground and surface water; and</li> <li>(d) provide opportunities to conserve and re-use water on site.</li> </ul>	No acceptable outcome is nominated.
Public safety and access	
<ul> <li>PO7</li> <li>Public safety is maintained by:</li> <li>(a) preventing public access into operations areas; and</li> <li>(b) informing the public of the presence and nature of operations.</li> </ul>	<ul> <li>AO7.1 Public entry is prevented through the provision of: <ul> <li>(a) security fencing with a minimum height of 1.8 metres on the perimeter of the site; and</li> <li>(b) security gates a minimum height of 1.8 metres at all access points.</li> </ul> AO7.2 Signs that inform of operations and safety hazards, are installed on: <ul> <li>(a) any public road adjoining the site; and</li> <li>(b) gates/fencing surrounding the site.</li> </ul></li></ul>
Haulage	
<ul> <li>PO8</li> <li>Extractive industry activities are located to ensure:</li> <li>(a) the safe and efficient operation of vehicles transporting extractive materials; and</li> <li>(b) extractive industry haulage vehicles</li> </ul>	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
access the site on designated haulage routes.	
Editor's note–Designated haulage routes are identified on the Extractive resources and minerals overlay map.	
Rehabilitation	
<ul> <li>PO9</li> <li>Progressive and staged rehabilitation of completed extraction sites must be undertaken that incorporates:</li> <li>(a) decontamination of both soil and water;</li> <li>(b) land profiling to establish useable and stable landforms and soil profiles;</li> <li>(c) revegetation with native plant species; and</li> <li>(d) monitoring and maintenance of works and rehabilitation sites.</li> </ul>	No acceptable outcome is nominated.
PO10	AO10
Rehabilitation ensures created water bodies will be useable by the establishment of suitable water quality, hydraulic and bed and bank conditions.	<ul> <li>Created water bodies:</li> <li>(a) have a depth and bed and bank profile suitable to establish and sustain aquatic vegetation;</li> <li>(b) establish water quality suitable to establish and sustain aquatic vegetation and animal; and</li> <li>(c) are revegetated and stocked to establish native aquatic vegetation and fauna communities and riparian vegetation.</li> </ul>

## 8.2.2 Home based business code

#### 8.2.2.1 Application

This code applies to development identified as requiring assessment against the Home based business code by the tables of assessment in **Part 5 (Tables of assessment)**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 8.2.2.2 Purpose

- (1) The purpose of the home based business use code is to ensure that home based business uses are subordinate to a dwelling and residential activity and do not adversely impact on the amenity of surrounding residential activities and not adversely impact on the viability of nearby centres.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) the scale and intensity of development is low impact;
  - (b) development does not compromise the viability of designated centres and employment areas;
  - (c) development does not adversely impact on the amenity of adjoining premises;
  - (d) development maintains the character of residential neighbourhoods, township, rural residential and rural areas.

#### 8.2.2.3 Specific benchmarks for assessment

## Table 8.2.2.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
PO1	AO1.1
<ul> <li>Development is of a scale and intensity:</li> <li>(a) secondary to the primary residential activity and residents on the site;</li> <li>(b) similar to surrounding land uses and</li> </ul>	<ul> <li>Development has a maximum GFA of:</li> <li>(a) 50m<sup>2</sup> in a residential, centre, rural residential or township zone; or</li> <li>(b) 150m<sup>2</sup> in the rural zone.</li> </ul>
dwellings; and	A01.2
<ul><li>(c) consistent with the prevailing character of the area.</li></ul>	Development (where not a home based child care), generates a demand for no more than 12 business (customer & employee) related vehicular trips to & from the site per day.
	AO1.3
	Development generates a demand for no more than one delivery per week from a delivery vehicle exceeding 2.5 tonnes in weight.
	A01.4
	<ul> <li>The home based business is conducted by:</li> <li>(a) one or more of the permanent residents of the principal dwelling; and</li> <li>(b) no more than one non-resident employees at any time.</li> </ul>
	A01.5
	Development is wholly contained within the dwelling or ancillary outbuilding on the site.
	A01.6
	<ul><li>Bed and breakfast accommodation:</li><li>(a) is wholly contained within the principal dwelling on the site;</li></ul>
	(b) allows a maximum continuous period of

Performance outcomes	Acceptable outcomes
	<ul> <li>stay for any guest of no more than 4 weeks;</li> <li>(c) does not contain more than: <ul> <li>(i) 2 guest bedrooms if within a residential, centre, township or rural residential zone; or</li> <li>(ii) 4 guest bedrooms if within the rural zone.</li> </ul> </li> </ul>
<b>PO2</b> Development is consistent with the streetscape character of the zone.	<ul> <li>AO2.1 Goods, equipment and activities associated with the development are not visible from the street or adjoining premises.</li> <li>AO2.2 Any signage associated with the home based business is: <ul> <li>(a) limited to 1 sign per site;</li> <li>(b) a maximum size of 900mm x 600mm; and</li> </ul> </li> </ul>
	(c) non-illuminated.
<b>PO3</b> Development does not adversely impact on the amenity of area.	<b>AO3</b> The home based business (where not a Bed and breakfast) is conducted between 7am to 7pm daily.
<ul> <li>PO4</li> <li>Vehicle parking (not associated with the dwelling):</li> <li>(a) is associated with the onsite home based business; and</li> <li>(b) does not adversely affect the amenity of neighbouring properties.</li> </ul>	AO4 Development (where not a home based child care), is limited to a maximum of two business (customer and any non-resident employee) related vehicles parked on the premises at any one time.
<b>PO5</b> Development must not compromise the safety of the neighbourhood and its residents.	A05.1 Development does not store or use flammable and combustible liquids on site for the conduct of the home based business in amounts greater than what is permitted for a residential dwelling under AS 1940-2004 The storage and handling of flammable and combustible liquids. A05.2
	Development does not involve an industrial activity.

## 8.2.3 Telecommunications facility use code

#### 8.2.3.1 Application

This code applies to development identified as requiring assessment against the Telecommunications facility use code by the tables of assessment in **Part 5 (Tables of assessment)**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

Editor's note–Low impact telecommunications facilities are not regulated by the planning scheme. The *Telecommunications (Low Impact Facilities) Determination 1997* provides a full list of low impact facilities. Low impact facilities remain the responsibility of the Commonwealth.

#### 8.2.3.2 Purpose

- (1) The purpose of the telecommunications facilities use code is to ensure that telecommunication facilities are located, designed and managed to minimise impacts on the amenity of adjoining premises.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) development does not unreasonably impact on the amenity of adjoining premises and the zone;
  - (b) development facilitates co-location of infrastructure wherever possible; and
  - (c) development does not unreasonably impact on the character and streetscape of the locality.

#### 8.2.3.3 Specific benchmarks for assessment

## Table 8.2.3.3—Accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes
Design	
P01 Development minimises visual amenity impacts on surrounding land uses.	<ul> <li>AO1 <ul> <li>Development has the following minimum boundary setbacks:</li> <li>(a) 10m, where the height of the structure is less than 20m;</li> <li>(b) 15m, where the height of the structure is between 20m and 30m;</li> <li>(c) 20m, where the height of the structure is greater than 30m; and</li> <li>(d) 50m from a residential zone.</li> </ul> </li> </ul>
Noise	
PO2 Development does not generate noise which: (a) causes nuisance; or (b) exceeds ambient noise levels.	<ul> <li>AO2 Development ensures that: <ul> <li>(a) noise levels measured as the adjusted maximum sound pressure level LAmax, adj. T at a noise sensitive place do not exceed: <ul> <li>(i) background noise level plus 5dB(A) between the hours of 7am and 10pm;</li> <li>(ii) background noise level plus 3dB(A) between the hours of 10pm and 7am; and</li> </ul> </li> <li>(b) noise levels measured as the adjusted maximum sound pressure level LAmax, adj. T at a business place do not exceed:</li> </ul></li></ul>

Performance outcomes	Acceptable outcomes
Screening and landscaping	<ul> <li>(i) background noise level plus 10dB(A) between the hours of 7am and 10pm; and</li> <li>(ii) background noise level plus 8dB(A) between the hours of 10pm and 7am.</li> </ul>
PO3	AO3.1
Any building associated with a telecommunications facility is screened: (a) from view from any adjoining use and	Development provides a vegetation buffer with a minimum width of 2m along all site boundaries.
street; and (b) by vegetation.	<ul> <li>AO3.3</li> <li>All vegetation buffers must:</li> <li>(a) be semi-mature vegetation upon planting; and</li> <li>(b) grow to a minimum height of 2m within 3 years of being planted.</li> </ul>
Security	
<b>PO4</b> Fencing prevents unauthorised access to telecommunications facilities.	<b>AO4</b> A fence with a minimum height of 2m is provided around all buildings and structures.
Co-location	
<b>P05</b> Development is designed to facilitate co- location of telecommunication facilities.	<ul> <li>A05</li> <li>Development: <ul> <li>(a) ensures the design facilitates co-masting or co-siting with other carriers; or</li> <li>(b) involves co-location with an existing telecommunications facility.</li> </ul> </li> </ul>

## 8.3 Other development codes

#### 8.3.1 Development works code

#### 8.3.1.1 Application

This code applies to development identified as requiring assessment against the Development works code by the tables of assessment in **Part 5 (Tables of assessment)**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 8.3.1.2 Purpose

- (1) The purpose of the Development works code is to:
  - (a) ensure all development is provided with appropriate infrastructure, parking spaces and services;
  - (b) ensure development manages stormwater and wastewater as part of the integrated total water cycle and in ways that help protect the environmental water values specified in the Environmental Protection (Water) Policy 2009 and the Stormwater Management Design Objectives in the State Planning Policy;
  - (c) protect surface water and ground water;
  - (d) ensure development is designed, constructed, operated and maintained to eliminate any adverse impacts on the environment and the amenity of the locality.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) development is adequately serviced by utility and access infrastructure including roads, water, waste water, power, telecommunications, stormwater management and waste management;
  - (b) the integrity and efficiency of utility and access infrastructure systems is maintained;
  - (c) environmental values of receiving waters are protected from adverse development impacts arising from stormwater quality and flow;
  - (d) environmental values of receiving waters are protected from waste water impacts;
  - (e) public health and safety are protected and damage or nuisance caused by stormwater is avoided;
  - (f) stormwater is designed to maintain or recreate natural hydrological processes and minimise run-off;
  - (g) the function, safety and efficiency of the transport network is optimised;
  - (h) development within close proximity to existing or future public passenger transport facilities supports an integrated approach to land use and transport integration;
  - (i) development provides adequate on-site vehicular access and adequate parking and servicing facilities for vehicles and parking facilities for bicycles;
  - access, parking, servicing and associated manoeuvring areas are designed to be safe, functional and meet the reasonable demands generated by the development;
  - (k) provision of safe and non-discriminatory public and pedestrian access is provided;
  - (I) works in public streets and spaces enhance the pedestrian amenity and improve streetscape appearance;
  - (m) earthworks does not impact adversely on the amenity of the site or the surrounding area and earthworks do not result in increased flooding, drainage and soil erosions problems on upstream and downstream property;

(n) development provides for the storage of generated waste in an environmentally acceptable and nuisance free manner and waste storage facilities are functionally appropriate for users of the facilities.

#### 8.3.1.3 Specific benchmarks for assessment

# Table 8.3.1.3(a)—Accepted development subject to requirements and assessable development

development	
Performance outcomes	Acceptable outcomes
Utility infrastructure and services	
<b>P01</b> Development is serviced by an adequate, safe and reliable supply of potable and general use water, connected to reticulated water supply where possible.	<ul> <li>AO1 Development is: <ul> <li>(a) connected to Council's reticulated water supply network, including the installation of easily accessed water meters, in accordance with the <i>Development works planning scheme policy</i>; or</li> <li>(b) if connection to Council's reticulated water supply network is not possible, a potable on-site water supply is provided in accordance with the <i>Development works planning scheme policy</i>.</li> </ul> </li> </ul>
<ul> <li>PO2 Development is serviced by appropriate waste water disposal infrastructure which ensures: <ul> <li>(a) no adverse ecological impacts on the receiving environment;</li> <li>(b) cumulative impacts of onsite waste water treatment are considered in assessing the likely environmental impacts; <ul> <li>(c) public health is maintained;</li> <li>(d) the location, site area, soil type and topography is suitable for on any site waste water treatment; and</li> <li>(e) the reuse of waste water does not contaminate any surface water or ground water.</li> </ul></li></ul></li></ul>	<ul> <li>AO2 Development is: <ul> <li>(a) connected to Council's reticulated sewerage treatment system, in accordance with the <i>Development works planning scheme policy</i>; or</li> <li>(b) if connection to Council's reticulated sewerage treatment system is not possible development, waste water is treated in accordance with <i>Development works planning scheme policy</i>.</li> </ul></li></ul>
<b>PO3</b> Electricity supply network and telecommunication service connections are provided to the site and are connected.	<ul> <li>AO3.1 The development is connected to electricity and telecommunications infrastructure in accordance with the standards of the relevant regulatory authority prior to the commencement of any use of the site.</li> <li>AO3.2 Where not included in the development, provision is made for future telecommunications services (such as fibre optic cable) in accordance with the standards of the relevant regulatory authority.</li> </ul>
Stormwater management	
Editor's note-refer also to the Stormwater management of	
<ul><li>PO4</li><li>Stormwater management is designed and operated to:</li><li>(a) ensure that adjoining land and upstream</li></ul>	<b>AO4.1</b> Development does not result in an increase in flood level or flood duration on upstream, downstream or adjacent properties.

Performance outcomes	Acceptable outcomes
<ul> <li>and downstream areas are not adversely affected through any ponding or changes in flows; and</li> <li>(b) direct stormwater to a lawful point of discharge through competently designed and constructed outlet works in a manner that reflects the predevelopment status.</li> </ul>	AO4.2 Stormwater (including roof and surface water) is conveyed to the kerb and channel or other lawful point of discharge in accordance with the requirements of the <i>Development works planning scheme policy</i> . AO4.3 Stormwater runoff from all impervious areas (roof, pavements, etc) are not permitted to flow or discharge over adjoining properties.
Earthworks	now of disordarge over adjoining properties.
<b>P05</b> Earthworks are undertaken in a manner that:	<b>A05.1</b> Earthworks comply with the <i>Development works planning scheme policy</i> .
<ul> <li>(a) prevent any worsening of soil erosion or water quality on the site, any adjoining land, or land upstream or downstream of the site;</li> </ul>	<b>AO5.2</b> The extent of filling or excavation does not exceed 40 percent of the site area or 500m <sup>2</sup> , whichever is lesser.
<ul><li>(b) produces stable landforms and structures;</li><li>(c) maintain natural landforms where possible;</li></ul>	<b>AO5.3</b> Excavating or filling is no greater than 1m in height, where involving more than 50m <sup>3</sup> of material.
<ul> <li>(d) minimise the height of any batter faces;</li> <li>(e) does not unduly impact on the amenity or privacy for occupants of the site or on adjoining land;</li> <li>(f) does not unduly impact on the amenity of the streetscape;</li> <li>(g) do not result in the contamination of land or water; and</li> </ul>	AO5.4 Batters have a maximum slope of 25%, are terraced at every rise of 1.5m and each terrace has a depth of 0.75m. AO5.5 No contaminated material or acid sulfate soil is used as fill.
<ul> <li>(h) avoids risk to people and property.</li> <li>PO6</li> <li>Retaining walls are designed to minimise visual impact through:</li> <li>(a) setbacks from any boundary; and</li> <li>(b) being stepped or terraced to</li> </ul>	AO6.1 The combined height of any retaining walls and fences does not exceed 2m. AO6.2 A retaining wall is set back at least half the
accommodate landscaping.	height of the wall from any boundary of the site. AO6.3 Retaining walls over 1.5m are stepped 0.75m for every 1.5m in height, terraced and landscaped. AO6.4 Design and construction of retaining walls over 1m in height are certified by a Registered Professional Engineer of Queensland.
<b>PO7</b> The excavation, filling or laying of pipes within the vicinity of electricity supply infrastructure must not create damage or hazard.	<ul> <li>A07.1</li> <li>Excavation or filling does not occur within:</li> <li>(a) 10m of any tower, pole, foundation, ground anchorage or stay supporting electric lines or associated equipment;</li> <li>(b) Em of a substation site boundary;</li> </ul>
Editor's note–Development involving filling, or excavation or laying of metal pipes on land contiguous to electricity supply infrastructure should be referred to the relevant electricity entity for safety advice on the proposed development.	<ul> <li>(b) 5m of a substation site boundary;</li> <li>(c) 2m of a padmount substation; or</li> <li>(d) 1m of a padmount transformer or an underground cable.</li> </ul> A07.2 The laying of metal pipes does not occur

Performance outcomes	Acceptable outcomes
	<ul> <li>within:</li> <li>(a) 5m of any pole, tower, foundation, ground anchorage or stay supporting electric lines or associated equipment;</li> <li>(b) 15m of any substation site boundary; or</li> <li>(c) 5m of, and parallel to, an electric line shadow.</li> </ul>
Parking and access	
PO8	AO8
Development includes the provision of adequate and convenient car parking on- site to satisfy the anticipated requirements of the activity.	Car parking is provided in accordance with Table 8.3.1.3(b)–Car parking requirements.
PO9	AO9
<ul> <li>Development provides end of trip facilities for people engaging in active transport (bicycle and pedestrian):</li> <li>(a) to meet the needs of users and promote active modes of travel;</li> <li>(b) at convenient, easily identifiable, safe locations; and</li> <li>(c) in locations that do not obstruct vehicular, bicycle or pedestrian movement paths.</li> </ul>	Development provides cycling and pedestrian end of trip facilities, in accordance with the requirements of the <i>Queensland Development Code</i> .
PO10	AO10.1
<ul> <li>Access driveways are designed and constructed to:</li> <li>(a) provide convenient access to the site and maintain the safety and efficiency of the road; and</li> <li>(b) minimise conflicts with traffic and</li> </ul>	<ul> <li>Access driveways are:</li> <li>(a) designed and constructed in accordance with <i>Development works planning</i> <i>scheme policy</i>; and</li> <li>(b) certified by a Registered Professional Engineer of Queensland.</li> </ul>
<ul> <li>pedestrians; and</li> <li>(c) are constructed to a standard that is appropriate to the location and to meet the anticipated volume and type of traffic.</li> </ul>	<b>AO10.2</b> Access driveways allow vehicles (with the exception of dwelling house and dual occupancy) to enter and exit the site in a forward gear.
<ul> <li>PO11 Vehicle movement areas (including internal driveways, access aisles, manoeuvring areas, car parks and service bays) are designed to ensure: <ul> <li>(a) a gradient appropriate for the type of vehicles;</li> <li>(b) effective stormwater drainage;</li> <li>(c) clearly marked and signed spaces;</li> <li>(d) convenience and safety for drivers and pedestrians; and</li> <li>(e) adequate dimensions to meet user requirements, including access and egress for emergency vehicles.</li> </ul></li></ul>	<ul> <li>AO11</li> <li>Manoeuvring, loading and unloading areas, and parking areas are:</li> <li>(a) designed and constructed in accordance with the <i>Development works planning scheme policy</i>; and</li> <li>(b) certified by a Registered Professional Engineer of Queensland.</li> </ul>
<b>PO12</b> Footpaths in the road reserve are provided along all road frontages and are paved in durable and stable materials matching any adjacent development footpaths.	<ul> <li>AO12</li> <li>Footpaths are: <ul> <li>(a) provided for the full width and length of all road frontages;</li> <li>(b) designed and constructed in accordance with the requirements of the Development works planning scheme policy; and</li> </ul> </li> </ul>

Performance outcomes	Acceptable outcomes
	(c) certified by a Registered Professional
	Engineer of Queensland.
PO13	AO13
Pedestrian access to buildings:	Steps, escalators, ramps and lifts are:
(a) do not obstruct pedestrian movement	(a) located wholly within the site; and
(or form physical clutter) on public	(b) setback a minimum of 1.5m from the
footpaths;	front boundary.
(b) are not visually overbearing (or form	
visual clutter) in the streetscape; and	
(c) provide safe, efficient and convenient	
access including wheelchair access.	
Acoustic and air quality	-
P014	A014
Development minimises potential conflicts	Development achieves the air quality design
with, or impacts on, other uses having	objectives set out in the Environmental
regard to vibration, odour, dust or other	Protection (Air) Policy 2008, as amended.
emissions.	Editor's note–To achieve compliance, development is
	planned, designed and managed to ensure emissions
	from activities to achieve the appropriate acoustic objectives (measured at the receptor dB(A)).
PO15	AO15
Development prevents or minimises the	Development achieves the noise generation
generation of any noise so that:	levels set out in the Environmental
(a) nuisance is not caused to adjoining	Protection (Noise) Policy 2008, as amended.
premises or other nearby sensitive land	
uses; and	
(b) desired ambient noise levels in	
residential areas are not exceeded.	
PO16	AO16
Development adjacent to State controlled	Development complies with the requirements
roads or Council controlled arterial and sub- arterial roads minimise nuisance caused by	of the Department Main Roads - Road Traffic Noise Management Code of Practice and the
noise, vibration and dust emissions.	Environmental Protection (Noise) Policy
Lighting	2000.
PO17	A017
External lighting is provided in urban areas	Technical parameters, design, installation,
to ensure a safe environment.	operation and maintenance of outdoor
	lighting complies with the requirements of
	AS4282 – Control of the Obtrusive Effects of
	Outdoor Lighting.
PO18	AO18
Outdoor lighting does not cause undue	The vertical illumination resulting from direct,
disturbance to any person, activity or fauna	reflected or other incidental light coming from
because of emission, either directly or by	a site does not exceed 8 lux when measured
reflection.	at any point 1.5 m outside of the boundary of
	the property at any level from ground level
	up.
Waste management	
PO19	AO19
Development:	Waste storage and management
(a) minimises waste generation (including	arrangements are sited, screened and
construction, demolition and	designed in accordance with the
operational waste); (b) provides adequate facilities on-site for	Development works planning scheme policy.
the storage of waste and recyclables.	
PO20	AO20.1

Performance outcomes	Acceptable outcomes
<ul> <li>Development is designed to allow for safe and efficient servicing of waste and recycling containers through:</li> <li>(a) a development layout facilitates direct and unobstructed servicing of waste and recycling containers; and</li> <li>(b) minimising the potential for nuisances to be caused by way of noise and odour.</li> </ul>	<ul> <li>Where on-site waste and recycling collection services are proposed:</li> <li>(a) collection vehicle entry and exit from the site is carried out in forward motion; and</li> <li>(b) the proposed point of servicing is designed in accordance with the <i>Development works planning scheme policy</i>.</li> <li>AO20.2</li> <li>Where on-street (kerbside) collection is proposed for any standard waste and recycling containers or bulk bin waste and recycling, waste management is designed in accordance with the <i>Development works planning scheme policy</i>.</li> </ul>
For all assessable development	
Wastewater management	
<ul> <li>PO21</li> <li>Wastewater is managed to: <ul> <li>(a) avoid wastewater discharge to any waterway; or</li> <li>(b) if wastewater discharge to waterways cannot be practically avoided, discharge is minimised to an acceptable level by re-use, recycling, recovery and treatment for disposal to sewer, surface water and groundwater.</li> </ul> </li> <li>Editor's note-Wastewater is defined in accordance with Editor's note-Wastewater is defined in accordance with</li> </ul>	No acceptable outcome specified.
Environmental Protection (Water) Policy 2009, schedule 2). Editor's note–A wastewater management plan (WWMP) is prepared by a suitably qualified person and addresses: (i) wastewater type; and (ii) climatic conditions; and (iii) water quality objectives (WQOs); and (iv) best-practice environmental management.	
<ul> <li>PO22</li> <li>Wastewater discharge maintains ecological processes, riparian vegetation, waterway integrity, and downstream ecosystem health including: <ul> <li>(a) protecting applicable water quality objectives for the receiving waters;</li> <li>(b) managing soil disturbance or altering natural hydrology in coastal areas;</li> <li>(c) avoiding or minimising the release of nutrients of concern so as to minimise the occurrence, frequency and intensity of coastal algal blooms; and</li> <li>(d) avoiding lowering groundwater levels where potential or actual acid sulfate soils are present in coastal areas.</li> </ul> </li> <li>Editor's note-Compliance with part of this performance outcome may be demonstrated by following the management advice in the guideline: Implementing Policies and Plans for Managing Nutrients of Concern for Coastal Algal Blooms in Queensland by the</li> </ul>	No acceptable outcome specified.

Performance outcomes	Acceptable outcomes
Department of Environment and Heritage Protection.	
Stormwater management	
PO23	AO23
<ul> <li>Stormwater management systems:</li> <li>(a) implement water sensitive urban design (WSUD) principles that: <ul> <li>(i) protect natural systems and waterways;</li> <li>(ii) allow for the detention of stormwater instead of rapid conveyance;</li> <li>(iii) minimise impervious areas;</li> <li>(iv) utilise stormwater to conserve potable water;</li> <li>(v) integrate stormwater treatment into the landscape;</li> <li>(vi) ensure water quality values are protected;</li> </ul> </li> <li>(c) must be economically maintained for the life of the system;</li> <li>(d) provide for safe access and maintenance; and</li> <li>(e) maintain natural drainage lines and adequate filtering and settlement of sediment for the protection of watercourses, coastal wetlands and beaches from point sources and non-</li> </ul>	AO23 Stormwater management systems are designed and constructed in accordance with the <i>Development works planning</i> <i>scheme policy</i> . Editor's note–A site stormwater quality management plan (SQMP) is prepared in accordance with <i>Development works planning scheme policy</i> and the <i>State Planning Policy</i> objectives for stormwater management design.
point source stormwater discharges.	
<b>PO24</b> Development allows for sufficient site area to accommodate an effective stormwater management system.	No acceptable outcome specified.
<ul> <li>PO25 Development provides for the orderly development of stormwater infrastructure within a catchment, having regard to: <ul> <li>(a) existing capacity of stormwater infrastructure and ultimate catchment conditions;</li> <li>(b) discharge for existing and future upstream development; and</li> <li>(c) protecting the integrity of adjacent and downstream development.</li> </ul></li></ul>	No acceptable outcome specified.
<b>PO26</b> Major stormwater drainage network elements are designed and constructed with the capacity to control stormwater flows under normal and minor system blockage conditions for the applicable defined flood event ensuring there is no damage to property or hazards for motorists.	<b>AO26</b> Stormwater infrastructure is designed in accordance with the requirements of the <i>Development works planning scheme policy</i> .
PO27 Reconfiguration of lots includes stormwater management measures in the design of any road reserve, streetscape or drainage networks to: (a) minimise impacts on the water cycle;	No acceptable outcome specified.

Performance outcomes	Acceptable outcomes
(b) protect waterway health by	
improving stormwater quality and	
reducing site run-off; and	
(c) avoid large impervious surfaces.	No occuptoble cutoring on a SG of
PO28	No acceptable outcome specified.
Construction activities for the development	
avoid or minimise adverse impacts on	
stormwater quality.	
Editor's note–An erosion and sediment control plan (ESCP) is prepared by a suitably qualified person that demonstrates:	
<ul> <li>erosion and sediment control practices (including any proprietary erosion and sediment control products) are designed, installed, constructed, operated, monitored and maintained, and any</li> </ul>	
<ul> <li>other erosion and sediment control practices are carried out in accordance with local conditions; or</li> <li>(ii) how stormwater quality will be managed in accordance with an acceptable regional or local guideling at that the practice the provided in the practice of the practice of the the practice of t</li></ul>	
guideline so that target contaminants are treated to a design objective at least equivalent of this Performance outcome.	
Earthworks	
PO29	No acceptable outcome specified.
Earthworks associated with transport	
movements and roads:	
(a) maintain the efficiency of the road network;	
(b) do not adversely impact upon residents or road infrastructure; and	
(c) do not obstruct access to the site.	
PO30	No acceptable outcome specified.
	No acceptable outcome specified.
Development in the Rural zone and Rural	
residential zone manages soil erosion and	
sedimentation by:	
(a) avoiding land clearing or earthworks in the riparian corridor to a designated	
stream;	
(b) minimising the extent of disturbance on, or the stabilisation of slopes steeper	
than 10%;	
(c) managing and controlling surface	
drainage by using natural flow paths;	
and (d) constructing pends or small dame off	
(d) constructing ponds or small dams off	
natural flow paths, for collection of	
surface drainage from areas disturbed	
for prolonged periods, such as quarries,	
stock sales yards.	
PO31	No acceptable outcome specified.
Any disturbed areas within the site are to be	
progressively rehabilitated through	
appropriate earthworks and involve the:	
(a) grading and reshaping of the disturbed	
areas to provide controlled and stable	
drainage flow paths;	
(b) construction of drainage paths which	
divert high velocity flows away from	
disturbed areas;	
(c) re-spreading of stored topsoil stripped	

Performance outcomes		Acceptable outcomes
from the site prior to com	moncomont of	
construction works; and		
(d) planting of the disturbed	area with	
native species of grasse		
covers and trees and pla		
between on the surface.		
Editor's note-Applicants may be rec	uired to engage	
specialists to prepare a rehabilitatio	n pian.	
Bridge and culvert work		No constable subscure an elfied
PO32 Bridges and subjects for floor	d impoundituu	No acceptable outcome specified.
Bridges and culverts for floor		
(a) minimise traffic disruption	1,	
<ul><li>(b) improve public safety;</li><li>(c) provides for fauna habita</li></ul>	t movement	
where possible; and		
(d) allow for bikeways after (	construction	
· · / 2		
Land use and transport int	egration	No constable subscription (10) 1
PO33		No acceptable outcome specified.
Development: (a) supports a road hierarch	v which	
facilitates efficient mover		
transport modes; and		
(b) appropriately integrates	and connects	
with surrounding movem		
PO34	ent networks.	A034
Development provides direct	and safe	Any through-site pathway connections to
access to public passenger t		public passenger transport facilities are
facilities.	ransport	provided in accordance with Austroads guide
		to road design—Part 6A: Pedestrian and
		cyclist paths.
Road design		
PO35		AO35
Roads providing access to the	ne site are	Roadworks are provided in accordance with
provided, constructed and m		the requirements of the Development works
standard which is adequate t		planning scheme policy.
type and volume likely to be		
the activities on site.	- *	
PO36		PO36
Street lighting and signs are	provided to	Street lighting and signage comply with the
ensure the safety of both veh	nicles and	requirements of the Development works
pedestrians, and to facilitate	access and	planning scheme policy.
movement.		
Acoustic and air quality		
PO37		No acceptable outcome specified.
Utility services and service s	tructures	
attached to buildings, do not		
impact on the acoustic or vis		
the surrounding area and are		
(a) located as far from sensi		
road frontage boundaries		
open spaces as practica		
(b) acoustically shielded and		
screened so as not to be		
visible from adjoining an	d nearby sites	
public open spaces and		
(b) acoustically shielded and screened so as not to be visible from adjoining an	d visually audible or	

Table 8.3.1.3(b)—Car parking req	
Use	Car parking rate requirements
Agricultural supplies store Bulk landscape supplies Garden centre	1 space per 100m <sup>2</sup> of total use area, but not less than 5 spaces
Wholesale nursery	
Brothel	1 space for each room in the brothel, AND
biotilei	1 space per two employees (FTE) on the premises at any one time
Caretaker's accommodation Dwelling unit	1 space
Car wash	2 spaces, AND
	queuing space within the site for 4 vehicles using or awaiting use of each washing bay
Cemetery	30 spaces plus 1 space per two employees (FTE) on
Crematorium	the premises at any one time
Childcare centre	1 space per seven children
Community care centre	1 space per 20m <sup>2</sup> of GFA
Detention facility	1 space per 2 employees (FTE); plus a minimum of 10 visitor spaces
Food and drink outlet	1 space per 10m <sup>2</sup> of total use area
Funeral parlour	<ol> <li>space per employee, AND</li> <li>space per hearse, AND</li> <li>space per 4 persons capable of being seated in any chapel or accommodated in a function area with a minimum of 10 spaces</li> </ol>
Hardware and trade supplies	1 space per 40m <sup>2</sup> of GFA
Health care service Veterinary service	<ol> <li>space per 20m<sup>2</sup> of GFA, OR</li> <li>spaces per medical practitioner, whichever is the greater, AND</li> <li>space for ambulance vehicle pick-up and set down</li> </ol>
High impact industry Low impact industry Medium impact industry Marine industry Research and technology industry Rural industry Service industry Special industry Warehouse	1 space per 100m <sup>2</sup> of total use area
Hotel	1 space per dwelling and 1 space per 30m <sup>2</sup> of total use area excluding the accommodation unit area
Place of worship	1 space per 10m <sup>2</sup> of total use area
Office Outdoor sales	1 space 30m <sup>2</sup> of total use area
Relocatable home park Tourist park	1 space per dwelling unit, camping or caravan site
Adult store Bar Nightclub entertainment facility Showroom Shop Shopping centre Theatre	1 space per 20m <sup>2</sup> of total use area
Service station	1 space per 100m <sup>2</sup> of GFA

Table 8.3.1.3(b)—Car parking requirements

Use	Car parking rate requirements
Tourist attraction	1 space per 200m <sup>2</sup> of total use area
Market	1 space per stall
Multiple dwelling	2 spaces per dwelling
Residential care facility Rooming accommodation Short-term accommodation	1 space per room
Winery	1 space per 25m <sup>2</sup> of GFA
Air service Club Community residence Community use Educational establishment Function facility Hospital Indoor sport and recreation Major sport, recreation and entertainment facility Motor sport facility workforce accommodation Outdoor sport and recreation Retirement facility Resort complex Transport depot	Sufficient spaces to accommodate the amount of vehicle traffic likely to be generated by the particular use

### 8.3.2 Landscaping code

#### 8.3.2.1 Application

This code applies to development identified as requiring assessment against the Landscaping code by the tables of assessment in **Part 5 (Tables of assessment)**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 8.3.2.2 Purpose

- (1) The purpose of the landscape code is to ensure landscaping in both the private and public domain:
  - (a) complements built form, topography and existing landscape elements;
  - (b) enhances the visual appeal and local character of different places throughout the region;
  - (c) is designed and constructed to a high standard to suit climatic conditions; and
  - (d) Is functional for users and remains fit for purpose over the long-term.
- (2) The purpose of the code will be achieved by the following overall outcomes:
  - (a) landscaping creates shade and shelter on streets and public spaces;
  - (b) landscaping conserves energy, water usage and create comfortable microclimates;
  - (c) landscaping creates high quality streetscapes and enhances local identity;
  - (d) landscape design is used to integrate the natural and built form elements of the site and the locality;
  - (e) landscape elements contribute to the useability, legibility and understanding of the city and the region and its places;
  - (f) landscaping is used for screening to soften built form, mitigate adverse aesthetic impacts, improve amenity and provide privacy;
  - (g) plant species and landscaping materials are suitable for local climatic conditions;
  - (h) plant species, landscaping materials and surface treatments are suited to their intended function and user requirements and are designed to remain attractive, fit for purpose and be cost effective to maintain over the long-term;
  - (i) landscape design facilitates an accessible, safe and comfortable environment for all users;
  - (j) mature on-site vegetation is retained, protected and integrated into the site design wherever practicable.

#### 8.3.2.3 Specific benchmarks for assessment

#### Table 8.3.2.3—Assessable development

Performance outcomes	Acceptable outcomes
General	
<ul> <li>PO1 <ul> <li>Landscape design of both public and private spaces:</li> <li>(a) compliments the intended character of the streetscape and zone;</li> <li>(b) is functional and designed to be visually appealing in the long-term; and</li> <li>(c) incorporates plant types appropriate for the region and local climate.</li> </ul> </li> </ul>	No acceptable outcome is nominated.

Performance outcomes	Accontable outcomes
Performance outcomes	Acceptable outcomes
Landscape works and plant selection	No acceptable outcome is nominated.
ensure:	
<ul> <li>(a) climatically appropriate species are planted;</li> </ul>	
<ul> <li>(b) the provision of shade in appropriate locations;</li> </ul>	
<ul> <li>(c) an appropriate mix of soft and hard elements; and</li> </ul>	
<ul> <li>(d) planting densities and stock sizes are suitable for their location, purpose and hardiness.</li> </ul>	
PO3	AO3
Street trees are provided in appropriate	Street trees are provided at the rate
locations to:	whichever is the lesser of:
(a) provide shade for pedestrians along	(a) one street tree per lot frontage or one
footpaths;	tree per 10 linear metres of road
(b) reinforce the legibility of the movement	frontage; or
network;	(b) a minimum of 1 tree per 400m <sup>2</sup> of site
(c) avoid damage to public or private	area.
property or infrastructure;	
(d) enhance the character of the	
streetscape; and	
(e) ensure visibility is maintained	
from entrances and exits to properties	
and at intersections.	
PO4	No acceptable outcome is nominated.
Street treatments including pavement,	
seating, lighting, rubbish bins are provided to:	
(a) enhance the usability and amenity of	
streets and public spaces;	
(b) facilitate social interaction; and	
(c) maintain clean streetscapes.	
Editor's note–Refer also to the Development works planning scheme policy.	
PO5	A05
Wherever possible, landscape	Existing mature trees and vegetation are
design facilitates the retention and	retained and incorporated into the landscape
integration of mature existing vegetation,	design.
both within and external to the site.	5
Landscaping along boundaries and edges	
PO6	No acceptable outcome is nominated.
Planting and landscape elements along	
boundaries and edges assist in:	
<ul> <li>(a) maintaining privacy between adjoining buildings;</li> </ul>	
<ul> <li>(b) protecting local views, vistas and sightlines;</li> </ul>	
<ul> <li>(c) enhancing the visual appearance of the built form;</li> </ul>	
<ul> <li>(d) screening service, utility and parking areas;</li> </ul>	
<ul><li>(e) minimising noise impacts between noise sources and sensitive receiving</li></ul>	
environments; and	

Performance outcomes	Acceptable outcomes
	Acceptable outcomes
(f) reducing the visual impact of acoustic	
fences, retaining walls and long unbroken walls.	
Open air car parking	
PO7	A07.1
Open air car parking areas are provided	Shade trees are located at the rate of one
with suitable levels of shade.	tree per 6 car spaces.
	A07.2
	Wheel stops are provided to protect
	vegetation.
Sustainability	
PO8	No acceptable outcome is nominated.
Landscape design including irrigation	
methods optimise water and energy	
efficiency and responds appropriately to	
local conditions, by:	
(a) maximising the exposure to	
the prevailing summer breezes and	
the north-east winter morning sun;	
(b) minimising exposure to the	
prevailing winter winds and western	
summer sun;	
(c) optimising shade to create useable	
and comfortable areas; and	
(d) maintaining infiltration to subsurface	
soil.	
Safety	1
PO9	No acceptable outcome is nominated.
Landscape elements enhance the safety,	
legibility of places and do not undermine the	
surveillance of paths, walkways, parking	
areas, streets and public spaces by	
ensuring:	
<ul> <li>(a) landscape elements (including signage and other infrastructure) does not</li> </ul>	
interfere with sightlines;	
(b) spaces are well lit, free from	
obstructions and clearly defined by	
landscape treatments; and	
(c) public and private areas are clearly	
distinguishable and accessible.	
Editor's note–Applicants should have regard to Crime	
Prevention through Environmental Design Guidelines	
for Queensland.	
Maintenance	-
PO10	No acceptable outcome is nominated.
Landscape elements do not adversely	
affect stormwater quantity or quality by	
ensuring:	
(a) the flow of water along overland	
flow paths is not restricted;	
(b) opportunities for water infiltration	
are maximised; and	
<ul> <li>(c) areas of pavement, turf and mulched garden beds are appropriately</li> </ul>	
located and adequately drained.	
ioualou and adequalely dialited.	

Performance outcomes	Acceptable outcomes
P011	No acceptable outcome is nominated.
Landscape elements:	
(a) provide high levels of durability and	
robustness;	
(b) are cost effective; and	
(c) have the ability to be maintained	
conveniently over the long-term.	
PO12	No acceptable outcome is nominated.
Landscape works and plant selection	
protects the structural integrity and function	
of:	
(a) buildings and structures;	
(b) overhead and underground services;	
and	
(c) other forms of infrastructure.	

### 8.3.3 Reconfiguring a lot code

#### 8.3.3.1 Application

This code applies to development identified as requiring assessment against the Reconfiguring a lot code by the tables of assessment in **Part 5 (Tables of assessment)**.

When using this code, reference should be made to section 5.3.2 and where applicable, section 5.3.3 located in Part 5.

#### 8.3.3.2 Purpose

- (1) The purpose of the reconfiguring a lot code is to:
  - ensure that new lots are configured in a manner that facilitates the achievement of the sustainable urban and rural outcomes expressed in the relevant zone codes;
  - (b) ensure that new lots are provided with infrastructure and access appropriate for their intended use and zone;
  - (c) minimise adverse environmental impacts and protect the productive capacity and landscape character of the region's natural resources.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) new lots are of a size and shape appropriate for their intended use and the character of the applicable zone;
  - (b) new lot reconfiguration is responsive to topography, natural drainage systems, vegetation and habitat corridors and protects the landscape character of the locality;
  - (c) lots ensure the amenity and minimise impacts on adjoining land;
  - (d) each new lot is provided with a suitable level of infrastructure, services and access;
  - (e) greenfield development is characterised by walkability, housing choice and conveniently located centres providing enhanced opportunities for social interaction;
  - (f) neighbourhoods are designed to allow development to incorporate climate responsive, energy efficient design principles;
  - (g) streets are legible, safe, highly interconnected and designed to achieve enhanced streetscapes;
  - (h) rural areas are not fragmented to the detriment of productive grazing, agricultural, horticultural, other rural uses or where directly associated with mining and petroleum activities<sup>26</sup> where only aligning tenement boundaries or establishing necessary infrastructure corridors or buffers;
  - (i) open space meets the active and passive recreational needs of the community and protects the biodiversity of natural areas and systems.

Editor's note–In order to demonstrate compliance with this code, Council may request the preparation of a structure plan for the locality, which may include land external to the site. This is likely where the proposed development involves more than 5 lots or the construction of a new road. The structure plan should be prepared in accordance with the provisions of this code in conjunction with section 3.3.1.2(5) of the Strategic Framework in regards to the development in the Emerging community zone and also section 3.4.1.2(10) of the Strategic Framework in the Industry Investigation zone. Structure plans may form the basis of a preliminary approval for development in an area.

<sup>&</sup>lt;sup>26</sup> A mining or petroleum activity is an activity authorised under the Mineral Resources Act, 1989, the Offshore Minerals Act 1998, or the Petroleum Act 1993, or the Petroleum and Gas (Production and Safety Act) 2004.

### 8.3.3.3 Specific benchmarks for assessment

Performance outcomes	Acceptable outcomes
<ul> <li>Lot design</li> <li>PO1 Reconfiguration creates lots that are of a sufficient size, shape and dimension: <ul> <li>(a) that are consistent with the character of the zone;</li> <li>(b) to accommodate development commensurate with the required building footprint, setbacks, private open space, vehicle access and parking and servicing areas for the zone; <li>(c) that does not compromise the future development potential of land in the emerging community zone and industry investigation zone for urban purposes; and</li> <li>(d) are sufficient to protect areas</li> </li></ul></li></ul>	AO1 Lots comply with the minimum lot size and dimensions specified for its zone in Table 8.3.3.3(b)–Minimum lot size and dimensions.
<ul> <li>with significant ecological values.</li> <li>PO2</li> <li>Rear lots are only created where: <ul> <li>(a) they are for the purpose of a single dwelling house;</li> <li>(b) the topography of the land or other physical factures ansure that the</li> </ul> </li> </ul>	AO2.1 Only one rear lot is provided behind each full frontage lot. AO2.2 The minimum size of a rear lot, excluding its access handle is:
<ul> <li>physical features ensure that the amenity of adjoining lots would not be detrimentally affected;</li> <li>(c) the circumstances of the particular case are such that it would not be desirable or practical to provide full frontage lots; and</li> <li>(d) the safety of the frontage road is not adversely affected (including for waste</li> </ul>	<ul> <li>(a) the same as the minimum lot size for the relevant zone in accordance with Table 8.3.3.3(b)–Minimum lot size and dimensions; and</li> <li>(b) is capable of containing a building envelope having minimum dimensions of 15m x 20m.</li> </ul>
collection). PO3 Any boundary realignment must:	The access handle of the rear allotment has a minimum width of 4m. AO3.1 No additional lots are created.
<ul> <li>(a) improve the shape or utility of the existing lot;</li> <li>(b) be consistent with the character of the zone; and</li> <li>(c) not create additional lots.</li> </ul>	<b>AO3.2</b> The realignment meets the minimum lot size and dimensions in accordance with Table 8.3.3.3(b)–Minimum lot size and dimensions.
<ul> <li>PO4 <ul> <li>Any boundary realignment must:</li> <li>(a) be an improvement on the existing situation; and</li> <li>(b) not create a situation where, as a result of the reconfiguration the building/s become unlawful.</li> </ul> </li> </ul>	No acceptable outcome is nominated.
General design	
<ul><li>PO5</li><li>The layout of lots, streets and infrastructure avoids or minimises impacts on environmental features by:</li><li>(a) following the natural topography</li></ul>	No acceptable outcome is nominated.

Performance outcomes	Acceptable outcomes
and minimising earthworks;	
(b) avoiding crossing or	
otherwise fragmenting waterways,	
wetlands, habitat areas, ecological	
corridors or steep land; and	
(c) maintaining natural drainage	
features and hydrological regimes.	
PO6	No acceptable outcome is nominated.
Lot design does not increase risks to	No dooptable outcome la nominatea.
people and property through:	
(a) natural hazards; and	
(b) unreasonable impacts from noise dust,	
odour or other nuisance from existing	
lawful uses.	
P07	No acceptable outcome is nominated.
Reconfiguration is designed to ensure	······································
integration with the surrounding locality,	
having regard to:	
(a) connections to surrounding streets,	
pedestrian and cycle networks and	
other infrastructure networks;	
(b) open space networks, habitat areas	
or corridors;	
(c) connections to centres,	
employment areas and recreation	
areas;	
(d) surrounding landscaping	
and streetscape treatments; and	
(e) the interface between adjoining	
land uses.	
Neighbourhood design in residential zone	S
PO8	No acceptable outcome is nominated.
Reconfigurations are designed to ensure:	
(a) the creation of seamless interlinked	
neighbourhoods with residential	
character and identity;	
(b) pedestrian movement is encouraged;	
(c) neighbourhoods are concentrated	
around community focus points such as	
centres and parks.	
PO9	No acceptable outcome is nominated.
A variety of lot sizes are provided in close	
proximity to centres and parks to promote a	
wider housing choice and mix that are consistent with zone outcomes.	
PO10	No acceptable outcome is nominated
Neighbourhood design provides for safer	No acceptable outcome is nominated.
communities by maximising opportunities	
for casual surveillance and minimising	
opportunities for crime and vandalism.	
Editor's note-Applicants may find useful guidance in	
the Queensland Government's Crime Prevention through Environmental Design Guidelines for	
Queensland.	
P011	No acceptable outcome is nominated.
Movement and open space networks are:	
(a) safe, clearly legible and have a high	

Performance outcomes	Acceptable outcomes
degree of connectivity; and	
(b) interconnected through a grid or	
modified grid pattern. PO12	No accentable outcome is period
-	No acceptable outcome is nominated.
Movement networks prioritise walking and	
cycling within neighbourhoods.	
PO13	No acceptable outcome is nominated.
The permeability and connectivity of streets	
is not compromised by the use of cul-de-	
sacs unless no alternative arrangement is	
possible.	
Climate responsive design	
PO14	No acceptable outcome is nominated.
Neighbourhood layouts are designed to	
respond to local climate conditions and	
enable energy efficient dwellings.	
Lot reconfiguration in the industry zone	
PO15	No acceptable outcome is nominated.
Reconfiguration facilitates all types of	
industrial activities through:	
(a) the creation of functional activity areas	
and building footprints;	
(b) a range of lot sizes;	
(c) accommodating appropriate waste	
water management capabilities; and	
(d) maximising access to significant roads,	
highways, haul routes and railways.	
PO16	No acceptable outcome is nominated.
Where reconfiguration adjoins land in	
another zone, lots are of a sufficient size to	
mitigate any noise, air quality and visual	
impacts on that adjoining land.	
Lot reconfiguration in the Rural zone	
PO17	AO17
Reconfiguration:	Lots comply with the minimum lot size and
(a) maintains rural, open space and	dimensions for the rural zone specified in
landscape character;	Table 8.3.3.3(b)–Minimum lot size and
(b) protect the productive capacity of rural	dimensions.
land resources; and	
(c) allows for the efficient operation of rural	
activities.	
PO18	AO18
Reconfiguration where directly associated	Lots comply with the minimum lot size and
with a mining or petroleum activity aligns lot	dimensions for the rural zone specified in
boundaries with the functional requirements	Table 8.3.3.3(b)–Minimum lot size and
of the mining or petroleum activity including	dimensions.
required tenement boundaries,	
infrastructure corridors or buffer areas.	
Editor's note–A mining or petroleum activity is an	
activity authorised under the Mineral Resources Act,	
1989, the Offshore Minerals Act 1998, or the	
Petroleum Act 1993, or the Petroleum and Gas	
(Production and Safety Act) 2004. Applicants must demonstrate the mining or petroleum activity is	
authorised under any of the abovementioned Acts	
including evidence of their mining or petroleum tenure.	
PO19	AO19
Reconfiguration of land identified as Class	Lots comply with the minimum lot size and
A and B Agricultural land does not:	dimensions for the rural zone specified in

Performance outcomes	Acceptable outcomes
<ul> <li>(a) adversely impact on the viability of land for productive agricultural or grazing purposes; and</li> <li>(b) constrain existing farming activities.</li> </ul>	Table 8.3.3.3(b)–Minimum lot size and dimensions.
Editor's note–Class A and B agricultural land is identified in the Agriculture land overlay map OM2.	
Infrastructure and services	
Editor's note-Refer also to the Development works code	
<ul> <li>PO20</li> <li>Each reconfigured lot is provided with infrastructure and services appropriate to its intended use and location in a manner that: <ul> <li>(a) is efficient;</li> <li>(b) is adaptable to allow for future infrastructure upgrades;</li> <li>(c) minimises risk of adverse environmental or amenity-related impacts;</li> <li>(d) promotes the efficient use of water resources; and</li> <li>(e) minimises whole of life cycle costs for that infrastructure.</li> </ul> </li> </ul>	<ul> <li>AO20.1 Lots created within the Priority Infrastructure area are designed and configured to connect to a reticulated water supply and a reticulated sewerage in accordance with the <i>Development works planning scheme policy</i>. </li> <li>AO20.2 Lots created outside the Priority Infrastructure area are designed and configured to: <ul> <li>(a) connect to a potable on site water supply in accordance with the <i>Development works planning scheme policy; and</i></li> <li>(b) treat waste water on site in accordance with the <i>Development works planning scheme policy; and</i> </li> <li>(b) treat waste water on site in accordance with the <i>Development works planning scheme policy; and</i></li> <li>(c) treat waste water on site in accordance with the <i>Development works planning scheme policy.</i> </li> <li>AO20.3 Lots are designed and configured to provide for stormwater infrastructure in accordance with the design requirements of the <i>Development works planning scheme policy.</i> AO20.4 Lots are connected to electricity and telecommunications infrastructure in accordance with the standards of the relevant regulatory authority prior to the commencement of any use of the site.</li></ul></li></ul>
PO21	No acceptable outcome specified.
<ul> <li>Where reconfiguration proposes individual on-site waste water disposal, it must be demonstrated that:</li> <li>(a) the soil type and permeability, slope, and hydrology of the land is capable of accommodating the proposed loads within the lot;</li> <li>(b) there is sufficient area within the lot for an alternative disposal area should it be required; and</li> <li>(c) individually and collectively, the impacts of the existing and proposed systems do not adversely impact on the groundwater quality of the locality.</li> </ul>	
Editor's note-refer also to the Development works code.	
<ul> <li>PO22</li> <li>Lots have safe access for vehicles and pedestrians through:</li> <li>(a) direct frontage to a properly constructed public road or to common property having a direct frontage to a</li> </ul>	<b>AO22</b> Lots are designed to achieve safe vehicle and pedestrian access in accordance with the <i>Development works planning scheme</i> <i>policy</i> .

Performance outcomes	Acceptable outcomes
properly constructed public road	
created under a community	
management statement; and	
(b) providing access appropriate for the	
type of vehicle associated with	
development.	
PO23	No acceptable outcome specified.
Reconfiguration involving the creation of	
new roads must:	
(a) provide for the safe, efficient and	
convenient movement for all modes of	
transport;	
(b) are designed and constructed to	
support their intended function for	
all relevant design vehicle types;	
(c) provide safe and easy access to the	
frontage of lots;	
(d) are designed and constructed to give	
priority to pedestrian and bicycle	
pathways at intersections;	
(e) where practicable, align with open	
space corridors and waterways; and	
(f) where appropriate provide connections	
to adjoining land.	No apportable outcome appoified
New roads ensure streetscape and	No acceptable outcome specified.
landscape treatments are provided that:	
(a) create an attractive and legible	
environment which establishes	
character and identity;	
(b) maintain important views and vistas	
where possible;	
(c) enhance safety and comfort, and meet	
user needs;	
(d) complement the function of the street in	
which they are located by reinforcing	
desired traffic speed and behaviour;	
(e) support safe pedestrian and cycling	
movement;	
(f) maximise infiltration of stormwater	
runoff wherever practicable;	
(g) provide shade through street trees; and	
(h) minimise maintenance and whole of	
lifecycle costs.	
Pedestrian and cycle infrastructure	
Editor's note–Refer also to the Development works code	
PO25 Reconfiguration include appropriate	No acceptable outcome is nominated.
Reconfiguration include appropriate	
pedestrian and cycle infrastructure that: (a) provides a high level of connectivity	
and permeability that links residential	
areas with schools; centres, community	
activity uses; parks and employment	
areas;	
(b) provides for safe street crossings and	
for safety between pedestrians and	
cyclists;	
(c) is designed taking into account	
	1

topography and convenience for users; and       (d) meets disability access standards.         Stormwater management Editors note-Refer also to the Development works code.       No acceptable outcome is nominated.         PO26 Reconfiguring a lot development: (a) manages the stormwater quality, quantity and velocity flow characteristics from the lot to maintain or improve the pre-development levels; and       No acceptable outcome is nominated.         Parks and open space       Parks and open space       No acceptable outcome are likely to be appropriate in existing developed areas. This may include works and embellishment to existing parts or recreational condors to meet the developments.         PO27 Reconfiguring a lot provides parkland or open space which: (a) meets the needs of the community for a range of active and passive uses; and (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.       Parkland is provided in accordance with the Local Government Infrastructure Plan.         PO28 The design of parkland or open space (b) is safe and functions as a for cal point for the neighbourhood or area; (c) incorporates natural areas including alignment, fencing and landscaping; (d) maximises road frontage to facilitate casual surveillance; (e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands; (f) preserves landscape features important to the scenic amenity of a localit; (j) is cost effective to maintain; and (j) provided in the early stages of staged developments.       No acceptable outcome is nominated.         PO29 The location of parkland or open space is conveniently located to residential neighbourhoods.       No acceptable o	Performance outcomes	Acceptable outcomes
Stormwater management         Editor's note-Refer also to the Development works code.         PO26         Reconfiguring a lot development:         (a) manages the stormwater quality, characteristics from the lot to maintain or improve the pre-development levels; and       No acceptable outcome is nominated.         (b) where practicable incorporates stormwater re-use.       Parks and open space         Editor's note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Alternative outcomes are likely to be appropriate in existing developed areas. This may include works and embelishment to existing parks or recreational comdors to meet the development's demand, or as part of an infrastructure partnership agreement.         PO27       Reconfiguring a lot provides parkland or open space which:         (a) ometis the needs of the community for a carge of active and passive uses; and (b) is of a sufficient size and shaps to accommodate recreation activities with associated equipment and facilities.         PO28         The design of parkland or open space: (a) contributes to the character of the neighbourhood or area; (b) is safe and functions as a focal point for the neighbourhood or acces, wetlands; (f) preserves landscape features important to the scenic amenity of a locality; (g) is linked to existing parkland or open space networks wherever possible;       No acceptable outcome is nominated.         (h) provided in the early stages of staged developments.       No acceptable outcome is nominated.         (f) provided in the early stages of stag		
Stormwater management         Editor's note-Refer also to the Development works code.         PO26         Reconfiguring a lot development:         (a) manages the stormwater quality, characteristics from the lot to maintain or improve the pre-development levels; and       No acceptable outcome is nominated.         (b) where practicable incorporates stormwater re-use.       Parks and open space         Editor's note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Alternative outcomes are likely to be appropriate in existing developed areas. This may include works and embelishment to existing parks or recreational comdors to meet the development's demand, or as part of an infrastructure partnership agreement.         PO27       Reconfiguring a lot provides parkland or open space which:         (a) ometis the needs of the community for a carge of active and passive uses; and (b) is of a sufficient size and shaps to accommodate recreation activities with associated equipment and facilities.         PO28         The design of parkland or open space: (a) contributes to the character of the neighbourhood or area; (b) is safe and functions as a focal point for the neighbourhood or acces, wetlands; (f) preserves landscape features important to the scenic amenity of a locality; (g) is linked to existing parkland or open space networks wherever possible;       No acceptable outcome is nominated.         (h) provided in the early stages of staged developments.       No acceptable outcome is nominated.         (f) provided in the early stages of stag		
PO26 Reconfiguring a lot development: (a) manages the stormwater quality, quantity and velocity flow characteristics from the lot to maintain or improve the pre-development levels; and       No acceptable outcome is nominated.         (b) where practicable incorporates stormwater re-use.       Parks and open space         Editors note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Attendive outcomes are likely to be appropriate in existing developed areas. This may include works and embelishment to existing parks or recreational corridors to meet the development's demand, or as part of an infrastructure partmership agreement.         PO27 Reconfiguring a lot provides parkland or open space which:       AO27 Parkland is provided in accordance with the Local Government Infrastructure Plan.         (a) meets the needs of the community for a range of active and passive uses; and (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.       No acceptable outcome is nominated.         PO28 The design of parkland or open space: (a) contributes to the character of the neighbourhood or area; (b) is safe and functions as a focal point for the neighbourhood or community; (c) minimise the interface between residential lots and open space through appropriate treatments including important local vegetation, waterways, ridgelines, coastal access, wetlands; (f) preserves landscape features important to the secinic amenity of a locality; (g) is linked to existing parkland or open space networks wherever possible; (h) offers a broad range of informal and formal experiences to the community; (i) is cost effective to maintain; and (j) provided in the earty stages of staged developments		
Reconfiguring a lot development: (a) manages the stormwater quality, quantity and velocity flow characteristics from the lot to maintain or improve the pre-development levels; and (b) where practicable incorporates stormwater re-use. Parks and open space Editors note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Alternative outcomes are likely to be appropriate in existing developed mass. This may include works and embelishment to existing parks or recreational corridors to meet the development's demand, or as part of an infrastructure partnership agreement. PO27 Reconfiguring a lot provides parkland or open space which: (a) meets the needs of the community for a range of active and passive uses; and (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities. PO22 The design of parkland or open space: (a) contributes to the character of the neighbourhood or area; (b) is safe and functions as a focal point for the neighbourhood or community; (c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping; (d) maximises road frontage to facilitate casual surveillance; (e) incorporates natural areas including alignment, fencing and landscaping; (f) preserves landscape features important to the scenic amenity of a localit; (g) is linked to existing parkland or open space networks wherever possible; (h) offers a broad range of informal and formal experiences to the community; (i) is cost effective to maintain; and (i) provided in the early stages of staged developments. PC29 The location of parkland or open space is conveniently located to residential	Editor's note-Refer also to the Development works code	
<ul> <li>(a) mariages the stormwater quality, quantity and velocity flow characteristics from the lot to maintain or improve the pre-development levels; and</li> <li>(b) where practicable incorporates stormwater re-use.</li> <li>Parks and open space</li> <li>Editor's note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Attemative outcomes are likely to be appropriate in existing development's demand, or as part of an inflastructure pathership agreement.</li> <li>PO27</li> <li>Reconfiguring a lot provides parkland or open space which: <ul> <li>(a) meets the needs of the community for a range of active and passive uses; and (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.</li> </ul> </li> <li>PO28</li> <li>The design of parkland or open space: <ul> <li>(a) contributes to the character of the neighbourhood or area;</li> <li>(b) is soft and functions as a focal point for the neighbourhood or community;</li> <li>(c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping;</li> <li>(f) preserves landscape features important to the scenic aranity of a locality;</li> <li>(g) is linked to existing parkland or open space through appropriate sturies access, wetlands;</li> <li>(f) proserves landscape features important to the scenic amenity of a locality;</li> <li>(g) is linked to existing parkland or open space networks wherever possible;</li> <li>(h) offers a broad range of informal and formal experiences to the community;</li> <li>(i) is cost effective to maintain; and</li> <li>(j) provided in the early stages of staged developments.</li> </ul> No acceptable outcome is nominated. No acceptable outcome is nominated.</li></ul>		No acceptable outcome is nominated.
<ul> <li>and</li> <li>(b) where practicable incorporates stormwater re-use.</li> <li>Parks and open space</li> <li>Editor's note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Atternative outcomes are likely to be appropriate in existing developed areas. This may include works and embellishment to existing parks or recreational condors to meet the development's demand, or as part of an infrastructure partnership agreement.</li> <li>PO27</li> <li>Reconfiguring a lot provides parkland or open space which: <ul> <li>(a) meets the needs of the community for a range of active and passive uses; and</li> <li>(b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.</li> </ul> </li> <li>PO28</li> <li>No acceptable outcome is nominated.</li> </ul> No acceptable outcome is nominated. No acceptable outcome is nominated. (c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fincing and landscaping; <ul> <li>(d) maximises road frontage to facilitate casual surveillance;</li> <li>(e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;</li> <li>(f) preserves landscape features important to the scenic amenity of a locality;</li> <li>(g) is linked to existing parkland or open space through and formal experiences to the community;</li> <li>(i) is cost effective to maintain; and</li> <li>(j) provided in the early stages of staged developments.</li> </ul>	<ul> <li>(a) manages the stormwater quality, quantity and velocity flow characteristics from the lot to maintain</li> </ul>	
stormwater re-use. Parks and open space Editors note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Atternative outcomes are likely to be appropriate in existing development's demand, or as part of an infrastructure partnership agreement. PO27 Reconfiguring a lot provides parkland or open space which: (a) meets the needs of the community for a range of active and passive uses; and (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities. PO28 The design of parkland or open space: (a) contributes to the character of the neighbourhood or area; (b) is safe and functions as a focal point for the neighbourhood or community; (c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping; (d) maximises road frontage to facilitate casual surveillance; (e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands; (f) preserves landscape features important to the seenic amenity of a locality; (g) is linked to existing parkland or open space networks wherever possible; (h) offers a broad range of informal and formal experiences to the community; (i) is cost effective to maintain; and (j) provided in the early stages of staged developments. PO29 The location of parkland or open space is conveniently located to residential		
Parks and open space         Editor's note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Atternative outcomes are likely to be appropriate in existing developed areas. This may include works and embellishment to existing parks or recreational corridors to meet the development's demand, or as part of an infrastructure partnership agreement.         PO27       Reconfiguring a lot provides parkland or open space which: <ul> <li>(a) meets the needs of the community for a range of active and passive uses; and (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.             <li>PO28</li> <li>The design of parkland or open space:                  <ul></ul></li></li></ul>	(b) where practicable incorporates	
Editor's note-Where acceptable outcomes are set out in this section, it is acknowledged that they may primarily be practicable in greenfield developments. Alternative outcomes are likely to be appropriate in existing developments demand, or as part of an infrastructure partnership agreement.         PO27       Reconfiguring a lot provides parkland or open space which:       A027         (a) meets the needs of the community for a range of active and passive uses; and (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.       A027         PO28       Parkland is provided in accordance with the local Government Infrastructure Plan.         (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.       No acceptable outcome is nominated.         PO28       (b) is safe and functions as a focal point for the neighbourhood or area;       No acceptable outcome is nominated.         (b) is safe and functions as a focal point for the neighbourhood or community;       (c) incorporates natural areas including alignment, fencing and landscaping;       No acceptable outcome is nominated.         (d) maximises road frontage to facilitate casual surveillance;       (e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;       (f) preserves landscape features important to the scenic amenity of a locality;         (g) is linked to existing parkland or open space networks wherever possible;       (h) offers a broad range of informal and formal experiences to the community;         (	stormwater re-use.	
be practicable in greenfield developments. Alternative outcomes are likely to be appropriate in existing         developed areas. This may include works and embellishment to existing parks or recreational corridors to meet         PO27         Reconfiguring a lot provides parkland or open space which:         (a) meets the needs of the community for a range of active and passive uses; and         (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.         PO28         The design of parkland or open space:         (a) contributes to the character of the neighbourhood or area;         (b) is safe and functions as a focal point for the neighbourhood or community;         (c) minimise the interface between residential lots and open space through appropriate treatments including important local vegetation, waterways, ridgelines, coastal access, wetlands;         (f) preserves landscape features important to the scenic amenity of a locality;         (g) is linked to existing parkland or open space to the community;         (f) preserves landscape features important to the scenic amenity of a locality;         (g) is linked to existing parkland or open space is conveniently or al locality;         (g) is is cost effective to maintain; and         (f) provided in the early stages of staged developments.         PO29         The location of parkland or open space is conveniently located to residential neghbourhoods.	Parks and open space	
Reconfiguring a lot provides parkland or open space which:       Parkland is provided in accordance with the Local Government Infrastructure Plan.         (a) meets the needs of the community for a range of active and passive uses; and       Parkland is provided in accordance with the Local Government Infrastructure Plan.         (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.       No acceptable outcome is nominated.         PO28       No acceptable outcome is nominated.         The design of parkland or open space:       No acceptable outcome is nominated.         (b) is safe and functions as a focal point for the neighbourhood or area;       No acceptable outcome is nominated.         (c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping;       No acceptable outcome is nominated.         (d) maximises road frontage to facilitate casual surveillance;       incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;       in preserves landscape features important to the scenic amenity of a locality;         (g) is linked to existing parkland or open space networks wherever possible;       in formal and formal experiences to the community;         (i) provided in the early stages of staged developments.       No acceptable outcome is nominated.         PO29       No acceptable outcome is nominated.	be practicable in greenfield developments. Alternative ou developed areas. This may include works and embellish the development's demand, or as part of an infrastructur	itcomes are likely to be appropriate in existing ment to existing parks or recreational corridors to meet e partnership agreement.
open space which:       Local Government Infrastructure Plan.         (a) meets the needs of the community for a range of active and passive uses; and       Local Government Infrastructure Plan.         (b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.       No acceptable outcome is nominated.         PO28       The design of parkland or open space:       No acceptable outcome is nominated.         (c) is safe and functions as a focal point for the neighbourhood or area;       No acceptable outcome is nominated.         (c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping;       No acceptable outcome is nominated.         (d) maximises road frontage to facilitate casual surveillance;       (e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;       (f) preserves landscape features important to the scenic amenity of a locality;         (g) is linked to existing parkland or open space networks wherever possible;       (h) offers a broad range of informal and formal experiences to the community;       No acceptable outcome is nominated.         (f) provided in the early stages of staged developments.       No acceptable outcome is nominated.         PO29       The location of parkland or open space is conveniently located to residential neighbourhoods.		-
<ul> <li>(a) meets the needs of the community for a range of active and passive uses; and</li> <li>(b) is of a sufficient size and shape to accommodate recreation activities with associated equipment and facilities.</li> <li>PO28</li> <li>PO28</li> <li>No acceptable outcome is nominated.</li> <li>No acceptable outcome is nominated.</li> <li>(c) contributes to the character of the neighbourhood or area;</li> <li>(c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping;</li> <li>(d) maximises road frontage to facilitate casual surveillance;</li> <li>(e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;</li> <li>(f) preserves landscape features important to the scenic amenity of a locality;</li> <li>(g) is linked to existing parkland or open space networks wherever possible;</li> <li>(h) offers a broad range of informal and formal experiences to the community;</li> <li>(i) is cost effective to maintain; and</li> <li>(j) provided in the early stages of staged developments.</li> <li>PO29</li> <li>No acceptable outcome is nominated.</li> </ul>		
<ul> <li>accommodate recreation activities with associated equipment and facilities.</li> <li>PO28</li> <li>The design of parkland or open space: <ul> <li>(a) contributes to the character of the neighbourhood or area;</li> <li>(b) is safe and functions as a focal point for the neighbourhood or community;</li> <li>(c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping;</li> <li>(d) maximises road frontage to facilitate casual surveillance;</li> <li>(e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;</li> <li>(f) preserves landscape features important to the scenic amenity of a locality;</li> <li>(g) is linked to existing parkland or open space networks wherever possible;</li> <li>(h) offers a broad range of informal and formal experiences to the community;</li> <li>(i) is cost effective to maintain; and</li> <li>(j) provided in the early stages of staged developments.</li> </ul> </li> <li>PO29 <ul> <li>No acceptable outcome is nominated.</li> </ul> </li> </ul>	(a) meets the needs of the community for a	
PO28       No acceptable outcome is nominated.         The design of parkland or open space:       (a) contributes to the character of the neighbourhood or area;         (b) is safe and functions as a focal point for the neighbourhood or community;       (c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping;         (d) maximises road frontage to facilitate casual surveillance;       (e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;         (f) preserves landscape features important to the scenic amenity of a locality;       (g) is linked to existing parkland or open space networks wherever possible;         (h) offers a broad range of informal and formal experiences to the community;       (i) provided in the early stages of staged developments.         PO29       The location of parkland or open space is conveniently located to residential neighbourhoods.	accommodate recreation activities with	
<ul> <li>The design of parkland or open space:</li> <li>(a) contributes to the character of the neighbourhood or area;</li> <li>(b) is safe and functions as a focal point for the neighbourhood or community;</li> <li>(c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping;</li> <li>(d) maximises road frontage to facilitate casual surveillance;</li> <li>(e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;</li> <li>(f) preserves landscape features important to the scenic amenity of a locality;</li> <li>(g) is linked to existing parkland or open space networks wherever possible;</li> <li>(h) offers a broad range of informal and formal experiences to the community;</li> <li>(i) is cost effective to maintain; and</li> <li>(j) provided in the early stages of staged developments.</li> </ul> PO29 No acceptable outcome is nominated.		No acceptable outcome is nominated
PO29       No acceptable outcome is nominated.         The location of parkland or open space is conveniently located to residential neighbourhoods.       No acceptable outcome is nominated.	<ul> <li>(a) contributes to the character of the neighbourhood or area;</li> <li>(b) is safe and functions as a focal point for the neighbourhood or community;</li> <li>(c) minimise the interface between residential lots and open space through appropriate treatments including alignment, fencing and landscaping;</li> <li>(d) maximises road frontage to facilitate casual surveillance;</li> <li>(e) incorporates natural areas including important local vegetation, waterways, ridgelines, coastal access, wetlands;</li> <li>(f) preserves landscape features important to the scenic amenity of a locality;</li> <li>(g) is linked to existing parkland or open space networks wherever possible;</li> <li>(h) offers a broad range of informal and formal experiences to the community;</li> <li>(i) is cost effective to maintain; and</li> <li>(j) provided in the early stages of staged</li> </ul>	
neighbourhoods.	PO29 The location of parkland or open space is	No acceptable outcome is nominated.
		No acceptable outcome is nominated.
Open space for conservation purposes	Open space for conservation purposes	

Performance outcomes	Acceptable outcomes
protects riparian corridors, significant	
vegetation and wildlife habitat and	
movement corridors.	
Volumetric reconfiguration	
PO31	No acceptable outcome is nominated.
Volumetric reconfiguration (subdivision of	
space above or below the surface of land):	
(a) facilitates efficient development that is	
consistent with the intent for the zone;	
Or	
(b) is consistent with a development	
approval.	
Access easement	
PO32	AO32
The access easement must:	The access easement is designed in
(a) be of adequate width;	accordance with the design requirements of
(b) be constructed to a standard	the Development works planning scheme
appropriate to the situation; and	policy.
(c) not result in unreasonable detriment or	
nuisance to neighbours.	

### Table 8.3.3.3(b)—Minimum lot size and dimensions

Column 1	Column 2	Column 3
Zone	Minimum lot size	Minimum frontage
Centre	600m <sup>2</sup>	15m
Emerging community	50ha	Not specified
Industry	1,000m <sup>2</sup> if sewered 2,000m <sup>2</sup> if not sewered	20m
Low density residential Low-medium density residential	400m <sup>2</sup> 500m <sup>2</sup> for a rear lot	10m (where not a rear lot)
Industry investigation	50ha	Not specified
Rural	<ul> <li>Where not directly associated with a mining or petroleum activity:</li> <li>500ha on Class A &amp; B agricultural land5,000ha on Class C &amp; lower agricultural land.</li> <li>Where directly associated</li> </ul>	Not specified
	<ul> <li>with a mining or petroleum activity:</li> <li>500ha on Class A &amp; B agricultural land</li> <li>1,000 on Class C and lower agricultural land</li> </ul>	
	Editor's note–Agricultural land classifications are mapped on the Agriculture land overlay map.	
	Editor's note–A mining or petroleum activity is an activity authorised under the Mineral Resources Act, 1989, the Offshore Minerals Act 1998, or the Petroleum Act 1993, or the Petroleum and Gas (Production and Safety Act) 2004.	
Rural residential	2ha with an average of 4ha	Not specified

Township (where not in the Holiday and Residence precinct)	1,000m <sup>2</sup>	20m
Township (where in the Holiday and Residence precinct)	Not specified	Not specified
Community facilities	Not specified	Not specified
Environmental management and conservation	Not specified	Not specified
Limited development	Not specified	Not specified
Minor tourism	Not specified	Not specified
Recreation and open space	Not specified	Not specified
Specialised centre	Not specified	Not specified
Special purpose	Not specified	Not specified

# Part 9 Other plans

Development within certain areas of the region is governed by plans and legislation which overrides or otherwise affects the operation of the Isaac Regional Planning Scheme.

The following sections provide an overview of the areas affected and the effect of the other plans on the planning and development of those areas.

For further detail on the specific effects, reference should be made to those plans and their governing legislation.

## 9.1 Galilee Basin State Development Area

State development areas (SDA) are created under section 77 of the <u>State Development and</u> <u>Public Works Organisation Act 1971</u>.

The Galilee Basin SDA is subject to a development scheme that controls land–use and infrastructure planning and development in the SDA. The Coordinator–General is responsible for the planning, establishment and ongoing management of the Galilee Basin SDA.

In the Galilee Basin SDA, the Coordinator–General:

- 1. Controls land–use activities.
- 2. Implements the development scheme.
- 3. Assesses and decides SDA applications.

Any material change of use (MCU) within Galilee Basin SDA requires a development approval through the Coordinator General. Operational work within the Galilee Basin SDA is self assessable development where necessary for an MCU that is authorised by an SDA approval.

The Galilee Basin SDA is indicated on **Map AM1—Development and Construction Advisory Map** in Schedule 2 (SC2.5) and also on **Map OM11—Regional Infrastructure Overlay Map**.

Further detail regarding development within this SDA can be found within the Galilee Basin SDA Development Scheme.

# 9.2 Moranbah Urban Development Area

The Isaac region includes the Moranbah Urban Development Area declared by the state government as a Priority Development Area (PDA) under the <u>Economic Development Act 2012</u>. The Moranbah Urban Development Area is identified on **Map AM1.5— Development and Construction Advisory Map Moranbah**.

PDAs are declared to facilitate the development of land in Queensland for economic development or development for community purposes.

The declarations fast track and streamline the planning for and assessment of development in the declared PDA areas.

Development within the Moranbah Urban Development Area is regulated in the Moranbah Urban Development Area Development Scheme.

The PDA still applies, and will continue to apply after the planning scheme is adopted until such time the Moranbah Urban Development Area Development Scheme and PDA is revoked by a Planning Instrument Change through the *Economic Development Act 2012*.

# Schedule 1 Definitions

# SC1.1 Use definitions

- (1) Use definitions have a particular meaning for the purpose of the planning scheme.
- (2) Any use not listed in Table SC1.1.2 (Use definitions) column 1 is an undefined use.

Note—Development comprising a combination of defined uses is not considered to be an undefined use.

- (3) A use listed in **Table SC1.1.2 (Use definitions)** column 1 has the meaning set out beside that term in column 2.
- (4) The use definitions listed here are the definitions used in this planning scheme.
- (5) Column 3 of **Table SC1.1.2 (Use definitions)** identifies examples of the types of activities that are consistent with the use identified in column 1.
- (6) Column 4 of **Table SC1.1.2 (Use definitions)** identifies examples of activities that are not consistent with the use identified in column 1.
- (7) Columns 3 and 4 of Table SC1.1.2 (Use definitions) are not exhaustive lists.
- (8) Uses listed in **Table SC1.1.2 (Use definitions)** columns 3 and 4 that are not listed in column 1, do not form part of the definition.

#### Table SC1.1.1—Index of use definitions

Index for use definitions		
Adult store	Hardware and trade supplies	Port service
Agricultural supplies store	Health care service	Relocatable home park
Air service	High impact industry	Renewable energy facility
Animal husbandry	Home-based business	Research and technology
Animal keeping	Hospital	industry
Aquaculture	Hotel	Residential care facility
Bar	Indoor sport and recreation	Resort complex
Brothel	Intensive animal industry	Retirement facility
Bulk landscape supplies	Intensive horticulture	Roadside stall
Caretaker's accommodation	Landing	Rooming accommodation
Car wash	Low impact industry	Rural industry
Cemetery	Major electricity infrastructure	Rural workers' accommodation
Childcare centre	Major sport, recreation and	Sales office
Club	entertainment facility	Service industry
Community care centre	Marine industry	Service station
Community residence	Market	Shop
Community use	Medium impact industry	Shopping centre
Crematorium	Motor sport facility	Short-term accommodation
Cropping	Multiple dwelling	Showroom
Detention facility	Nature-based tourism	Special industry
Dual occupancy	Nightclub entertainment facility	Substation
Dwelling house		Telecommunications facility
Dwelling unit	Office	Theatre
Educational establishment	Outdoor sales	Tourist attraction
Emergency services	Outdoor sport and recreation	Tourist park
Environment facility	Outstation	Transport depot
Extractive industry	Park	Utility installation
Food and drink outlet	Parking station	Veterinary service
Function facility	Party house	Warehouse
Funeral parlour	Permanent plantation	Wholesale nursery
Garden centre	Place of worship	Winery
		Workforce accommodation

	–Use definitions		
Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
Adult store	<ul> <li>The use of premises for the primary purpose of displaying or selling:</li> <li>(a) sexually explicit materials; or</li> <li>(b) products and devices that are associated with, or used in, a sexual practice or activity.</li> </ul>	Sex shop	<ul> <li>Shop, newsagent, registered pharmacist or video hire, where the primary use of these are concerned with:</li> <li>the sale, display or hire of printed or recorded matter (not of a sexually explicit nature) or</li> <li>the sale or display of underwear or lingerie or</li> <li>the sale or display of an article or thing primarily concerned with or used in association with a medically recognised purpose</li> </ul>
Agricultural supplies store	The use of premises for the sale of agricultural supplies and products. Examples of agricultural supplies and products—animal feed, bulk veterinary supplies, chemicals, farm clothing, fertilisers, irrigation materials, saddlery, seeds		Bulk landscape supplies, garden centre, outdoor sales wholesale nursery
Air service	<ul> <li>The use of premises for— <ul> <li>(a) the arrival or departure of aircraft; or</li> <li>(b) housing, servicing, refuelling, maintaining or repairing aircraft; or</li> <li>(c) the assembly and dispersal of passengers or goods on or from an aircraft; or</li> <li>(d) training and education facilities relating to aviation; or</li> <li>(e) aviation facilities; or</li> <li>(f) an activity that— <ul> <li>(i) is ancillary to an activity or facility stated in paragraphs</li> <li>(a) to (e); and</li> <li>(ii) directly services the needs of aircraft passengers.</li> </ul> </li> </ul></li></ul>	Airport, air strip, helipad, public or private airfield	

### Table SC1.1.2—Use definitions

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	Examples of an air service—airport, air strip, helipad.		
Animal husbandry	<ul> <li>The use of premises for— <ul> <li>(a) producing animals or</li> <li>animal products on</li> <li>native or improved</li> <li>pastures or vegetation;</li> <li>or</li> </ul> </li> <li>(b) a yard, stable, temporary</li> <li>holding facility or</li> <li>machinery repairs and</li> <li>servicing, if the use is</li> <li>ancillary to the use in</li> <li>paragraph (a).</li> </ul>	Cattle studs, grazing of livestock, non-feedlot dairying	Animal keeping, intensive animal husbandry, aquaculture, feedlots, piggeries
	Examples of animal husbandry— cattle stud, grazing of livestock, non- feedlot dairy.		
Animal keeping	<ul> <li>The use of premises for—</li> <li>(a) boarding, breeding or training animals; or</li> <li>(b) a holding facility or machinery repairs and servicing, if the use is ancillary to the use in paragraph (a).</li> <li>Examples of animal keeping—</li> </ul>	Aviaries, catteries, kennels, stables, wildlife refuge	Aquaculture, cattle studs, domestic pets, feedlots, grazing of livestock, non-feedlot dairying, piggeries, poultry meat and egg production, animal husbandry
	aviary, cattery, kennel, stables, wildlife refuge.		
Aquaculture	The use of premises for cultivating, in a confined area, aquatic animals or plants for sale.	Pond farms, tank systems, hatcheries, raceway system, rack and line systems, sea cages	Intensive animal husbandry
Bar	<ul> <li>The use of premises, with seating for 60 or less people, for—</li> <li>(a) selling liquor for consumption on the premises; or</li> <li>(b) an entertainment activity, or preparing and selling food and drink for consumption on the premises, if the use is ancillary to the use in paragraph (a).</li> </ul>		Club, hotel, nightclub entertainment facility, tavern
Brothel	Premises made available for prostitution by 2 or more prostitutes at the premises. Note–See the Prostitution Act 1999, schedule 4.		Adult store, club, nightclub entertainment facility, shop
Bulk landscape supplies	The use of premises for the bulk storage and sale of mainly non-packaged landscaping and gardening supplies, including for example, soil, gravel, potting		Garden centre, outdoor sales, wholesale nursery

Column 1 Use	Column 2 Definition mix or mulch.	Column 3 Examples include	Column 4 Does not include the following examples
Caretaker's accommodati on	The use of premises for a dwelling for a caretaker of a non-residential use on the same premises.		Dwelling house
Car wash	The use of premises for the commercial cleaning of motor vehicles.		Service station
Cemetery	The use of premises for the interment of bodies or ashes after death.	Burial ground, crypt, columbarium, lawn cemetery, pet cemetery, mausoleum	Crematorium, funeral parlour
Childcare centre	The use of premises for the care, education and minding, but not residence, of children. Examples of a childcare centre— before or after school care, crèche, early childhood centre, kindergarten,	Crèche, early childhood centre, kindergarten, outside hours school care	Educational establishment, home based child care, family day care
Club	<ul> <li>vacation care.</li> <li>The use of premises for— <ul> <li>(a) an association</li> <li>established for social,</li> <li>literary, political, sporting,</li> <li>athletic or other similar</li> <li>purposes; or</li> </ul> </li> <li>(b) preparing and selling</li> <li>food and drink, if the use</li> <li>is ancillary to the use in</li> <li>paragraph (a).</li> </ul>	Club house, guide and scout clubs, surf lifesaving club, RSL, bowls club	Hotel, nightclub entertainment facility, place of worship, theatre
Community care centre	<ul> <li>The use of premises for <ul> <li>(a) providing social support</li> <li>to members of the public;</li> <li>or</li> </ul> </li> <li>(b) providing medical care to members of the public, if the use is ancillary to the use in subparagraph (a); but</li> <li>It does not include the use of premises for providing accommodation to members of the public.</li> <li>Examples of a community care centre—disability support service, drop-in centre, respite centre,</li> </ul>	Disability support services, drop in centre, respite centre, integrated indigenous support centre	Child care centre, family day care, home based child care, health care services, residential care facility
Community residence	<ul> <li>indigenous support centre.</li> <li>The use of premises for residential accommodation for— <ul> <li>(a) no more than 6 persons requiring assistance or support with daily living needs; and</li> <li>(b) no more than 1 support worker; and</li> </ul> </li> </ul>	Hospice	Dwelling house, dwelling unit, residential care facility, rooming accommodation, short-term accommodation

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	Includes a building or structure that is reasonably associated with the use in paragraph (a).		
Community use	<ul> <li>The use of premises for— <ul> <li>(a) providing artistic, social or cultural facilities or community services to the public; or</li> <li>(b) preparing and selling food and drink, if the use is ancillary to the use in paragraph (a).</li> </ul> </li> <li>Examples of a community use—art gallery, community centre,</li> </ul>	Art gallery, community centre, community hall, library, museum	Cinema, club, hotel, nightclub entertainment facility, place of worship
Crematorium	community hall, library, museum. The use of premises for the cremation or aquamation of bodies.		Cemetery
Cropping	<ul> <li>The use of premises for— <ul> <li>(a) growing and harvesting plants, or plant material, that are cultivated in soil, for commercial purposes; or</li> <li>(b) harvesting, storing or packing plants or plant material grown on the premises, if the use is ancillary to the use in paragraph (a); or</li> <li>(c) repairing and servicing machinery used on the premises, if the use is ancillary to the use in paragraph (a).</li> </ul> Examples of cropping—forestry for wood production, fodder and pasture production, plant, nuts, vegetables and grains, plant fibre production, sugar cane growing, vineyard. </li> </ul>	Fruit, nut, vegetable and grain production, forestry for wood production, fodder and pasture production, plant fibre production, sugar cane growing, vineyard	Permanent plantations, intensive horticulture, rural industry
Detention facility	The use of premises for the lawful detention of persons. Example of a detention facility— correctional facility.	Prison, detention centre, youth detention centre	Police station, court cell complex
Dual occupancy	<ul> <li>(a) A residential use of premises involving <ul> <li>(i) 2 dwellings (whether attached or detached) on a single lot or 2 dwellings (whether attached or detached) on separate lots that share a common property; and</li> </ul> </li> </ul>	Duplex, two dwellings on a single lot (whether or not attached), two dwellings within one single community title scheme under the <i>Body Corporate and</i> <i>Community</i> <i>Management Act</i> 1997, two dwellings within the one body	Dwelling house, multiple dwelling

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	<ul> <li>(ii) any domestic outbuilding associated with the dwellings; but</li> <li>(b) does not include a residential use of premises that involves a secondary dwelling.</li> </ul>	corporate to which the <i>Building Units and</i> <i>Group Title Act 1980</i> continues to apply	
Dwelling house	<ul> <li>A residential use of premises involving— <ul> <li>(a) 1 dwelling and any domestic outbuildings associated with the dwelling; or</li> </ul> </li> <li>(b) 2 dwellings, 1 of which is a a secondary dwelling, and any domestic outbuildings associated with either dwelling.</li> </ul>		Caretaker's accommodation, dual occupancy, rooming accommodation, short-term accommodation, student accommodation, multiple dwelling
Dwelling unit	The use of premises containing a non-residential use for a single dwelling, other than a dwelling for a caretaker of the non- residential use.	'Shop-top' apartment	Caretaker's accommodation, dwelling house
Educational establishmen t	<ul> <li>The use of premises for— <ul> <li>(a) training and instruction to impart knowledge and develop skills; or</li> <li>(b) student accommodation, before or after school care, or vacation care, if the use is ancillary to the use in paragraph (a).</li> </ul> </li> <li>Examples of an educational establishment—college, outdoor</li> </ul>	Pre-preparatory, preparatory and primary school, secondary school, special education, college, university, technical institute, outdoor education centres	Child care centre, home based child care, family day care
	education centre, primary school, secondary school, special education facility, technical institute, university.		
Emergency services	<ul> <li>The use of premises by a government entity or community organisation to provide—</li> <li>(a) essential emergency services; or</li> <li>(b) disaster management services; or</li> <li>(c) management support facilities for the services.</li> <li>Examples of emergency services— ambulance station, evacuation</li> </ul>	State emergency service facility, ambulance station, rural fire brigade, auxiliary fire and rescue station, urban fire and rescue station, police station, emergency management support facility, evacuation centres	Community use, hospital, residential care facility
Environment facility	centre, fire station, police station. (a) The use of premises for a facility for the appreciation, conservation or interpretation of an area of cultural, environmental	Nature-based attractions, walking tracks, seating, shelters, boardwalks, observation decks, bird hides	

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	or heritage value; but (b) does not include the use of premises to provide accommodation for tourists and travellers.		
Extractive industry	<ul> <li>The use of premises for:</li> <li>(a) extracting or processing extractive resources; and</li> <li>(b) any related activities, including, for example, transporting the resources to market.</li> </ul>	Quarry	
Food and drink outlet	<ul> <li>The use of premises for:</li> <li>(a) preparing and selling food and drink for consumption on or off the premises; or</li> <li>(b) providing liquor for consumption on the premises, if the use is ancillary to the use in paragraph (a).</li> <li>Examples of a food and drink outlet—café, coffee shop, drive- through facility, kiosk, milk bar,</li> </ul>	Bistro, café, coffee shop, drive-through facility, kiosk, milk bar, restaurant, snack bar, take-away, tea room	Bar, club, hotel, shop, theatre, nightclub entertainment facility
Function facility	<ul> <li>restaurant, snack bar, takeaway shop, tearoom.</li> <li>The use of premises for— <ul> <li>(a) receptions or functions; or</li> <li>(b) preparing and providing food and liquor for consumption on the premises as part of a reception or function.</li> </ul> </li> </ul>	Conference centre, reception centre	Community use, hotel
Funeral parlour	<ul> <li>(a) The use of premises for— <ul> <li>(i) arranging and conducting funerals, memorials and other similar events; or</li> <li>(ii) a mortuary; or</li> <li>(iii) storing and preparing bodies for burial or cremation; but</li> </ul> </li> <li>(b) does not include the use of premises for the burial or cremation of bodies.</li> </ul>		Cemetery, crematorium, place of worship
Garden centre	<ul> <li>The use of premises for—</li> <li>(a) selling pants; or</li> <li>(b) selling gardening and landscape products and supplies that are mainly in pre-packaged form; or</li> <li>(c) a food and drink outlet is ancillary to the use in paragraph (a).</li> </ul>	Retail plant nursery	Bulk landscape supplies, wholesale nursery, outdoor sales

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
Hardware and trade supplies	The use of premises for selling, displaying or hiring hardware and trade supplies, including, for example, house fixtures, timber, tools, paint, wallpaper or plumbing supplies.		Shop, showroom, outdoor sales and warehouse
Health care service	The use of premises for medical purposes, paramedical purposes, alternative health therapies or general health care, if overnight accommodation is not provided on the premises. Examples of a health care service— dental clinic, medical centre, physiotherapy clinic.	Dental clinics, medical centres, natural medicine practices, nursing services, physiotherapy clinic	Community care centre, hospital
High impact industry	<ul> <li>The use of premises for an industrial activity— <ul> <li>(a) that is the manufacturing, producing, processing, repairing, altering, recycling, storing, distributing, transferring or treating of products, and</li> <li>(b) that a local planning instrument applying to the premises states is a high impact industry; and</li> <li>(c) that complies with any thresholds for the activity stated in a local planning instrument applying to the premises, including, for example, thresholds relating to the number of products manufactured or the level of emissions produced by the activity.</li> </ul></li></ul>	Abattoirs, concrete batching plant, boiler making and engineering and metal foundry Note–additional examples may be shown in SC1.1.2 industry thresholds.	Tanneries, rendering plants, oil refineries, waste incineration, manufacturing or storing explosives, power plants, manufacturing fertilisers, service industry, low impact industry, medium impact industry, special industry
Home-based business	The use of a dwelling or domestic outbuilding on premises for a business activity that is subordinate to the residential use of the premises.	Bed and breakfast, home office, home based child care	Hobby, office, shop, warehouse, transport depot
Hospital	<ul> <li>The use of premises for—</li> <li>(a) the medical or surgical care or treatment of patients, whether or not the care or treatment requires overnight accommodation; or</li> <li>(b) providing accommodation for patients; or</li> </ul>		Health care services, residential care facility

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	<ul> <li>(c) providing</li> <li>accommodation for</li> <li>employees, or any other</li> <li>use, if the use is ancillary</li> <li>to the use in paragraph</li> <li>(a) or (b).</li> </ul>		
Hotel	<ul> <li>(a) The use of premises for— <ul> <li>(i) selling liquor for consumption on the premises; or</li> <li>(ii) a dining or entertainment activity, or providing accommodation to tourists or travellers, if the use is ancillary to the use in subparagraph (i); but</li> </ul> </li> </ul>	Pub, tavern	Bar, nightclub entertainment facility
Indoor sport and recreation	The use of premises for a leisure, sport or recreation activity conducted wholly or mainly indoors. Examples of indoor sport and recreation—amusement parlour, bowling alley, gymnasium, squash court.	Amusement parlour, bowling alley, gymnasium, squash courts, enclosed tennis courts	Cinema, hotel, nightclub entertainment facility, theatre
Intensive animal industry	<ul> <li>(a) The use of premises for— <ul> <li>(i) the intensive production of animals or animal products, in an enclosure, that requires food and water to be provided mechanically or by hand; or</li> <li>(ii) storing and packing feed and produce, if the use is ancillary to the use in subparagraph (i); but</li> <li>(b) does not include the cultivation of aquatic animals.</li> </ul> </li> <li>Examples of intensive animal industry—feedlot, piggery, poultry and egg production</li> </ul>	Feedlots, piggeries, poultry and egg production	Animal husbandry, aquaculture, drought feeding, milking sheds, shearing sheds, weaning pens
Intensive horticulture	<ul> <li>(a) The use of premises for— <ul> <li>(i) the intensive production of plants or plant material carried out indoors on imported media; or</li> </ul> </li> </ul>	Greenhouse and shade house plant production, hydroponic farms, mushroom farms	Wholesale nursery

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	<ul> <li>(ii) the intensive production of plants or plant material carried out outside using artificial lights or containers; or</li> <li>(iii) storing and packing plants or plant material grown on the premises, if the use is ancillary to a use in subparagraph (i) or (ii); but</li> <li>(b) does not include the cultivation of aquatic plants.</li> <li>Examples of intensive horticulture— greenhouse, hydroponic farm, mushroom farm.</li> </ul>		
Landing	<ul> <li>The use of premises for a structure—</li> <li>(a) for mooring, launching, storing and retrieving vessels; and</li> <li>(b) from which passengers embark and disembark.</li> </ul>	Boat ramp, jetty, pontoon	Marina
Low impact industry	<ul> <li>The use of premises for an industrial activity— <ul> <li>(a) that is the manufacturing, producing, processing, repairing, altering, recycling, storing, distributing, transferring or treating of products; and</li> <li>(b) that a local planning instrument applying to the premises states is low impact industry; and</li> <li>(c) that complies with any thresholds for the activity states in a local planning instrument applying to the premises, including, for example, thresholds relating to the number of products manufactured or the level of emissions produced by the activity.</li> </ul> </li> </ul>	Repairing motor vehicles, fitting and turning workshop Note-additional examples may be shown in Table SC1.1.2.1 industry thresholds.	Panel beating, spray painting or surface coating, tyre recycling, drum re- conditioning, wooden and laminated product manufacturing, service industry, medium impact industry, high impact industry, special industry
Major electricity infrastructure	<ul> <li>(a) The use of premises for— <ul> <li>(i) a transmission grid or supply network; or</li> <li>(ii) a telecommunication facility, if the use is ancillary to the use in subparagraph (i); but</li> </ul> </li> </ul>	Powerlines greater than 66kV	Minor electricity infrastructure, substation

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following
	<ul> <li>(b) does not include the use of premises for a supply network or private electricity works stated in schedule 6, section 26(5), unless the use involves— <ul> <li>(i) a new zone substation or bulk supply substation; or</li> <li>(ii) the augmentation of a zone substation or bulk supply substation that significantly increases the input or output standard voltage.</li> </ul> </li> </ul>		examples
Major sport, recreation and entertainmen t facility	The use of premises for large-scale events, including, for example, major sporting, recreation conference or entertainment events. Examples of a major sport,	Convention and exhibition centres, entertainment centres, sports stadiums, horse racing	Indoor sport and recreation, local sporting field, motor sport, park, outdoor sport and recreation
	recreation and entertainment facility—convention centre, exhibition centre, horse racing facility, sports stadium.		
Marine industry	The use of waterfront premises for— (a) manufacturing, storing, repairing or servicing vessels or maritime infrastructure; or (b) providing fuel or disposing of waste, if the use is ancillary to the use in paragraph (a).	Boat building, boat storage, dry dock	Marina
Market	Examples of marine industry—boat building, boat storage, dry dock. The use of premises on a	Flea market, farmers	Shop, roadside stall
	<ul> <li>regular basis for—</li> <li>(a) selling goods to the public mainly from temporary structures, including, for example, stalls, booths or trestle tables; or</li> <li>(b) providing entertainment, if the use is ancillary to the use in paragraph (a).</li> </ul>	market, car boot sales	
Medium impact industry	<ul> <li>The use of premises for an industrial activity—</li> <li>(a) that is the manufacturing, producing, processing, repairing, altering, recycling, storing, distributing, transferring</li> </ul>	Spray painting and surface coating, wooden and laminated product manufacturing (including cabinet making, joining, timber truss making or wood	Concrete batching, tyre manufacturing and retreading, metal recovery (involving a fragmentiser), textile manufacture, chemically treating

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include
			the following examples
	<ul> <li>or treating of products; and</li> <li>(b) that a local planning instrument applying to the premises states is a medium impact industry; and</li> <li>(c) that complies with any thresholds for the activity stated in a local planning instrument applying to the premises, including, for example, thresholds relating to the number of products manufactured or the level of emissions produced by the activity.</li> </ul>	working). Note–additional examples may be shown in Table 6 industry thresholds.	timber and plastic product manufacture, service industry, low impact industry, high impact industry, special industry
Motor sport facility	<ul> <li>The use of premises for—</li> <li>(a) organised or recreational motor sports; or</li> <li>(b) facilities for spectators, including, for example, stands, amenities or food and drink outlets, if the use is ancillary to the use in paragraph (a).</li> <li>Examples of a motor sport facility—car race track, go-kart track, trail</li> </ul>	Go-karting, lawn mower race tracks, trail bike parks, 4WD and all terrain parks, motocross tracks, off road motorcycle facility, motorcycle or car race tracks	Major sport, recreation and entertainment facility, outdoor sport and recreation
Multiple dwelling	bike park, 4WD park. A residential use of premises involving 3 or more dwellings, whether attached or detached.	Apartments, flats, units, townhouses, row housing, triplex	Rooming accommodation, dual occupancy, duplex, granny flat, residential care facility, retirement facility
Nature- based tourism	<ul> <li>The use of premises for a tourism activity, including accommodation for tourists, for the appreciation, conservation or interpretation of— <ul> <li>(a) an area of environmental, cultural or heritage value; or</li> <li>(b) a local ecosystem; or</li> <li>(c) the natural environment.</li> </ul> </li> <li>Examples of nature-based tourism—environmentally responsible accommodation facilities including cabins, huts, lodges and tents.</li> </ul>	Environmentally responsible accommodation facilities including lodges, cabins, huts and tented camps	Environment facility
Nightclub entertainmen t facility	<ul> <li>The use of premises for—</li> <li>(a) providing entertainment that is cabaret, dancing or music; or</li> <li>(b) selling liquor and preparing and selling food, for consumption on</li> </ul>		Club, hotel, tavern, pub, indoor sport and recreation, theatre, concert hall

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	the premises; if the use is ancillary to the use in paragraph (a). (a)		
Office	<ul> <li>(a) The use of premises for—         <ul> <li>(i) providing an administrative, financial, management or secretarial service or function; or</li> <li>(ii) the practice of a profession; or</li> <li>(iii) providing business or professional advice or services; but</li> <li>(b) does not include premises used for making, selling or hiring goods.</li> </ul> </li> </ul>	Bank, real estate agent, administration building	Home based business, home office, shop, outdoor sales
Outdoor sales	estate agency The use of premises for— (a) displaying, selling, hiring or leasing vehicles, boats, caravans, machinery, equipment or other similar products, if the use is mainly conducted outdoors; or (b) repairing, servicing, selling or fitting accessories for the products stated in paragraph (a), if the use in paragraph (a).	Agricultural machinery sales yard, motor vehicles sales yard	Bulk landscape supplies, market
Outdoor sport and recreation	<ul> <li>The use of premises for—</li> <li>(a) a recreation or sporting activity that is carried on outdoors and requires areas of open space; or</li> <li>(b) providing and selling food and drink, change room facilities or storage facilities, if the use is ancillary to the use in paragraph (a).</li> <li>Examples of outdoor sport and recreation—cricket oval, driving range, golf course, swimming pool,</li> </ul>	Driving range, golf course, swimming pool, tennis courts, football ground, cricket oval	Major sport, recreation and entertainment facility, motor sport, park, community use
Outstation	tennis court. The use of premises for— (a) cultural or recreation activities by Aboriginal people or Torres Strait	Indigenous camp site	Dwelling house, hostel, multiple dwelling, relocatable home park, short

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	Islanders; or (b) facilities for short-term or long-term camping activities, if the use is ancillary to the use in paragraph (a).		term accommodation, tourist park
Park	The use of premises, accessible to the public free of charge, for sport, recreation and leisure activities and facilities.	Urban common	Tourist attraction, outdoor sport and recreation
Parking station	The use of premises for parking vehicles, other than parking that is ancillary to another use.	Car park, 'park and ride', bicycle parking	
Party house	<ul> <li>Premises containing a dwelling that is used to provide, for a fee, accommodation or facilities for guests if— <ul> <li>(a) guests regularly use all or part of the premises for parties (bucks parties, hens parties, raves, or wedding receptions, for example); and</li> <li>(b) the accommodation or facilities are provided for a period of less than 10 days; and</li> <li>(c) the owner of the premises does not occupy the premises during that period.</li> </ul> </li> </ul>		
Permanent plantation	The use of premises for growing, but not harvesting, plants for the carbon sequestration, biodiversity, natural resource management or another similar purpose.	Permanent plantations for carbon sequestration, biodiversity or natural resource management	Forestry for wood production, biofuel production
Place of worship	<ul> <li>The use of premises for—</li> <li>(a) organised worship and other religious activities; or,</li> <li>(b) social, education or charitable activities, if the use is ancillary to the use in paragraph (a).</li> </ul>	Church, chapel, mosque, synagogue, temple	Community use, child care centre, funeral parlour, crematorium
Port service	<ul> <li>The use of premises for—</li> <li>(a) the arrival and departure of vessels; or</li> <li>(b) the movement of passengers or goods on or off vessels; or</li> <li>(c) storing, servicing, maintaining or repairing</li> </ul>	Marina, ferry terminal	Landing

Column 1	Column 2	Column 3	Column 4
Use	Definition	Examples include	Does not include the following examples
	vessels; or (d) ancillary uses that directly service the needs of passengers of the vessels.		
Relocatable home park	<ul> <li>The use of premises for—</li> <li>(a) relocatable dwellings for long-term residential accommodation; or</li> <li>(b) amenity facilities, food and drink outlets, a manager's residence, or recreation facilities for the exclusive use of residents, if the use is ancillary to the use in paragraph (a).</li> </ul>		Tourist park
Renewable energy facility	<ul> <li>(a) The use of premises for the generation of electricity or energy from a renewable energy source, including, for example, sources of bio- energy, geothermal energy, hydropower, ocean energy, solar energy or wind energy; but</li> <li>(b) does not include the use of premises to generate electricity or energy that is to be used mainly on the premises.</li> </ul>	Solar farm, wind farm, tidal power, hydroelectric power, geothermal power	Wind turbine or solar panels supplying energy to domestic or rural activities on the same site
Research and technology industry	The use of premises for an innovative or emerging industry that involves designing and researching, assembling, manufacturing, maintaining, storing or testing machinery or equipment. Examples of research and technology industry—aeronautical engineering, biotechnology industries, computer component manufacturing, computer server facilities, energy industries, medical laboratories.	Aeronautical engineering, computer component manufacturing, medical laboratories, computer server facility	
Residential care facility	<ul> <li>The use of premises for supervised accommodation, and medical and other support services, for persons who—</li> <li>(a) can not live independently; and</li> <li>(b) require regular nursing or personal care.</li> <li>Examples of residential care facility—convalescent home, nursing</li> </ul>	Convalescent home, nursing home	Community residence, dwelling house, dual occupancy, hospital, multiple dwelling, retirement facility

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
Resort complex	home. The use of premises for— (a) tourist and visitor accommodation that includes integrated leisure facilities; or	Island resort	
	Examples of integrated leisure facilities—bars, meeting and function facilities, restaurants, sporting and fitness facilities.		
	<ul> <li>(b) staff accommodation that is ancillary to the use in paragraph (a); or</li> <li>(c) transport facilities for the premises, including, for example, a ferry terminal or air service.</li> </ul>		
Retirement facility	<ul> <li>A residential use of premises for—</li> <li>(a) accommodation for older members of the community, or retired persons, in independent living units or services units; or</li> <li>(b) amenity and community facilities, a manager's residence, health care and support services, preparing food and drink</li> </ul>	Retirement village	Residential care facility
	or staff accommodation, if the use is ancillary to the use in paragraph (a).		
Roadside stall	The use of premises for the roadside display and sale of goods in a rural area.	Produce stall	Market
Rooming accommodati on	The use of premises for— (a) residential accommodation, if each resident— (i) has a right to occupy 1 or more rooms on the premises; and (ii) does not have a right to occupy the whole of the premises; and (iii) does not occupy a self-contained unit, as defined in the <i>Residential Tenancies and Rooming Accommodation Act</i> 2008, schedule 2, or has only limited facilities available for private use; and	Boarding house, hostel, monastery, off- site student accommodation	Hospice, community residence, dwelling house, short-term accommodation, multiple dwelling

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	<ul> <li>(iv) shares other rooms, facilities, furniture or equipment outside of the resident's room with 1 or more other residents, whether or not the rooms, facilities, furniture or equipment are on the same or different premises; or</li> <li>(b) a manager's residence, an office or providing food or other services to residents, if the use is ancillary to the use in paragraph (a).</li> <li>Examples of rooming accommodation—boarding house, hostel, monastery, off-site student</li> </ul>		
Rural industry	<ul> <li>accommodation.</li> <li>The use of premises for— <ul> <li>(a) storing, processing or</li> <li>packaging products from</li> <li>a rural use carried out on</li> <li>the premises or adjoining</li> <li>premises; or</li> </ul> </li> <li>(b) selling products from a <ul> <li>rural use carried out on</li> <li>the premises or adjoining</li> <li>premises, if the use is</li> <li>ancillary to the use in</li> <li>paragraph (a).</li> </ul> </li> </ul>	Packing shed	Intensive animal husbandry, intensive horticulture, roadside stall, wholesale nursery, winery, abattoir, agricultural supply store
Rural workers' accommodati on	The use of premises for accommodation, whether or not self-contained, for employees of a rural use, if the premises, and the premises where the rural use is carried out, are owned by the same person.	Farm workers' accommodation	Short-term accommodation, caretaker's accommodation, dual occupancy, dwelling house, nature or rural based tourist accommodation, non-resident workforce accommodation, multiple dwelling
Sales office	<ul> <li>The use of premises for temporary display of land parcels or buildings that—</li> <li>(a) are for sale or proposed to be sold; or</li> <li>(b) can be won as a prize in a competition.</li> </ul>	Display dwelling	Bank, office
Service industry	<ul> <li>The use of premises for an industrial activity that—</li> <li>(a) does not result in off-site air, noise or odour emissions; and</li> <li>(b) is suitable for location</li> </ul>	Audio visual equipment repair, film processing, bicycle repairs, clock and watch repairs, computer repairs, dry	Small engine mechanical repair workshop, cabinet making, shop fitting, sign writing, tyre depot, low impact

Column 1 Use	Column 2 Definition with other non-industrial	Column 3 Examples include	Column 4 Does not include the following examples
	USES. Examples of service industries— audio visual equipment repair, bicycle repairs, clock and watch repairs, computer repairs, dry cleaning, film processing, hand engraving, jewellery making, laundromat, locksmith, picture framing, shoe repairs, tailor.	cleaning, hand engraving, jewellery making, laundromat, locksmith, picture framing, shoe repairs, tailor	industry, medium impact, high impact industry, special industry
Service station	<ul> <li>The use of premises for—</li> <li>(a) selling fuel, including, for example, petrol, liquid petroleum gas, automotive distillate or alternative fuels or</li> <li>(b) a food and drink outlet, shop, trailer hire, or maintaining, repairing, servicing or washing vehicles, if the use is ancillary to the use in paragraph (a).</li> </ul>	Electric vehicle charging station	Car wash
Shop	<ul> <li>The use of premises for— <ul> <li>(a) displaying, selling or hiring goods; or</li> <li>(b) providing personal services or betting to the public.</li> </ul> </li> <li>Examples of a shop—betting agency, corner store, department store, discount variety store, hair dressing salon, liquor store, supermarket.</li> </ul>	Hairdresser, liquor store, department store, discount department store, discount variety stores, betting agencies, supermarket, corner store	Adult store, food and drink outlet, showroom, market
Shopping centre	The use of premises for an integrated shopping complex consisting mainly of shops.		
Short-term accommodati on	<ul> <li>(a) The use of premises for <ul> <li>(i) providing</li> <li>accommodation of</li> <li>less than 3</li> <li>consecutive months</li> <li>to tourists or</li> <li>travellers; or</li> <li>(ii) a manager's</li> <li>residence, office, or</li> <li>recreation facilities</li> <li>for the exclusive use</li> <li>of guests, if the use</li> <li>is ancillary to the use</li> <li>in subparagraph (i);</li> <li>but</li> </ul> </li> <li>(b) does not include a hotel, nature-based tourism, resort complex or tourist park.</li> </ul>	Motel, backpackers accommodation, cabins, serviced apartments, hotel, farm stay	Hostel, rooming accommodation, tourist park
Showroom	The use of premises for the sale of goods that are of— (a) a related product line;	Bulky goods sales, motor vehicles sales showroom, bulk	Food and drink outlet, shop, outdoor sales

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following
	and (b) a size, shape or weight that requires— (i) a large area for handling, display or storage; and (ii) direct vehicle access to the building that contains the goods by members of the public to enable the loading and unloading of the goods. Examples of a showroom—bulk stationary supplies, bulky goods sales, motor vehicle sales showroom.	stationary supplies	examples
Special industry	<ul> <li>The use of premises for an industrial activity— <ul> <li>(a) that is manufacturing, producing, processing, repairing, altering, recycling, storing, distributing, transferring or treating products; and</li> <li>(b) that a local planning instrument applying to the premises states is a special industry; and</li> <li>(c) that complies with any thresholds for the activity states in a local planning instrument applying to the premises, including, for example, thresholds relating to the number of products manufactured or the level of emissions produced by the activity.</li> </ul></li></ul>	Tanneries, rendering plants, oil refineries, waste incineration, manufacturing or storing explosives, power plants, manufacturing fertilisers. Note–additional examples may be shown in Table 6 industry thresholds.	Low impact industry, medium impact industry, high impact industry, service industry
Substation	<ul> <li>The use of premises— <ul> <li>(a) as part of a transmission grid or supply network to— <ul> <li>(i) convert of transform electrical energy from one voltage to another; or</li> <li>(ii) regulate voltage in an electrical circuit; or</li> <li>(iii) control electrical circuits; or</li> <li>(iv) switch electrical current between circuits; or</li> </ul> </li> <li>(b) for a telecommunications facility for—</li> </ul></li></ul>	Substations, switching yards	Major electricity infrastructure, minor electricity infrastructure

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following
	<ul> <li>(i) works, as defined under the Electricity Act, section 12(1); or</li> <li>(ii) workforce operational and safety communications.</li> </ul>		examples
Telecommuni cations facility	The use of premises for a facility that is capable of carrying communications and signals by guided or unguided electromagnetic energy.	Telecommunication tower, broadcasting station, television station	Aviation facility, 'low- impact telecommunications facility' as defined under the <i>Telecommunications</i> <i>Act 1997</i>
Theatre	<ul> <li>The use of premises for—</li> <li>(a) presenting movies, live entertainment or music to the public; or</li> <li>(b) the production of film or music; or</li> <li>(c) the following activities or facilities, if the use is ancillary to a use in paragraph (a) or (b)—</li> <li>(i) preparing and selling food and drink for consumption on the premises;</li> <li>(ii) facilities for editing and post-production;</li> <li>(iii) facilities for wardrobe, laundry and make-up;</li> <li>(iv) set construction workshops;</li> <li>(v) sound stages.</li> <li>Examples of a theatre—cinema, concert hall, film studio, music recording studio.</li> </ul>	Cinema, movie house, concert hall, dance hall, film studio, music recording studio	Community hall, hotel, indoor sport and recreation facility, temporary film studio
Tourist attraction	<ul> <li>The use of premises for–</li> <li>(a) providing entertainment to, or a recreation facility for, the general public; or</li> <li>(b) preparing and selling food and drink for consumption on the premises, if the use is ancillary to the use in paragraph (a).</li> <li>Examples of a tourist attraction— theme park, zoo.</li> </ul>	Theme park, zoo	Hotel, major sport, recreation and entertainment facility, nightclub entertainment facility
Tourist park	<ul> <li>The use of premises for—</li> <li>(a) holiday, accommodation in caravans, self- contained cabins, tents or other similar structures; or</li> </ul>	Camping ground, caravan park, holiday cabins	Relocatable home park, tourist attraction, short-term accommodation, non-resident workforce

Column 1 Use	Column 2 Definition	Column 3 Examples include	Column 4 Does not include the following examples
	(b) amenity facilities, a food and drink outlet, a manager's residence, offices, recreation facilities for the use of occupants and their visitors, or staff accommodation, if the use is ancillary to the use in paragraph (a).		accommodation
Transport depot	<ul> <li>The use of premises for— <ul> <li>(a) storing vehicles, or</li> <li>machinery, that are used for a commercial or public purpose; or</li> <li>(b) cleaning, repairing or servicing vehicles or machinery, if the use is ancillary to the use in paragraph (a).</li> </ul> </li> </ul>	Premises used for storing buses, taxis, heavy vehicles or heavy machinery, contractors depot	Home based business, warehouse, low impact industry, service industry
	Examples of a transport depot— using premises to store buses, taxis, trucks, heavy vehicles or heavy machinery.		
Utility installation	<ul> <li>The use of premises for—</li> <li>(a) a service for supplying or treating water, hydraulic power or gas; or</li> <li>(b) a sewerage, drainage or stormwater service; or</li> <li>(c) a transport service; or</li> <li>(d) a waste management service; or</li> <li>(e) a maintenance depot, storage depot or other facility for a service stated in paragraphs (a) to (d).</li> </ul>	Sewerage treatment plant, mail depot, pumping station, water treatment plant	Telecommunications tower, major electricity infrastructure, minor electricity infrastructure, substation, renewable energy facility, transport depot
Veterinary service	<ul> <li>The use of premises for-</li> <li>(a) the medical or surgical treatment of animals; or</li> <li>(b) the short-term stay of animals, if the use is ancillary to the use in paragraph (a).</li> </ul>		Animal keeping
Warehouse	<ul> <li>The use of premises for— <ul> <li>(a) storing or distributing goods, whether or not carried out in a building; or</li> <li>(b) the wholesale of goods, if the use is ancillary to the use in paragraph (a).</li> </ul> </li> <li>Examples of a warehouse—self-storage facility, storage yard.</li> </ul>	Self-storage sheds	Hardware and trade supplies, outdoor sales, showroom, shop
Wholesale nursery	Sensitive generation age racinity, storage yard.The use of premises for—(a) the wholesale of plants		Bulk landscape supplies, garden

Column 1 Use	Column 2 Definition grown on or next to the	Column 3 Examples include	Column 4 Does not include the following examples centre
	<ul> <li>premises; or</li> <li>(b) selling gardening materials, if the use is ancillary to the use in paragraph (a).</li> </ul>		
Winery	<ul><li>The use of premises for—</li><li>(a) making wine; or</li><li>(b) selling wine that is made on the premises.</li></ul>		Rural industry
Workforce accommodati on	<ul> <li>(a) means the use of premises for <ul> <li>(i) accommodation</li> <li>that is provided for persons who perform work as part of—</li> </ul> </li> <li>a resource extraction project; or <ul> <li>a project identified in a planning scheme as a major industry or infrastructure project; or</li> <li>a rural use; or <ul> <li>a rural use; or</li> <li>(ii) recreation and entertainment facilities for persons residing at the premises and their visitors, if the use is ancillary to the use in paragraph (a).</li> </ul> </li> <li>(b) does not include rural workers' accommodation.</li> </ul></li></ul>	Contractor's camp, construction camp, single person's quarters, temporary workers' accommodation	Relocatable home park, short-term accommodation, tourist park

#### SC1.1.1 Defined activity groups

- (1) Defined use terms listed in **Table SC1.1.2 (Use definitions)** are able to be clustered into activity groups.
- (2) An activity group listed in column 1 of **Table SC1.1.1.2** clusters the defined use terms listed in column 2.
- (3) An activity group is able to be referenced in Part 5 (Tables of assessment).
- (4) The activity groups listed here are the defined activity groups for the purpose of the planning scheme.

## Table SC1.1.1.1—Index of defined activity groups

Ind	Index for defined activity groups			
В.	Residential activities Business activities Entertainment activities	,	<ul><li>G. Rural activities</li><li>H. Other activities</li></ul>	

Editor's note–The grouping of land uses known as 'sensitive land uses', as referenced throughout this planning scheme is found in section SC1.2 Administrative terms.

#### Table SC1.1.1.2—Defined activity groups

Column 1 Activity group	Column 2 Uses
A. Residential activities	Caretaker's accommodation Community residence Dual occupancy Dwelling house Dwelling unit Home-based business Multiple dwelling Nature-based tourism Non-resident workforce accommodation Party house Relocatable home park Residential care facility Resort complex Retirement facility Rooming Accommodation Rural workers' accommodation
	Short-term accommodation Tourist park
B. Business activities	Adult store Agricultural supplies store Bar Car wash Food and drink outlet Garden centre Hardware and trade supplies Market Office Outdoor sales Sales office Service station Shop Shopping centre Showroom Veterinary service

Column 1 Activity group	Column 2 Uses
C. Entertainment activities	Club Function facility Hotel Nightclub entertainment facility Theatre Tourist attraction
D. Industry activities	Bulk landscape supplies Extractive industry High impact industry Low impact industry Marine industry Medium impact industry Research and technology industry Service industry Special industry Transport depot Warehouse
E. Community activities	Cemetery Childcare centre Community care centre Community use Crematorium Detention facility Educational establishment Emergency services Funeral parlour Health care service Hospital Place of worship
F. Recreation activities	Environment facility Indoor sport and recreation Major sport, recreation and entertainment facility Motor sport facility Outdoor sport and recreation Park
G. Rural activities	Animal husbandry Animal keeping Aquaculture Cropping Intensive animal industry Intensive horticulture Permanent plantation Roadside stall Rural industry Wholesale nursery Winery
H. Other activities	Air service Brothel Landing Major electricity infrastructure Outstation Parking station Port service

Column 1	Column 2
Activity group	Uses
	Renewable energy facility Substation Telecommunications facility Utility installation

## SC1.1.2 Industry thresholds

(1) The industry thresholds listed below are to be used in conjunction with the defined use terms listed in **Table SC1.1.2.1 (Industry thresholds)**—low impact industry, medium impact industry, high impact industry and special industry.

Column 1 Use	Column 2 Additional examples include	
Low impact industry	<ol> <li>Repairing and servicing motor vehicles, including mechanical components, radiators, electrical components, wheel alignments, exhausts, tyres, suspension or air conditioning, not including spray painting;</li> <li>Repairing and servicing lawn mowers and outboard engines;</li> <li>Fitting and turning workshop;</li> <li>Assembling or fabricating products from sheet metal or welding steel, producing less than 10 tonnes a year and not including spray painting;</li> <li>Assembling wood products not involving cutting, routing, sanding or spray painting;</li> <li>Dismantling automotive or mechanical equipment, not including debonding brake or clutch components.</li> </ol>	
Medium impact industry	<ol> <li>Metal foundry producing less than 10 tonnes of metal castings per annum;</li> <li>Boiler making or engineering works producing less than 10,000 tonnes of metal product per annum;</li> <li>Facility, goods yard or warehouse for the storage and distribution of dangerous goods not involving manufacturing processes and not a major hazard facility under the <i>Work Health and Safety Act 2001</i>;</li> <li>Abrasive blasting facility using less than 10 tonnes of abrasive material per annum;</li> <li>Enamelling workshop using less than 10 tonnes of abrasive material per annum;</li> <li>Galvanising works using less than 100 tonnes of zinc per annum;</li> <li>Galvanising works using less than 100 tonnes of zinc per annum;</li> <li>Anodising or electroplating workshop where tank area is less than 400 square metres;</li> <li>Powder coating workshop (including spray painting vehicles, plant, equipment or boats) using less than 20,000 litres of paint per annum;</li> <li>Scrap metal yard (not including a fragmentiser), dismantling automotive or mechanical equipment including debonding brake or clutch components;</li> <li>Manufacturing clay or ceramic products including bricks, tiles, pipes and pottery goods, less than 200 tonnes per annum;</li> <li>Vegetable oil or oilseed processing in works with a design production capacity of less than 1,000 tonnes per annum;</li> <li>Manufacturing wooden products including cabinet making, joinery and wood working, where producing less than 500 tonnes per annum;</li> <li>Manufacturing medium density fibreboard, chipboard, particle board, plywood, laminated board or wood veneer products, less than 250 tonnes per annum;</li> </ol>	

Column 1	Column 2
Use	Additional examples include
	<ol> <li>Sawmilling, wood chipping and kiln drying timber and logs, producing less than 500 tonnes per annum;</li> </ol>
	17. Recycling and reprocessing batteries;
	18. Repairing or maintaining boats;
	19. Manufacturing substrate for mushroom growing;
	20. Manufacturing or processing plaster, producing less than 5,000 tonnes per annum;
	21. Recycling or reprocessing tyres including retreading;
	22. Printing advertising material, magazines, newspapers, packaging and stationery;
	23. Transport depot, distribution centre, contractors depot and storage yard;
	24. Manufacturing fibreglass, foam plastic, composite plastic or rigid fibre- reinforced plastic or plastic products, less than 5 tonnes per annum (except fibreglass boats, tanks and swimming pools);
	25. Manufacturing PET, PETE, polypropylene and polystyrene plastic or plastic products, less than 10,000 tonnes per annum;
	26. Reconditioning metal or plastic drums;
	27. Glass fibre manufacture less than 200 tonnes per annum;
	<ol> <li>Manufacturing glass or glass products, where not glass fibre, less than 250 tonnes per annum;</li> </ol>
	29. Concrete batching and producing concrete products.
High impact industry	<ol> <li>Metal foundry producing 10 tonnes or greater of metal castings per annum;</li> </ol>
	<ol> <li>Boiler making or engineering works producing 10,000 tonnes or greater of metal product per annum;</li> </ol>
	3. Major hazard facility for the storage and distribution of dangerous goods
	not involving manufacturing processes;
	4. Scrap metal yard including a fragmentiser;
	5. Manufacturing clay or ceramic products including bricks, tiles, pipes and pottery goods, greater than 200 tonnes per annum;
	6. Processing, smoking, drying, curing, milling, bottling or canning food, beverages or pet food, greater than 200 tonnes per annum;
	7. Vegetable oil or oilseed processing in works with a design production capacity of greater than 1,000 tonnes per annum;
	8. Manufacturing wooden products including cabinet making, joinery and wood working, producing greater than 500 tonnes per annum;
	9. Manufacturing medium density fibreboard, chipboard, particle board,
	plywood, laminated board or wood veneer products, 250 tonnes or greater per annum;
	<ol> <li>Sawmilling, wood chipping and kiln drying timber and logs, producing greater than 500 tonnes per annum;</li> </ol>
	<ol> <li>Manufacturing or processing plaster, producing greater than 5,000 tonnes per annum;</li> </ol>
	<ol> <li>Enamelling workshop using 15,000 litres or greater of enamel per annum;</li> </ol>
	13. Galvanising works using 100 tonnes or greater of zinc per annum;
	14. Anodising or electroplating workshop where tank area is 400 square
	metres or greater;
	<ol> <li>Powder coating workshop using 500 tonnes or greater of coating per annum;</li> </ol>
	16. Spray painting workshop (including spray painting vehicles, plant, equipment or boats) using 20,000 litres or greater of paint per annum;
	17. Treating timber for preservation using chemicals including copper, chromium, arsenic, borax and creosote;
	18. Manufacturing soil conditioners by receiving, blending, storing,
	processing, drying or composting organic material or organic waste,

Column 1	Column 2 Additional examples include
Use	<ul> <li>Additional examples include <ul> <li>including animal manures, sewage, septic sludges and domestic waste;</li> <li>19. Manufacturing fibreglass pools, tanks and boats;</li> </ul> </li> <li>20. Manufacturing, fibreglass, foam plastic, composite plastic or rigid fibre-reinforced plastic or plastic products, 5 tonnes or greater per annum (except fibreglass boats, tanks and swimming pools);</li> <li>21. Manufacturing PET, PETE, polypropylene and polystyrene plastic or plastic products, 10,000 tonnes or greater per annum;</li> <li>22. Manufacturing tyres, asbestos products, asphalt, cement; glass or glass fibre, mineral wool or ceramic fibre;</li> <li>23. Abattoir;</li> <li>24. Recycling chemicals, oils or solvents;</li> <li>25. Waste disposal facility (other than waste incinerator);</li> <li>26. Recycling, storing or reprocessing regulated waste;</li> <li>27. Manufacturing batteries;</li> <li>28. Manufacturing wooden products including cabinet making, joinery, wood working, producing greater than 500 tonnes per annum;</li> <li>29. Abrasive blasting facility using 10 tonnes or greater per annum;</li> <li>30. Crematoria;</li> <li>31. Glass fibre manufacture producing 200 tonnes or greater per annum;</li> <li>32. Manufacturing glass or glass products, where not glass fibre, less than 250 tonnes per annum;</li> <li>33. Distilling alcohol in works producing greater than 2,500 litres per annum;</li> </ul>
Special industry	<ol> <li>Oil refining or processing;</li> <li>Producing, refining or processing gas or fuel gas;</li> <li>Power station;</li> <li>Producing, quenching, cutting, crushing or grading coke;</li> <li>Waste incinerator;</li> <li>Pulp or paper manufacturing;</li> <li>Tobacco processing;</li> <li>Tannery or works for curing animal skins, hides or finishing leather;</li> <li>Textile manufacturing, including carpet manufacturing, wool scouring or carbonising, cotton milling, or textile bleaching, dyeing or finishing;</li> <li>Rendering plant;</li> <li>Manufacturing chemicals, poisons and explosives;</li> <li>Manufacturing polyvinyl chloride plastic.</li> </ol>

## SC1.2 Administrative terms

- (1) Administrative terms and definitions assist with the interpretation of the planning scheme but do not have a meaning in relation to a use term.
- (2) An administrative term listed in **Table SC1.2.2—Administrative terms and definitions as per the regulated requirements** column 1 has the meaning set out beside that administrative term in column 2 under the heading.
- (3) The administrative terms and definitions listed here are the terms and definitions for the purpose of the planning scheme.

### Table SC1.2.1—Index of administrative terms and definitions

Index for administrative term	Index for administrative terms and definitions		
Adjoining premises	Gross floor area	Projection area	
Advertising device	Ground level	Secondary dwelling	
Affordable housing	Household	Sensitive land use	
Average width	Minor building work	Service catchment	
Base date	Minor electricity infrastructure	Setback	
Basement	Net developable area	Site	
Boundary clearance	Non-resident worker	Site cover	
Building height	Outermost projection	Storey	
Demand unit		Temporary use	
Development footprint	Planning assumption	Total use area	
Domestic outbuilding	Plot ratio	Ultimate development	
Dwelling		Water netserv plan	

Column 1 Administrative term	Column 2 Definition
Adjoining premises	<i>adjoining premises</i> means premises that share a common boundary, including premises that meet at a single point on a common boundary.
Advertising device	<ul> <li>advertising device—</li> <li>(a) means a permanent sign, structure or other device used, or intended to be used, for advertising; and</li> <li>(b) includes a structure, or part of a building, the primary purpose of which is to support the sign, structure or device.</li> </ul>
Affordable housing	<b>affordable housing</b> means housing that is appropriate to the needs of households with low to moderate incomes, if the members of the households will spend no more than 30% of gross income on housing costs.
Average width	<i>average width,</i> of a lot, means the distance, measured in metres, between the midpoint on each side boundary of the lot.
Base date	<b>base date</b> means the date from which the local government has estimated future infrastructure demand and costs for the local government area.
Basement	<ul> <li>basement means a space—</li> <li>(a) between a floor level in a building and the floor level that is immediately below it; and</li> <li>(b) no part of which is more than 1m above ground level.</li> </ul>
Boundary clearance	<b>boundary clearance</b> means the distance between a building or structure on premises and the boundary of the premises and the boundary of the premises, measured from the part of the building or structure that is closest to the boundary,

#### Table SC1.2.2—Administrative terms and definitions as per the regulated requirements

Column 1 Administrative term	Column 2 Definition
	other than a part that is— (a) an architectural or ornamental attachment; or (b) a rainwater fitting.
	<ul> <li>Examples—</li> <li>1. If the fascia of a building is the part of the building that is closest to the boundary, the boundary clearance is the distance between the outside of the fascia and the boundary.</li> <li>2. If a point on the roof of a building is the part of the building that is closest to the boundary, the boundary clearance is the distance between that point on the roof and the boundary.</li> </ul>
Building height	<ul> <li>building height, of a building, means—</li> <li>(a) the vertical distance, measured in metres, between the ground level of the building and the highest point on the roof of the building, other than a point that is part of an aerial, chimney, flagpole or load-bearing antenna; or</li> <li>(b) the number of storeys in the building above ground level.</li> </ul>
Demand unit	<i>demand unit</i> means a unit of measurement for measuring the level of demand for infrastructure.
Development footprint	<ul> <li>development footprint, for development, means a part of the premises that the development relates to, including, for example, any part of the premises that, after the development is carried out, will be covered by— <ul> <li>(a) buildings or structures, measured to their outermost projection; or</li> <li>(b) landscaping or open space; or</li> <li>(c) facilities relating to the development; or</li> <li>(d) on-site stormwater drainage or wastewater treatment; or</li> <li>(e) a car park, road, access track or area used for vehicle movement; or</li> <li>(f) another area of disturbance.</li> </ul> </li> </ul>
Domestic outbuilding	<ul> <li>domestic outbuilding means a non-habitable class 10a building that is—</li> <li>(a) a shed, garage or carport; and</li> <li>(b) ancillary to a residential use carried out on the premises where the building is.</li> </ul>
Dwelling	<ul> <li>dwelling means all or part of a building that— <ul> <li>(a) is used, or capable of being used, as a self-contained residence; and</li> <li>(b) contains— <ul> <li>(i) food preparation facilities; and</li> <li>(ii) a bath or shower; and</li> <li>(iii) a toilet; and</li> <li>(iv) a wash basin; and</li> <li>(v) facilities for washing clothes.</li> </ul> </li> </ul></li></ul>
Gross floor area	<ul> <li>gross floor area, for a building, means the total floor area of all storeys of the building, measured from the outside of the external walls and the centre of any common walls of the building, other than areas used for—</li> <li>(a) building services, plant or equipment; or</li> <li>(b) access between levels; or</li> <li>(c) a ground floor public lobby; or</li> <li>(d) a mall; or</li> <li>(e) parking, loading or manoeuvring vehicles; or</li> <li>(f) unenclosed private balconies, whether roofed or not.</li> </ul>
Ground level	ground level means—

Column 1 Administrative term	Column 2 Definition
	<ul><li>(a) the level of the natural ground; or</li><li>(b) if the level of the natural ground has changed, the level as lawfully changed.</li></ul>
Household	(a) <i>household</i> means 1 or more individuals who live together in a dwelling.
Minor building work	<ul> <li><i>minor building work</i> means building work that increases the gross floor area of a building by no more than the lesser of the following—</li> <li>(a) 50m<sup>2</sup>;</li> <li>(b) an area equal to 5% of the gross floor area of the building.</li> </ul>
Minor electricity infrastructure	<i>minor electricity infrastructure</i> means development stated in the Planning Regulation 2017, schedule 6 section 26(5).
Net developable area	<ul> <li><i>net developable area</i>, for premises, means the area of the premises that—</li> <li>(a) is able to be developed; and</li> <li>(b) is not subject to a development constraint, including, for example, a constraint relating to acid sulfate soils, flooding or slope.</li> </ul>
Non-resident worker	<ul> <li>non-resident worker means a person who—         <ul> <li>(a) performs work as part of—                 <ul></ul></li></ul></li></ul>
	Example of a non-resident worker—a person engaged in fly-in/fly-out, or drive in/drive out, working arrangements
Outermost projection	<ul> <li>outermost projection, of a building or structure, means the outermost part of the building or structure, other than a part that is—</li> <li>(a) a retractable blind; or</li> <li>(b) a fixed screen; or</li> <li>(c) a rainwater fitting; or</li> <li>(d) an ornamental attachment.</li> </ul>
Planning assumption	<i>planning assumption</i> means an assumption about the type, scale, location and timing of future growth in the local government area.
Plot ratio	<b>plot ratio</b> means the ratio of the gross floor area of a building on a site to the area of the site.
Projection area	<b>projection area</b> means a part of the local government area for which the local government has carried out demand growth projection.
Secondary dwelling	<ul> <li>secondary dwelling means a dwelling on a lot that is used in conjunction with, but subordinate to, another dwelling on the lot, whether or not the dwelling is -</li> <li>(a) attached to the other dwelling; or</li> <li>(b) occupied by individuals who are related to, or associated with, the household of the other dwelling.</li> </ul>
Sensitive land use	<ul> <li>sensitive land use means—</li> <li>(a) caretaker's accommodation; or</li> <li>(b) a childcare centre; or</li> </ul>

Column 1 Administrative term	Column 2 Definition
	<ul> <li>(c) a community care centre; or</li> <li>(d) a community residence; or</li> <li>(e) a detention facility; or</li> <li>(f) a dual occupancy; or</li> <li>(g) a dwelling house; or</li> <li>(h) a dwelling unit; or</li> <li>(i) an educational establishment; or</li> <li>(j) a health care service; or</li> <li>(k) a hospital; or</li> <li>(l) a hotel, to the extent the hotel provides accommodation for tourists or travellers; or</li> <li>(m) a multiple dwelling; or</li> <li>(n) non-resident workforce accommodation; or</li> <li>(o) a relocatable home park; or</li> <li>(p) a residential care facility; or</li> <li>(q) a resort complex; or</li> <li>(r) a retirement facility; or</li> <li>(s) rooming accommodation; or</li> <li>(u) short-term accommodation; or</li> <li>(v) a tourist park.</li> </ul>
Service catchment	<i>service catchment</i> means an area serviced by an infrastructure network.
Setback	<b>setback</b> , for a building or structure, means the shortest distance, measured horizontally, between the outermost projection of the building or structure to the vertical projection of the boundary of the lot where the building or structure is.
Site	<i>site</i> , of development, means the land that the development is to be carried out on.
	<ul> <li>Examples—</li> <li>1. If development is to be carried out on part of a lot, the site of the development is that part of the lot.</li> <li>2. If development is to be carried out on part of 1 lot and part of an adjoining lot, the site of the development is both of those parts.</li> </ul>
Site cover	<ul> <li>site cover, of development, means the portion of the site, expressed as a percentage, that will be covered by a building or structure, measured to its outermost projection, after the development is carried out, other than a building or structure, or part of a building or structure, that is— <ul> <li>(a) in a landscaped or open space area, including, for example, a gazebo or shade structure; or</li> <li>(b) a basement that is completely below ground level and used for car parking; or</li> <li>(c) the eaves of a building; or</li> <li>(d) a sun shade.</li> </ul> </li> </ul>
Storey	<ul> <li>storey— <ul> <li>(a) means a space within a building between 2 floor levels, or a floor level and a ceiling or roof, other than— <ul> <li>(i) a space containing only a lift shaft, stairway or meter room; or</li> <li>(ii) a space containing only a bathroom, shower room, laundry, toilet or other sanitary compartment; or</li> <li>(iii) a space containing only a combination of the things stated in subparagraph (i) or (ii); or</li> <li>(iv) a basement with a ceiling that is not more than 1m above ground level; and</li> </ul> </li> </ul></li></ul>

Column 1 Administrative term	Column 2 Definition
	<ul> <li>(b) includes—</li> <li>(i) a mezzanine; and</li> <li>(ii) a roofed structured that is on, or part of, a rooftop, if the structure does not only accommodate building plant and equipment.</li> </ul>
Temporary use	<ul> <li><i>temporary use</i> means a use that—</li> <li>(a) is carried out on a non-permanent basis; and</li> <li>(b) does not involve the construction of, or significant changes to, permanent buildings or structures.</li> </ul>
Total use area	<ul> <li>total use area means the sum of all parts of the lot used for a particular use, including any ancillary use, but does not include areas used for:</li> <li>(a) car parking;</li> <li>(b) landscaping; and</li> <li>(c) vehicle manoeuvring.</li> </ul>
	For the purpose of calculating car parking requirements the term included the total floor area and all buildings.
Ultimate development	<i>ultimate development</i> , for an area or premises, means the likely extent of development that is anticipated in the area, or on the premises, if the area or premises are fully developed.
Water netserv plan	<i>water netserv plan</i> means a plan adopted by an SEQ service provider, as defined in the <i>South-East Queensland Water</i> ( <i>Distribution and Retail Restructuring</i> ) <i>Act 2009</i> , under section 99BJ of that Act.

# Schedule 2 Mapping

## SC2.1 Map index

The table below lists any strategic framework, zoning and overlay maps applicable to the planning scheme area. Maps relevant to other plans have also been included in SC2.5.

Editor's note—Mapping for the LGIP is contained in schedule 3 of the planning scheme.
---------------------------------------------------------------------------------------

Table SC2.1.1—Map index							
Map number	Map title	Gazettal date					
Strategic framewo	ork maps						
SFM1	Workforce Accommodation Locations	1 July 2024					
Zone maps	· ·	·					
ZM1	Zoning	1 April 2021					
Overlay maps	· ·	·					
OM1	Acid Sulphate Soils	1 April 2021					
OM2	Agriculture Land	1 April 2021					
OM3	Airport Environs	1 April 2021					
OM4	Bushfire Hazard	1 April 2021					
OM5	Coastal Hazard	1 July 2024					
OM6	Environmental Significance	1 April 2021					
OM7	Extractive Resources and Minerals	1 April 2021					
OM8	Flood Hazard	1 April 2021					
OM9	Heritage	1 April 2021					
OM10	Potential Hazardous Dust Level	1 April 2021					
OM11	Regional Infrastructure	1 April 2021					
OM12	Water Resource Catchments	1 April 2021					
Other plans maps	<u>}</u>						
LM1	Locality Map	1 April 2021					
AM1	Development and Construction	1 April 2021					
1	2						

Table SC2 1 1—Man index

# SC2.2 Strategic framework maps

## SC2.3 Zone maps

## SC2.4 Overlay maps

## SC2.5 Other plans maps

# Schedule 3 Local government infrastructure plan mapping and supporting material

## SC3.1 Planning assumption tables

### Table SC3.1.1—Existing and projected population

Column 1 Projection area	Column 2	Column 3 Existing and project	Column 3 Existing and projected population						
	LGIP development type	2018	2021	2026	2031	2036	Ultimate development (capacity)		
	Single dwelling	258	257	256	255	253	252		
Clermont Rural	Multiple dwelling	15	15	14	14	14	14		
Clermont Rural	Other dwelling	17	17	17	17	17	17		
	Total	289	289	288	287	284	284		
	Single dwelling	2,222	2,281	2,383	2,482	2,565	2,996		
Clermont Town	Multiple dwelling	126	129	135	140	145	169		
Clermont Town	Other dwelling	149	153	160	166	172	201		
	Total	2,496	2,563	2,677	2,789	2,882	3,366		
	Single dwelling	3,904	4,092	4,169	4,239	4,394	5,453		
Ducent	Multiple dwelling	221	231	236	240	248	308		
Dysart	Other dwelling	262	274	279	284	295	366		
	Total	4,386	4,598	4,684	4,763	4,937	6,126		
	Single dwelling	1,568	1,647	1,672	1,703	1,723	1,932		
Glenden	Multiple dwelling	89	93	94	96	97	109		
Gienden	Other dwelling	105	110	112	114	115	130		
	Total	1,762	1,850	1,878	1,914	1,936	2,171		
	Single dwelling	2,815	2,985	3,016	3,042	3,180	4,189		
Middlemount	Multiple dwelling	159	169	170	172	180	237		
widdiemount	Other dwelling	189	200	202	204	213	281		
	Total	3,163	3,354	3,388	3,417	3,573	4,707		
Moranbah	Single dwelling	10,800	11,255	11,706	12,046	12,044	13,317		

Column 1 Projection area	Column 2	Column 3 Existing and projected population						
	LGIP development type	2018	2021	2026	2031	2036	Ultimate development (capacity)	
	Multiple dwelling	610	636	661	681	681	752	
	Other dwelling	724	754	785	807	807	893	
	Total	12,134	12,645	13,152	13,534	13,532	14,962	
	Single dwelling	667	788	808	847	973	1,828	
Nebo Rural	Multiple dwelling	38	45	46	48	55	103	
Nedo Rurai	Other dwelling	45	53	54	57	65	123	
	Total	750	885	908	951	1,093	2,054	
	Single dwelling	674	796	831	880	1,000	1,774	
Nobe Terre	Multiple dwelling	38	45	47	50	56	100	
Nebo Town	Other dwelling	45	53	56	59	67	119	
	Total	757	894	934	989	1,123	1,993	
	Single dwelling	22,908	24,101	24,841	25,494	26,132	31,741	
Inside priority	Multiple dwelling	1,294	1,362	1,404	1,440	1,476	1,793	
infrastructure area	Other dwelling	1,536	1,616	1,665	1,709	1,752	2,128	
	Total	25,738	27,079	27,910	28,644	29,360	35,663	
	Single dwelling	9,826	11,869	12,391	13,250	14,521	35,485	
Outside priority	Multiple dwelling	555	671	700	749	820	2,005	
infrastructure area	Other dwelling	659	796	831	888	973	2,379	
	Total	11,040	13,335	13,922	14,887	16,315	39,869	
	Single dwelling	32,734	35,970	37,232	38,745	40,653	67,227	
Isaac Regional	Multiple dwelling	1,849	2,032	2,104	2,189	2,297	3,798	
Council	Other dwelling	2,194	2,411	2,496	2,597	2,725	4,507	
	Total	36,777	40,414	41,832	43,531	45,675	75,532	

Column 1	Column 2	Column 3 Existing and projected employees						
Projection area	LGIP development type	2018	2021	2026	2031	2036	Ultimate development (capacity)	
	Retail	13	13	13	13	13	13	
	Commercial	36	36	36	36	36	36	
Clermont Rural	Industry	37	37	37	37	37	37	
	Community Purposes	18	18	18	18	18	18	
	Rural and Other Uses	139	139	139	138	138	138	
	Total	244	244	243	243	241	241	
	Retail	116	119	124	129	134	156	
	Commercial	311	318	329	340	350	399	
Clermont Town	Industry	321	327	338	349	358	405	
Clermont I own	Community Purposes	156	159	165	171	177	203	
	Rural and Other Uses	1,184	1,196	1,218	1,238	1,256	1,346	
	Total	2,087	2,119	2,175	2,229	2,274	2,508	
	Retail	127	134	137	140	146	189	
	Commercial	584	608	617	626	646	779	
Dysart	Industry	487	501	507	512	524	604	
Dysart	Community Purposes	196	207	211	215	224	284	
	Rural and Other Uses	3,599	3,673	3,703	3,730	3,791	4,206	
	Total	4,993	5,123	5,176	5,224	5,331	6,062	
	Retail	62	66	67	69	70	79	
	Commercial	184	192	194	197	199	218	
Glenden	Industry	144	147	149	150	151	160	
Gieriden	Community Purposes	82	87	88	90	91	103	
	Rural and Other Uses	1,518	1,548	1,558	1,570	1,577	1,656	
	Total	1,991	2,040	2,056	2,075	2,087	2,216	
Middlemount	Retail	119	127	129	130	137	188	

### Table SC3.1.2—Existing and projected employees

Column 1 Projection area	Column 2	Column 3 Existing and projected employees						
	LGIP development type	2018	2021	2026	2031	2036	Ultimate development (capacity)	
	Commercial	428	449	453	456	473	598	
	Industry	256	264	265	266	273	320	
	Community Purposes	145	154	156	158	165	222	
	Rural and Other Uses	2,843	2,913	2,926	2,937	2,994	3,409	
	Total	3,791	3,908	3,929	3,947	4,042	4,737	
	Retail	378	391	404	413	413	450	
	Commercial	1,440	1,478	1,515	1,544	1,544	1,650	
Manakala	Industry	1,594	1,627	1,661	1,685	1,685	1,779	
Moranbah	Community Purposes	597	614	630	643	643	689	
	Rural and Other Uses	4,772	4,874	4,976	5,052	5,052	5,339	
	Total	8,781	8,984	9,186	9,338	9,337	9,906	
	Retail	19	23	23	25	29	57	
	Commercial	73	84	86	89	100	179	
Naha Dural	Industry	148	164	167	172	188	299	
Nebo Rural	Community Purposes	61	73	75	78	90	170	
	Rural and Other Uses	399	432	437	448	481	711	
	Total	701	775	787	811	889	1,417	
	Retail	19	23	24	26	30	55	
	Commercial	73	85	88	92	103	174	
	Industry	150	166	170	177	192	293	
Nebo Town	Community Purposes	62	73	77	81	93	165	
	Rural and Other Uses	403	436	445	458	490	698	
	Total	707	782	804	834	908	1,386	
Inside priority	Retail	852	896	922	945	972	1,188	
infrastructure	Commercial	3,130	3,248	3,318	3,381	3,451	4,032	
area	Industry	3,137	3,234	3,294	3,349	3,408	3,896	

Column 1 Projection area	Column 2	Column 3 Existing and projected employees						
	LGIP development type	2018	2021	2026	2031	2036	Ultimate development (capacity)	
	Community Purposes	1,318	1,386	1,421	1,455	1,500	1,854	
	Rural and Other Uses	14,858	15,211	15,401	15,571	15,779	17,502	
	Total	23,295	23,976	24,356	24,701	25,110	28,472	
	Retail	228	289	304	330	366	1,014	
	Commercial	1,064	1,256	1,308	1,390	1,504	3,476	
Outside priority infrastructure	Industry	1,803	1,985	2,035	2,110	2,215	4,018	
area	Community Purposes	343	428	452	490	534	1,433	
	Rural and Other Uses	4,542	5,150	5,336	5,614	5,974	12,145	
	Total	7,980	9,109	9,434	9,935	10,593	22,086	
	Retail	1,080	1,185	1,226	1,276	1,338	2,202	
	Commercial	4,194	4,505	4,626	4,771	4,955	7,508	
Isaac Regional	Industry	4,940	5,219	5,328	5,459	5,623	7,914	
Council	Community Purposes	1,661	1,813	1,873	1,944	2,034	3,287	
	Rural and Other Uses	19,400	20,362	20,737	21,186	21,753	29,647	
	Total	31,275	33,084	33,790	34,635	35,702	50,559	

Column 1 Zone	Column 2 Column 3 Precinct / Planned density			Column 4 Demand generation rate for a trunk infrastructure network				
	Location	Non- residential plot ratio	Residential density	Water supply network	Sewerage network	Transport network	Parks and land for community facilities	
		pierraile	(dwellings/ dev ha)	(EP/dev ha)	(EP/dev ha)	(trips/dev ha)	network	
Residential development							(persons/dev ha)	
Centre			32.0	51.1	51.1	320.0	51.1	
Centre	Moranbah		48.0	76.7	76.7	480.0	76.7	
Low density residential			11.7	30.2	30.2	116.9	30.2	
Low density residential	Moranbah		13.5	33.8	33.8	135.3	33.8	
Low-medium density residential			23.7	49.8	49.8	236.7	49.8	
Emerging Community			13.5	33.8	33.8	135.3	33.8	
Rural residential			0.3	0.7	0.7	2.5	0.7	
Rural			0.0002	0.0	0.0	0.0	0.0	
Township			10.0	26.9	26.9	100.0	26.9	
Specialised Centre			45.6	45.6	45.6	456.0	45.6	
Non-residential developme	ent and mixed o	development*			• •			
Centre		4		67.1	67.1	500	0	
Centre	Moranbah	3		67.1	67.1	500	0	
Industry		0.75		40.3	40.3	75	0	
Specialised Centre		0.6		13.4	13.4	50	0	
Community Facilities		0.4		13.4	13.4	50	0	
Special Purpose		0		0	0	0	0	
Tourism Area (Minor)		0		0	0	0	0	
Environmental Management and Conservation		0		0	0	0	0	
Recreation and Open Space	1	0		0	0	0	0	

#### Table SC3.1.3—Planned density and demand generation rate for a trunk infrastructure network

Column 1	Column 2 LGIP	Column 3 Existing and projected residential dwellings									
Projection area	development type	2018	2021	2026	2031	2036	Ultimate development (capacity)				
	Single dwelling	94	94	94	94	94	94				
Clermont Rural	Multiple dwelling	9	9	9	9	9	9				
Clermont Rura	Other dwelling	10	10	10	10	10	10				
	Total	113	113	113	114	113	113				
	Single dwelling	811	835	877	919	955	1,116				
Clermont Town	Multiple dwelling	77	79	83	87	91	106				
Clermont Town	Other dwelling	88	91	95	100	104	121				
	Total	976	1,005	1,055	1,106	1,150	1,343				
Dysart	Single dwelling	1,424	1,498	1,534	1,569	1,636	2,031				
	Multiple dwelling	135	142	146	149	155	193				
	Other dwelling	155	163	167	171	178	221				
	Total	1,714	1,803	1,847	1,889	1,970	2,444				
	Single dwelling	572	603	615	630	642	720				
Glenden	Multiple dwelling	54	57	58	60	61	68				
Glenden	Other dwelling	62	66	67	69	70	78				
	Total	689	726	740	759	772	866				
	Single dwelling	1,027	1,093	1,110	1,126	1,184	1,560				
Middlemount	Multiple dwelling	98	104	105	107	113	148				
maalemount	Other dwelling	112	119	121	122	129	170				
	Total	1,236	1,315	1,336	1,355	1,426	1,878				
	Single dwelling	3,940	4,119	4,307	4,458	4,486	4,959				
Maranhah	Multiple dwelling	374	391	409	424	426	471				
Moranbah	Other dwelling	429	448	468	485	488	539				
	Total	4,743	4,958	5,185	5,367	5,399	5,970				
Nebo Rural	Single dwelling	244	288	297	313	362	681				

### Table SC3.1.4—Existing and projected residential dwellings

Column 1	Column 2 LGIP	Column 3 Existing and projected residential dwellings							
Projection area	development type	2018	2021	2026	2031	2036	Ultimate development (capacity)		
	Multiple dwelling	23	27	28	30	34	65		
	Other dwelling	26	31	32	34	39	74		
	Total	293	347	358	377	436	819		
	Single dwelling	246	291	306	326	372	661		
Nebo Town	Multiple dwelling	23	28	29	31	35	63		
	Other dwelling	27	32	33	35	40	72		
	Total	296	351	368	392	448	795		
	Single dwelling	8,357	8,820	9,140	9,436	9,732	11,821		
Inside priority	Multiple dwelling	794	838	868	896	924	1,123		
infrastructure area	Other dwelling	909	959	994	1,026	1,058	1,286		
	Total	10,060	10,618	11,003	11,359	11,715	14,230		
	Single dwelling	3,586	4,344	4,559	4,904	5,408	13,215		
Outside priority	Multiple dwelling	341	413	433	466	514	1,255		
infrastructure area	Other dwelling	390	472	496	533	588	1,437		
	Total	4,317	5,229	5,488	5,904	6,510	15,908		
	Single dwelling	11,943	13,164	13,699	14,340	15,140	25,036		
Isaac Regional	Multiple dwelling	1,134	1,250	1,301	1,362	1,438	2,378		
Council	Other dwelling	1,299	1,432	1,490	1,560	1,647	2,723		
	Total	14,376	15,846	16,491	17,262	18,225	30,138		

Column 1	Column 2										
Projection area	LGIP development type	2018	2021	2026	2031	2036	Ultimate development (capacity)				
	Retail	403	402	400	399	395	395				
	Commercial	1,085	1,083	1,080	1,076	1,068	1,068				
Clermont Rural	Industry	5,605	5,597	5,579	5,563	5,524	5,522				
Clermont Rural	Community Purposes	452	451	450	448	444	444				
	Rural and Other Uses	2,778	2,776	2,771	2,767	2,757	2,757				
	Total	10,323	10,310	10,279	10,254	10,189	10,186				
	Retail	3,474	3,566	3,724	3,877	4,007	4,674				
	Commercial	9,326	9,528	9,875	10,213	10,497	11,966				
	Industry	48,116	49,080	50,734	52,343	53,696	60,687				
Clermont Town	Community Purposes	3,890	3,980	4,136	4,287	4,414	5,071				
	Rural and Other Uses	23,682	23,930	24,355	24,768	25,116	26,913				
	Total	88,488	90,084	92,824	95,489	97,729	109,310				
	Retail	3,798	4,026	4,120	4,204	4,392	5,675				
	Commercial	17,516	18,229	18,520	18,784	19,369	23,370				
Ducort	Industry	73,064	75,202	76,076	76,867	78,623	90,625				
Dysart	Community Purposes	4,911	5,177	5,286	5,385	5,603	7,098				
	Rural and Other Uses	71,974	73,452	74,056	74,602	75,816	84,112				
	Total	171,262	176,086	178,057	179,842	183,802	210,879				
	Retail	1,869	1,980	2,015	2,059	2,086	2,380				
	Commercial	5,531	5,751	5,820	5,908	5,961	6,544				
Glenden	Industry	21,606	22,116	22,277	22,481	22,605	23,959				
Gieriaen	Community Purposes	2,057	2,168	2,203	2,248	2,275	2,569				
	Rural and Other Uses	30,367	30,966	31,155	31,394	31,540	33,129				
	Total	61,431	62,981	63,469	64,089	64,468	68,581				
Middlemount	Retail	3,566	3,824	3,869	3,908	4,119	5,647				

### Table SC3.1.5—Existing and projected non-residential floor space

Column 1	Column 3 Column 2 Existing and projected non-residential floor space (m2 GFA)									
Projection area	LGIP development type	2018	2021	2026	2031	2036	Ultimate development (capacity)			
	Commercial	12,850	13,481	13,593	13,688	14,203	17,942			
	Industry	38,331	39,534	39,748	39,930	40,912	48,050			
	Community Purposes	3,624	3,861	3,904	3,940	4,133	5,541			
	Rural and Other Uses	56,869	58,269	58,519	58,731	59,874	68,185			
	Total	115,240	118,969	119,632	120,198	123,241	145,364			
	Retail	11,332	11,722	12,110	12,401	12,400	13,492			
	Commercial	43,199	44,335	45,463	46,312	46,308	49,487			
Manankak	Industry	239,119	244,117	249,078	252,812	252,796	266,781			
Moranbah	Community Purposes	14,936	15,350	15,762	16,071	16,070	17,229			
	Rural and Other Uses	95,434	97,482	99,515	101,045	101,039	106,770			
	Total	404,020	413,007	421,928	428,641	428,613	453,760			
	Retail	559	679	700	738	864	1,715			
	Commercial	2,182	2,511	2,567	2,673	3,019	5,360			
Naka Dural	Industry	22,273	24,620	25,017	25,773	28,234	44,908			
Nebo Rural	Community Purposes	1,533	1,816	1,864	1,955	2,252	4,262			
	Rural and Other Uses	7,987	8,633	8,742	8,950	9,628	14,216			
	Total	34,534	38,259	38,890	40,089	43,995	70,462			
	Retail	565	686	722	771	889	1,661			
	Commercial	2,202	2,537	2,633	2,768	3,094	5,215			
	Industry	22,481	24,862	25,549	26,508	28,834	43,937			
Nebo Town	Community Purposes	1,548	1,835	1,918	2,033	2,314	4,134			
	Rural and Other Uses	8,061	8,716	8,905	9,169	9,809	13,965			
	Total	34,857	38,636	39,726	41,249	44,940	68,912			
	Retail	25,566	26,886	27,659	28,358	29,152	35,639			
Inside priority infrastructure area	Commercial	93,891	97,454	99,550	101,421	103,519	120,952			
	Industry	470,595	485,129	494,058	502,277	511,224	584,470			

Column 1	Column 2	Column 3 Existing and projecte	Column 3 Existing and projected non-residential floor space (m2 GFA)								
Projection area	LGIP development type	2018	2021	2026	2031	2036	Ultimate development (capacity)				
	Community Purposes	32,951	34,640	35,521	36,366	37,504	46,348				
	Rural and Other Uses	297,152	304,225	308,018	311,428	315,579	350,046				
	Total	920,155	948,333	964,807	979,851	996,978	1,137,455				
	Retail	6,836	8,674	9,132	9,908	10,976	30,415				
	Commercial	31,919	37,685	39,226	41,714	45,117	104,280				
Outside priority	Industry	270,468	297,791	305,183	316,519	332,249	602,650				
infrastructure area	Community Purposes	8,567	10,694	11,300	12,238	13,350	35,836				
	Rural and Other Uses	90,849	103,008	106,714	112,289	119,476	242,904				
	Total	408,639	457,852	471,555	492,668	521,168	1,016,085				
	Retail	32,402	35,560	36,791	38,266	40,128	66,054				
	Commercial	125,809	135,139	138,777	143,135	148,636	225,232				
Isaac Regional Council	Industry	741,063	782,920	799,241	818,796	843,473	1,187,121				
	Community Purposes	41,518	45,334	46,822	48,604	50,854	82,184				
	Rural and Other Uses	388,001	407,233	414,732	423,717	435,055	592,950				
	Total	1,328,794	1,406,185	1,436,362	1,472,519	1,518,146	2,153,540				

Column 1	Column 2 Existing and projected demand (EP)								
Service Catchment*	2018	2021	2026	2031	2036	Ultimate development (capacity)			
WS01 – Clermont	5,712	5,948	6,225	6,551	6,758	10,129			
WS02 – Moranbah	14,705	16,001	16,664	17,319	17,939	32,345			
WS03 – Dysart	7,131	7,752	8,042	8,277	8,891	12,744			
WS04 – Middlemount	4,454	4,764	4,812	4,857	5,113	7,344			
WS05 – Glenden	2,264	2,424	2,481	2,558	2,601	3,695			
WS06 – Nebo	757	895	934	991	1155	2,165			
TOTAL	35,023	37,784	39,158	40,554	42,458	68,422			

Table SC3.1.6—Existing and projected demand for the water supply network

\*The service catchments for the water supply network are identified on Local Government Infrastructure Plan Map WS - 001:008 (Plans for trunk infrastructure water supply network) in Schedule 3 (local government infrastructure mapping and tables).

#### Table SC3.1.7—Existing and projected demand for the sewerage network

Column 1	Column 2 Existing and proje	cted demand (EP)				
Service Catchment*	2018	2021	2026	2031	2036	Ultimate development (capacity)
S01 – Clermont	5,451	5,675	5,939	6,250	6,448	9,653
S02 – Moranbah	14,705	16,001	16,664	17,319	17,939	32,345
S03 – Dysart	7,131	7,752	8,042	8,277	8,891	12,744
S04 – Middlemount	4,454	4,764	4,812	4,857	5,113	7,344
S05 – Glenden	2,264	2,424	2,481	2,558	2,601	3,695
S06 – Nebo	757	895	934	991	1155	2,165
TOTAL	34,762	37,511	38,873	40,253	42,147	67,946

\*Column 1. The service catchments for the sewerage network are identified on Local Government Infrastructure Plan Map SEW - 001:007 (Plans for trunk infrastructure sewerage network) in Schedule 3 (local government infrastructure mapping and tables).

Column 1	Column 2 Existing and projected demand (trips)								
Service Catchment*	2018	2021	2026	2031	2036	Ultimate development (capacity)			
TR01 – Clermont	15,183	15,964	16,931	18,074	18,859	29,433			
TR02 – Moranbah	54,972	59,891	62,656	65,450	68,179	122,041			
TR03 – Dysart	24,155	26,195	27,122	28,023	29,977	42,038			
TR04 – Middlemount	16,084	17,312	17,592	17,812	19,023	27,833			
TR05 – Glenden	8,476	9,102	9,380	9,738	9,949	14,248			
TR06 – Nebo	2,728	3,235	3,395	3,627	4,260	8,021			
TR07 – St Lawrence	776	776	776	776	776	3,310			
TR08 – Rest of LGA	80,914	93,541	96,972	102,459	108,982	184,128			
TOTAL	203,288	226,016	234,824	245,960	260,005	431,053			

#### Table SC3.1.8—Existing and projected demand for the transport network

\*Column 1. The service catchments for the transport network are identified on Local Government Infrastructure Plan Map TR - 001:016 (Plans for trunk infrastructure transport network) in Schedule 3 (local government infrastructure mapping and tables).

Table SC3.1.9—Existing and projected demand for the parks and land for community facilities network
-----------------------------------------------------------------------------------------------------

Column 1	Column 2 Existing and project	ted demand (perso	ons)			
Service Catchment*	2018	2021	2026	2031	2036	Ultimate development (capacity)
PPCL01 – Clermont	2,829	2,938	3,083	3,247	3,370	4,960
PPCL02 – Moranbah	13,073	14,177	14,781	15,336	15,943	28,431
PPCL03 – Dysart	5,382	5,728	5,836	5,956	6,211	8,037
PPCL04 – Middlemount	3,763	3,954	3,988	4,016	4,182	5,371
PPCL05 – Glenden	1,782	1,878	1,915	1,961	1,993	2,636
PPCL06 – Nebo	747	883	923	979	1113	1,945
PPCL07 – St Lawrence	160	160	160	160	160	838
PPCL08 – Rest of LGA	9,088	10,816	11,255	11,977	12,789	22,878
TOTAL	36,825	40,532	41,941	43,631	45,760	75,096

\*Column 1. The service catchments for the parks and land for community facilities network are identified on Local Government Infrastructure Plan Map PPLC - 001:011 (Plans for trunk infrastructure parks and land for community facilities network) in Schedule 3 (local government infrastructure mapping and tables).

## SC3.2 Schedules of works

Column 1 Map reference	Column 2 Trunk infrastructure	Column 3 Estimated timing	Column 4 Establishment cost*
BRF01	Nebo - Bore Field	2019	\$559,680
BRF02	Nebo - Bore Field Upgrade	2020	\$192,082
BRF03	Nebo - Bore Field Upgrade	2020	\$192,082
BRF04	Nebo - Bore Field Upgrade	2020	\$192,082
PSF01	Nebo - Pump Station	2020	\$0
RESF01	Nebo - 2ML Reservoir	2020	\$0
RESF05	Theresa Creek Dam - Generator Upgrade	2022	\$0
WTPF01	Clermont - Generator Upgrade	2019	\$173,350
WTPF02	Nebo - New WTP	2019	\$3,968,900
WTPF03	Moranbah - Generator Upgrade	2020	\$557,891
WTPF09	Middlemount - Generator Upgrade	2022	\$0
RWMF01	Raw Water Main (200mm)	2020	\$1,754,323
RWMF02	Raw Water Main (150mm)	2020	\$292,060
WMF39	Water Main (300mm)	2020	\$1,395,474
WMF40	Water Main (200mm)	2020	\$180,412
WMF41	Water Main (300mm)	2020	\$192,949
WMF42	Water Main (200mm)	2020	\$96,297
WMF43	Water Main (200mm)	2020	\$105,694
TOTAL		I	\$9,853,277

#### Table SC3.2.1—Water supply network schedule of works

\*Column 4. The establishment cost is expressed in current cost terms as at the base date

Column 1 Map reference	Column 2 Trunk infrastructure	Column 3 Estimated timing	Column 4 Establishment cost*
PSF01	Dysart PS - New	2029	\$694,837
PSF03	Clermont PS - Wet Well Storage Upgrade	2020	\$391,301
PSF05	Clermont PS - Upgrade backup power	2022	\$110,108
PSF06	Middlemount PS - Upgrade backup power	2022	\$110,108
PSF07	Moranbah PS2 - Upgrade backup power	2022	\$110,108
PSF08	Moranbah PS15 - Upgrade backup power	2022	\$110,108
WWTPF01	Clermont STP - Emergency Generator/Telemetry Upgrades	2019	\$128,235
WWTPF03	Dysart STP - Sludge Drying Beds	2019	\$821,729
WWTPF04	Middlemount STP - Sludge Drying Beds	2019	\$693,161
WWTPF05	Middlemount STP - Emergency Generator/Telemetry Upgrades	2020	\$128,235
WWTPF06	Dysart STP - Emergency Generator/Telemetry Upgrades	2020	\$128,235
WWTPF07	Glenden STP - Emergency Generator/Telemetry Upgrades	2020	\$128,235
WWTPF08	Glenden STP - Inlet Screen	2019	\$391,301
WWTPF09	Nebo STP - Recycled Water Plant and Irrigation	2021	\$251,550
WWTPF10	Nebo STP - Upgrade	2019	\$608,049
WWTPF11	Clermont STP - Effluent Polishing Plant and Pipelines	2020	\$503,100

WWTPF12	Dysart STP - Effluent Polishing Plant	2019	\$535,812
WWTPF13	Middlemount STP - Effluent Polishing Plant	2019	\$549,927
WWTPF14	Clermont STP - Inlet Screen	2020	\$894,401
EMF01	Effluent Main (300mm)	2019	\$150,644
EMF02	Effluent Main (300mm)	2019	\$392,412
EMF04	Effluent Main (225mm)	2019	\$114,727
EMF13	Effluent Main (200mm)	2019	\$46,658
EMF14	Effluent Main (200mm)	2019	\$127,233
EMF16	Effluent Main (125mm)	2019	\$287,184
EMF17	Effluent Main (200mm)	2019	\$55,909
EMF18	Effluent Main (125mm)	2019	\$160,451
EMF19	Effluent Main (200mm)	2019	\$410,330
GMF14	Gravity Main (300mm)	2029	\$66,097
GMF15	Gravity Main (375mm)	2029	\$456,398
RMF01	Rising Main (300mm)	2029	\$1,389,259
TOTAL		\$10,945,841	

\*Column 4. The establishment cost is expressed in current cost terms as at the base date

Column 1 Map reference	Column 2 Trunk infrastructure	Column 3 Estimated timing	Column 4 Establishment cost*
INTF_010	Definition Works - Dysart-Saraji and Dysart-Clermont Rds	2021	\$54,662
INTF_022	Definition Works - Moranbah Access Rd and Cunningham Way	2031	\$54,662
INTF_001	Definition Works - Goonyella Rd and Curtin St	2031	\$54,662
INTF_002	Definition Works - Goonyella Rd and Mills Ave	2031	\$54,662
INTF_016	Definition Works - Waverley St and Trimmer St	2031	\$54,662
INTF_015	Definition Works - Peak Downs Hwy and Bowen St	2026	\$54,662
INTF_018	Definition Works - Mills Ave and Bacon St	2025	\$54,662
INTF_019	Definition Works - Mills Ave and Bacon Ln	2023	\$54,662
INTF_020	Definition Works - Mills Ave and Griffin St	2029	\$54,662
INTF_021	Definition Works - Mills Ave and Appleton St	2031	\$54,662
INTF_024	Safety Works - Dysart Middlemount Rd and Queen Elizabeth Dr	2020	\$0 (subsidy available)
INTF_025	Safety Works - Queen Elizabeth Dr and Caswell St	2020	\$0 (subsidy available)
INTF_026	Safety Works - Queen Elizabeth Dr and Beardmore Cres	2020	\$0 (subsidy available)
INTF_027	Safety Works - Queen Elizabeth Dr	2020	\$0 (subsidy available)
INTF_029	Safety Works - Queen Elizabeth Dr	2020	\$0 (subsidy available)
INTF_030	Safety Works - Queen Elizabeth Dr	2020	\$0 (subsidy available)
INTF_031	Safety Works - Copperfield Rd, Jellicoe St and Francis St	2020	\$0 (subsidy available)
INTF_032	Safety Works - Jellicoe St and Tropic St	2020	\$0 (subsidy available)
INTF_033	Safety Works - Tropic St and Herschel St	2020	\$0 (subsidy available)
INTF_034	Safety Works - Capricorn St and Herschel St	2020	\$0 (subsidy available)
INTF_035	Safety Works - Tropic St and Box St	2020	\$0 (subsidy available)
INTF_036	Safety Works - Capricorn St and Box St	2020	\$0 (subsidy available)
INTF_037	Safety Works - Capricorn St and Lime St	2020	\$0 (subsidy available)
INTF_038	Safety Works - Belyando Ave and Griffin St	2020	\$0 (subsidy available)

#### Table SC3.2.3—Transport network schedule of works

INTF_039	Safety Works - Clements St and McCool St	2020	\$0 (subsidy available)
STF_001	Moranbah Access Road	2026	\$22,565,233
STF_002	Rural Major Collector - Peakvale Rd (ch 50.41)	2021	\$17,517
STF_003	Rural Major Collector - Peakvale Rd (ch 40.38)	2021	\$17,517
STF_004	Rural Major Collector - Peakvale Rd (ch 39.54)	2021	\$17,517
STF_005	Rural Major Collector - Peakvale Rd (ch 37.80)	2021	\$17,517
STF_006	Rural Major Collector - Peakvale Rd (ch 27.81)	2021	\$17,517
STF_007	Rural Major Collector - Peakvale Rd (ch 21.61)	2021	\$17,517
STF_008	Rural Major Collector - Peakvale Rd (ch 8.30)	2021	\$17,517
STF_009	Rural Sub Arterial - Booroondarra Capella Road (ch 19.25)	2021	\$17,517
STF_010	Rural Sub Arterial - Booroondarra Capella Road (ch 20.27)	2021	\$17,517
STF_011	Rural Sub Arterial - Booroondarra Capella Road (ch 21.47)	2021	\$17,517
STF_012	Rural Sub Arterial - Booroondarra Capella Road (ch 22.68)	2021	\$17,517
STF_013	Rural Sub Arterial - Booroondarra Capella Road (ch 23.94)	2021	\$17,517
STF_014	Rural Sub Arterial - Booroondarra Capella Road (ch 24.90)	2021	\$17,517
STF_015	Rural Major Collector - Turrawulla Road (ch 50.42)	2021	\$17,517
STF_016	Rural Sub Arterial - Saraji Road	2021	\$98,195
STF_017	Rural Major Collector - Golden Mile Road	2021	\$106,544
STF_018	Rural Major Collector - Golden Mile Road	2021	\$106,544
TRF_022	Urban Sub Arterial - Moranbah Access Road	2031	\$2,949,640
TRF_023	Urban Sub Arterial - Goonyella Road	2031	\$5,595,462
TRF_033	Urban Major Collector - Jeffrey Street	2031	\$5,431,552
TRF_034	Urban Major Collector - Water Street	2021	\$512,416
TRF_036	Urban Major Collector - McDonald Flat Road	2031	\$3,882,647
TRF_037	Rural Major Collector - Valkyrie Road	2021	\$2,600,826
TRF_038	Urban Major Collector - Bacon Street	2021	\$82,455
PWF01	Cycleway - Capricorn Street	2021	\$164,253
PWF02	Cycleway - Capricorn Street	2021	\$41,156
PWF03	Cycleway - Moranbah Access Road	2021	\$274,410
TOTAL			\$45,203,197

\*Column 4. The establishment cost is expressed in current cost terms as at the base date

Table SC3.2.4—Parks and land for communit	y facilities schedule of works
-------------------------------------------	--------------------------------

Column 1 Map reference	Column 2 Trunk infrastructure	Column 3 Estimated timing	Column 4 Establishment cost*
PF01	Future Park (Local Recreation)	2031	\$500,939
PF18	Skate Park/Ted Rolfe Oval (Local Recreation)	2020	\$151,827
PF19	Clairview Park (District Recreation)	2020	\$16,609
PF20	Carmila Sports Grounds (Sports Park)	2020	\$70,147
TOTAL		\$739,521	

\*Column 4. The establishment cost is expressed in current cost terms as at the base date

## SC3.3 Local government infrastructure plan maps

Map number	Map title	Gazettal date
PIA (001-009)	Priority Infrastructure Area	1 April 2021
WS (001-008)	Plans for trunk infrastructure water supply network	1 April 2021
SEW (001:007)	Plans for trunk infrastructure sewerage network	1 April 2021
TR (001:016)	Plans for trunk infrastructure transport network	1 April 2021
PPCL (001:011)	Plans for trunk infrastructure parks and land for community facilities network	1 April 2021

### Table SC3.3.1—Map index

Local Government Infrastructure Plan Map LGIP Priority infrastructure area PIA - 001:009

Local Government Infrastructure Plan Map LGIP Plans for trunk infrastructure water supply network WS - 001:008

Local Government Infrastructure Plan Map LGIP Plans for trunk infrastructure sewerage network SEW - 001:007

Local Government Infrastructure Plan Map LGIP Plans for trunk infrastructure transport network TR - 001:016

Local Government Infrastructure Plan Map LGIP Plans for trunk infrastructure parks and land for community facilities network PPCL - 001:011

# Schedule 4 Planning scheme policies

## SC4.1 Planning scheme policy index

The table below lists all the planning scheme policies applicable to the planning scheme area.

#### Table SC4.1.1—Planning scheme policy index

Planning scheme policy for Development works Planning scheme policy for Hazards

## SC4.2 Development works

## SC4.2.1 Purpose

The policy provides supporting requirements to assist in achieving acceptable outcomes within the Isaac Regional Planning scheme and is read in conjunction with the planning scheme.

The purpose of the planning scheme policy is to provide guidance to applicants on the required relevant engineering and development design standard documents and references that are to be utilised for development.

This policy assists in achieving the objectives of the Development works code. This planning scheme policy applies to assessable development which requires assessment against the Development Works Code.

## SC4.2.2 Terminology

Terms used in the planning scheme policy are defined in Schedule 1—Definitions.

## SC4.2.3 Documents included in this policy

- 1. The <u>Capricorn Municipal Development Guidelines</u> (including Standard Drawings and Specifications, Construction Specifications and Procedures, Design Specifications and Purchase Specifications as they relate to Isaac Regional Council).
- 2. All Australian Standards relevant to engineering matters including, but not limited to,
  - construction;
  - quality, inspection and testing of materials;
  - car parking (AS2890);
  - access requirements (AS1428);
  - stormwater management and control (AS3500).
- 3. All relevant Austroads documentation relating to design, construction and maintenance of road related infrastructure.
- Infrastructure related documentation published by Queensland Department of Transport & Main Roads where relevant to areas of road related infrastructure not contained or otherwise specified in CMDG or Council Policy documents.
- 5. Current version of the Building Code of Australia.
- 6. Current version of the Sewerage Code of Australia WSA-02.
- 7. Current version of the Water Supply Code of Australia WSA-03.

## SC4.3 Hazards planning scheme policy

The planning scheme policies are made under Chapter 2, Part 3 of the Planning Act 2016. Terms used in the planning scheme policy are defined in Schedule 1—Definitions. The table below lists all the planning scheme policies applicable to the planning scheme area.

Number	Planning scheme policy title
1.1	Acid suflate soils planning scheme policy
1.2	Bushfire hazard planning scheme policy
1.3	Coastal hazard planning scheme policy
1.4	Dust planning scheme policy
1.5	Flood hazard planning scheme policy
1.6	Landslide hazard planning scheme policy

Table SC4.3.1—Planning scheme policy index

## SC4.3.1 Acid sulfate soils planning scheme policy

### SC4.3.1.1 Purpose

This purpose of the planning scheme policy is to:

- (1) provide guidance in achieving the outcomes of the Acid sulfate soils overlay code; and
- (2) provide information and guidance relating to the preparation of an acid sulfate soil investigation report and management plan.

### SC4.3.1.2 Application

This planning scheme policy applies to development which requires assessment against the Acid sulfate soils overlay code.

#### SC4.3.1.3 Planning scheme policy details

An acid sulfate soil is the common name given to soils containing iron sulphides. Disturbing acid sulfate soils can therefore result in soil and groundwater becoming acidic which is harmful to the natural environment.

Acid sulfate soils to which the Acid sulfate soils overlay code and this planning scheme policy apply, are identified on the Acid sulphate soils overlay map OM1.

#### SC4.3.1.4 Preparing an acid sulfate soil investigation report

- (1) An acid sulfate soil investigation is to be undertaken:
  - (a) in accordance with the Queensland Acid Sulfate Soil Technical Manual Sampling Guidelines and the Queensland Acid Sulfate Soil Technical Manual –Laboratory Methods Guidelines; and
  - (b) by an appropriately qualified and experienced person.
- (2) An acid sulfate soil investigation report is to:
  - (a) describe the methodology and findings of an acid sulfate soil investigation to determine the severity of risk of exposure on a site;
  - (b) evaluate potential environmental harm that may result from development involving disturbance to acid sulfate soils; and
  - (c) recommend management measures to mitigate the impact or risk of acid suflate soil exposure on the natural environment.
- (3) If the acid sulfate soil investigation identifies that acid sulfate soils will be disturbed by the development, an acid sulfate soil management plan will be required.

#### SC4.3.1.5 Preparing a management plan

- (1) An acid sulfate soil management plan is to outline the ongoing management and monitoring of impacts of acid sulfate soil throughout the construction and operation of the project.
- (2) An acid sulfate soil management plan must address the following:
  - (a) the distribution of acid sulfate soils across the development site indicating the depth of potential and actual disturbance;
  - (b) extent of acid sulfate soil disturbance, including volumes of soil to be disturbed and groundwater levels;
  - (c) details of on-site and off-site impacts of acid sulfate soil disturbance and exposure;
  - (d) details of on-site or off-site mitigation strategies that will be used to avoid, treat or manage disturbance to acid sulfate soils as a result of the development;
  - (e) details of the management of the height of the groundwater table on-site and offsite both during and after construction;
  - (f) details of on-site management and treatment of potentially contaminated stormwater run-off, including proposed groundwater management;
  - (g) identification of soil and water monitoring methods to be undertaken during and after treatment, including verification testing of soils;
  - (h) details of handling and storage of neutralising agents; and
  - (i) description of contingency measures to be implemented on and off the site if the management procedures prove to be unsuccessful and acid is generated.

# SC4.3.2 Bushfire hazard planning scheme policy

#### SC4.3.2.1 Purpose

The purpose of the planning scheme policy is to:

- (1) provide guidance in achieving the outcomes of the Bushfire hazard overlay code; and
- (2) provide information and guidance relating to the preparation of a bushfire hazard assessment and bushfire management plan.

#### SC4.3.2.2 Application

This planning scheme policy applies to development which requires assessment against the Bushfire hazard overlay code.

#### SC4.3.2.3 Planning scheme policy details

<u>Bushfire hazard</u> areas (BHAs) are those areas that have been identified as being subject to potential <u>bushfire hazard</u>. A detailed <u>site</u>-specific assessment is required to verify the potential level of <u>bushfire hazard</u> on a subject <u>site</u>.

BHAs to which the Bushfire hazard overlay code and this planning scheme policy apply, are identified on the Bushfire hazard overlay map OM4.

#### SC4.3.2.4 Preparing a bushfire hazard assessment

- (1) A bushfire hazard assessment is to be undertaken:
  - (a) in accordance with the Australian Standard AS3959 2009: Construction of buildings in bushfire prone areas and the State Planning Policy and any supporting guidelines; and
  - (b) by an appropriately qualified and experienced person.
- (2) A bushfire hazard assessment is to:
  - (a) identify the name and qualifications or experience of the person(s) preparing the assessment;
    - (b) describe the development in relation to the location and extend of the bushfire hazard in relation to any storage of dangerous or hazardous goods on-site;
    - (c) details of existing vegetation, including slope and aspect characteristics of the site;
    - (d) details of climatic conditions that influence bushfire patterns and intensity; and
    - (e) details of existing bushfire records and local knowledge.

#### SC4.3.2.5 Preparing a bushfire management plan

A bushfire management plan must include the following:

- (1) identification of proposed mitigation measures to reduce the risk of bushfire hazard;
- (2) identification of the key factors such as vegetation type, slope and aspect that may limit mitigation options, location of evacuation routes and/or safety zones;
- (3) an assessment of the specific risk factors associated with the proposed development, including the nature of activities associated with the use, numbers and types of persons likely to be present, particular warning and/or evacuation requirements; and
- (4) a plan for mitigating the bushfire risk, including:
  - (a) proposed development site layout, indicating access and boundaries;
  - (b) building locations or building envelopes;
  - (c) firebreaks and buffers;
  - (d) landscaping treatments;
  - (e) warning and evacuation procedures and routes;
  - (f) firefighting requirements including infrastructure;
  - (g) any other specific measures such as external sprinkler systems and alarms;
  - (h) purchaser/resident education and awareness programs;
  - (i) ongoing maintenance and response awareness programs; and
  - (j) a description of the control measures.

# SC4.3.3 Coastal hazard planning scheme policy

#### SC4.3.3.1 Purpose

This purpose of the planning scheme policy is to:

- (1) provide guidance in achieving the outcomes of the Coastal hazard overlay code; and
- (2) provide information and guidance relating to the preparation of a coastal hazard assessment report and management plan.

#### SC4.3.3.2 Application

This planning scheme policy applies to development which requires assessment against the Coastal hazard overlay code.

#### SC4.3.3.3 Planning scheme policy details

<u>Coastal hazard</u> areas are areas that are subject to potential storm-tide inundation or coastal erosion processes.

The coastal hazard areas to which the Coastal hazard overlay code and this planning scheme policy apply, are identified on the Coastal hazard overlay map OM5.

Applicants are recommended to refer to the Isaac Coastal Hazard Study (2019) for further information regarding coastal hazards in the communities of Clairview, Carmila Beach, Greenhill and St Lawrence.

#### SC4.3.3.4 Preparing a coastal hazard assessment and management plan

- (1) A coastal hazard assessment is to be undertaken:
  - (a) in accordance with the AS/NZS ISO 31000: 2009 Risk management—Principles and guidelines **and the** State Planning Policy and any supporting guidelines; and
  - (b) by a Registered Professional Engineer Queensland or equivalent with experience in coastal hazard management.
- (2) A coastal hazard assessment report and management plan is to:
  - (a) describe the impacts of coastal hazard on the site, including:
    - (i) the extent of inundation;
    - (ii) flow velocities and depths of inundation;
    - (iii) hydrostatic and hydrodynamic forces on a structure and a building;
    - (iv) debris impacts;
    - (v) proximity to coastal waters and associated wave actions;
    - (vi) erosion and associated scour;
    - (vii) distance to land unaffected by flooding; and
    - (viii) duration of flooding.

- (b) describe any residual risks likely to be experienced on site or created by the development external to the site; and
- (c) describe proposed mitigation measures which present a site-specific response to manage the developments exposure to coastal hazard.

# SC4.3.4 Potential hazardous dust planning scheme policy

#### SC4.3.4.1 Purpose

The purpose of the planning scheme policy is to:

- (1) provide guidance in achieving the outcomes of the Rural zone code; and
- (2) provide information and guidance relating to the preparation of a dust hazard assessment.

#### SC4.3.4.2 Application

This planning scheme policy applies to development which requires assessment against the Rural zone code.

#### SC4.3.4.3 Planning scheme policy details

A dust hazard assessment aims to identify risks to future residents from hazardous dust levels. Hazardous dust levels are defined as the dust concentrations that exceed the Fifth Highest 24-hour Average Ground-Level Concentration of PM10 (greater than 50µg/m31<sup>27</sup>), including background levels of dust. Hazardous dust levels, created as a result of resource extraction activities associated with mining and quarrying, can become an issue when located within proximity to sensitive uses.

The hazardous dust levels to which the Rural zone code and this planning scheme policy apply, are identified on the Potential hazardous dust level overlay map OM10.

#### SC4.3.4.4 Preparing a dust hazard assessment

- (1) The dust hazard assessment is to:
  - (a) identify the author of the report and the company preparing the report;
  - (b) describe the function and location of the hazardous dust source (i.e. existing or approved rural, open cut coal mining and extractive industry activities etc.) which may result in an adverse impact on amenity, health or safety of a sensitive use;
  - (c) include a site and locality plan to scale showing the hazardous dust sources, site boundary and most-exposed sensitive uses;
  - (d) describe the impact of hazardous dust emissions on the development;
  - describe the land use activities and uses which separate the sensitive use within the Potential hazardous dust level overlay map from the source of potential hazard dust;
  - (f) describe the hazardous dust emission prevention, control and mitigation measures and management plan for minimising risk of dust hazard; and
  - (g) a description of the uncertainties and assumptions associated with the dust hazard assessment and management plan.

<sup>&</sup>lt;sup>27</sup> µg/m<sup>3</sup>: the concentration of pollutant in micrograms per cubic metre, referenced to 0°C and 1 atmosphere pressure

# SC4.3.5 Flood planning scheme policy

#### SC4.3.5.1 Purpose

The purpose of the planning scheme policy is to:

- (1) provide guidance in achieving the outcomes of the Flood hazard overlay code; and
- (2) provide information and guidance relating to the preparation of a flood hazard assessment report.

#### SC4.3.5.2 Application

This planning scheme policy applies to development which requires assessment against the Flood hazard overlay code.

#### SC4.3.5.3 Planning scheme policy details

The flood hazard areas to which the Flood hazard overlay code and this planning scheme policy apply, are identified on the Flood hazard overlay map OM8.

Flooding risk must have regard to flow depth and velocity, rate of flood level rise and the duration of the inundation.

#### SC4.3.5.4 Preparing a flood hazard assessment

- (1) A flood hazard assessment is to be undertaken:
  - (a) in accordance with the AS/NZS ISO 31000: 2009 Risk management—Principles and guidelines **and the** State Planning Policy and supporting guidelines; and
  - (b) by a Registered Professional Engineer Queensland or equivalent with experience in flood management.
- (2) A flood risk assessment is to:
  - (a) identify an assessment of the specific risk factors associated with the proposed development, including the numbers and types of persons likely to be present;
  - (b) analysis of flood velocity, depth and hydraulic hazard which may affect the proposed development during a flood event; and
  - (c) details of the location and extend of the flood hazard in relation to any storage of dangerous or hazardous goods on-site.
  - (d) identify the location of buildings, waterway corridors and relevant flood hydraulic hazard areas on-site;
  - (e) identify the location and details of underground stormwater infrastructure, open drainage channels or overland flow paths;
  - (f) provide a catchment plan detailing internal and external drainage catchments;
  - (g) detail the flood modelling used as a basis for the flood study to compare existing and proposed flood inundation extents as a result of development;
  - (h) identify earthwork plans for any flow path modifications proposed by the development; and
  - (i) location of waterway corridors and relevant flood hydraulic hazard areas.

#### SC4.3.5.5 Preparing a flood emergency management plan

- (1) A flood emergency management plan is a strategy to mitigate the residual risk from flooding and may be required to be included as part of a detailed flood hazard assessment.
- (2) The flood emergency management plan is to:
  - (a) describe the nature, size, characteristics and built form of the development, including identification of the asset or use life;
  - (b) provide a plan of the proposed development indicating evacuation routes and assembly areas (where relevant);
  - (c) identify triggers where the evacuation plans and other emergency flood management measures are to be implemented;
  - (d) detail relevant emergency signage to be incorporated in the building design;
  - (e) detail any procedures required to manage evacuation;
  - (f) identify contact numbers of relevant local emergency services; and

(g) provide a quantitative assessment of risk and risk-reduction factors of the relevant flood hazard.

# SC4.3.6 Landslide hazard planning scheme policy

#### SC4.3.6.1 Purpose

The purpose of the planning scheme policy is to:

- (1) provide guidance in achieving the outcomes of the Rural zone code; and
- (2) provide information and guidance relating to the preparation of a site-based assessment and landslide risk management plan.

#### SC4.3.6.2 Application

This planning scheme policy applies to development which requires assessment against the Rural zone code.

#### SC4.3.6.3 Planning scheme policy details

A site based assessment and landslide risk management plan aims to assess and appropriately mitigate any vulnerability to landslip, erosion and land degradation associated with a development to appropriately protect people and property from this hazard.

The landslide hazard areas to which the Rural zone code and this planning scheme policy apply, are identified as land with a slope greater than 15%.

#### SC4.3.6.4 Preparing a site based assessment and landslide risk management plan

- (1) A geotechnical assessment is to be undertaken:
  - (a) in accordance with the Landslide Risk Management Guidelines in Australian Geomechanics, Volume 42, No. 1 March 2007 and the State Planning Policy and any supporting guidelines; and
  - (b) by a Registered Professional Engineer Queensland or equivalent who practices in the field of geotechnical engineering or has experience in landslide mitigation.
- (2) The site based assessment and landslide risk management plan is to:
  - (a) detail the proposed development and site conditions, including surface and subsurface materials, slope and natural features;
  - (b) detail the history of slope instability, including the occurrence of previous landslips on the site or adjoining land;
  - (c) details of groundwater and surface drainage patterns on-site and off-site;
  - (d) provide a geotechnical assessment of the development on land stability;
  - (e) identify impact of landslides on or near the site affecting the proposed development and the calculated risk to life and property; and
  - (f) outline mitigation strategies or measures required to avoid or minimise risks of instability on the site and nearby the site.

# Schedule 5 Local cultural heritage citations

PLACE NAME PEAK DOWNS SMELTER REMAINS AND CHIMNEY
IMAGE



#### LOCAL HERITAGE REGISTER ID

OTHER NAMES	Copperfield Chimney
ADDRESS / LOCATION	532 Rubyvale Road, Clermont Formerly Christoe Street, Copperfield
LOT/PLAN	Lot 1 on RP619634
GPS COORDINATE	147.5991 E, 22.8636 S
PLACE TYPE	Smelter
PLACE COMPONENTS	Chimney Stack Brick Ovens
YEAR CONSTRUCTED / PERIOD	Construction – c.1862 – c.1871 Period – intermittent use to c.1917
THEMES	2 Exploiting, utilising and transforming the land 2.2 exploiting natural resources
OTHER LISTINGS	Nil

#### **HISTORICAL CONTEXT**

An outcrop of copper was discovered four miles southwest of the town of Clermont in 1861. The Peak Downs Copper Mining Company was soon formed to work the deposit. The Company was formed in Sydney by Thomas Sutcliffe Mort in December 1862. The new Peak Downs Mine was the first copper mining operation in Queensland. The mine initially yielded rich ores during its first 3 years of workings (40% assay) though distance from a smelter proved a limiting factor to its success. Smelters had to be erected and machinery was sourced from Britain.

By December 1864 the first shipment of refined copper had left the new Peak Downs Smelters for Broadsound. The rise of the Peak Downs Copper Mining Company between 1863 and 1877 was primarily due to its easy access to the rich secondary ores that extended from the identified copper outcrop. Higher grade ore was not smelted at the local smelters, instead, it was

transported by bullock wagon to the coastal town of St Lawrence where it was shipped to Swansea, Wales for smelting.

Smelter hands were acquired for the Peak Downs Smelter from South Australia in 1865, and then in 1868 the Company brought in a further 100 experienced Welsh miners from South Australia to help boost output. A further 200 miners along with their families were also brought out from Cornwall, England in 1872-1873.

Copper price rises in the late 1860s and also as a result of the Franco-Prussian War of 1870/71 saw prices rise to approximately £100 per ton. This enabled financing of new plant and equipment and a proliferation of chimneys at the smelter. When the war ended in May 1871 copper prices dropped by more than half as demand fell. Company share prices plummeted and the mine closed. The Company's dire financial situation was further exacerbated by the fact costly new equipment had just been installed and their smelting costs were high and isolation from the nearest port was still disadvantageous to success.

In 1877 the Company was sold for £3,000. However falling copper prices meant that the newly formed partnership fared little better and in 1887 the Company again changed hands for approximately half of what had been paid for it in 1877. The Company was purchased by local residents, John Burn, Howard Smith, Robert Lea and AB McDonald.

In 1898 the Peak Downs Options Company re-opened the mine due to the prospect of greater demand for copper following the introduction of electrical appliances. However, the Copperfield mine finally closed nine years later in 1907. Attempts were again made 1916/17 to restart smelting (by working existing slag heaps) and possibly reopening the mine. However, while some smelting occurred the mine did not reopen. By 1950 the only remaining structure at the smelter site was the brick chimney stack.

The land on which the chimney and roasting ovens are located was donated to the then Belyando Shire Council by Charles and Isobel Tindale. The Council has fenced the area, installed signage and undertaken restoration works to the chimney under a Bicentennial Heritage Grant. The area was officially opened on 22 October 1988.

#### PHYSICAL DESCRIPTION

The chimney is located within a fenced off portion of land in the trusteeship of the Isaac Regional Council. The fenced area contains a brick chimney and the remains of brick roasting ovens associated with the former Peak Downs Smelter. Access to the site is via Christoe Street to the east of the chimney stack.

The chimney stack is approximately 33.5 metres in height. Each side of the chimney square base is approximately two metres long. The squared base rises to about 2 m where there is a section of four stepped bands of bricks. The south face of the base has an arched opening facing the roasting ovens to which has been added a metal safety grill to prevent access into the base of the stack. The other faces of the stack base are partially buried by soil and therefore are partially obscured from view. Above the base the chimney tapers uniformly and is finished at the top with simple brick edging.

The condition of the chimney stack is considered poor – fair with visible evidence of weathering and salt damage to brickwork at the base of the chimney. Mortar is badly deteriorated across much of the visible areas of the structure. The application of cement render to the chimney base is likely to be causing problems with moisture. Many bricks have completely deteriorated which has left large gaps in the brickwork.

The remains of the smelter include the ruins of brick roasting ovens which are immediately adjacent to the chimney. Individual oven foundations are identifiable by remnants of dividing brick walls along the bricked embankment.

#### INTEGRITY AND CONDITION

Integrity - Fair. Condition - Poor to Fair.

### SIGNIFICANCE

SIGNIFICANCE			
The place is important in demonstrating the evolution or pattern of the Isaac region's history.	The Peak Downs Smelter Remains and Chimney are important in demonstrating the pattern of development of mining in the local area, region and Queensland. The historically associated Peak Downs Mine was the first copper mine in Queensland, and the Peak Downs Smelter, constructed shortly after the commencement of mining, was the earliest copper smelting operation in Queensland.		
B. the place demonstrates rare, uncommon or endangered aspects of Isaac region's cultural heritage	The Peak Downs Smelter Remains and Chimney are rare surviving elements within the local area, region and Queensland, being evidence of the first copper smelting operation.		
C. The place has potential to yield important information about a particular class of cultural place	The Peak Downs Smelter Remains and Chimney has the potential to reveal information that could contribute to our understanding of copper mining and smelting in the local area, region and across Queensland, particularly the nature of mining and smelting technology utilised during this early period of Queensland's copper mining history.		
D. The place is important in demonstrating the principal characteristics of a particular class of cultural places	Not applicable.		
E. The place is important because of its aesthetic significance to the local area.	The Peak Downs Smelter Remains and Chimney is a local and regional landmark. The chimney has landmark and evocative qualities due to its prominent positioning in such a remote area.		
F. The place is important in demonstrating a high degree of creative or technical achievement at a particular period in the local region.	Not applicable.		
G. The place has a strong or special association with a particular local community or cultural group for social, cultural or spiritual reasons.	The Peak Downs Smelter Remains and Chimney are important to the local community as a landmark, demonstrated through the chimney stack featuring regularly in promotional materials associated with tourism to this part of the Isaac Regional Council area.		

H. the place has a<br/>special association<br/>with the life or work<br/>of a particular<br/>person, group or<br/>organisation of<br/>importance in<br/>Queensland's<br/>historyNot applicable.

#### IMAGES



Base of the brick chimney stack showing safety mesh grill and current condition.

Smelter oven remains consisting of bricked embankment and foundation walls.

#### REFERENCES

Kerr, R., 1992, Peak Downs Smelter Remains and Chimney, in *Queensland Historical Mining Sites Study, Vol. 2*. Unpublished report to Department of Environment and Heritage.

State of Queensland, 2018, *Clermont and Copperfield*, <u>http://queenslandplaces.com.au/clermont-and-copperfield</u>

O'Donnell, D., 1989, A history of Clermont and district, Clermont, Belyando Shire Council.



#### LOCAL HERITAGE REGISTER ID

OTHER NAMES	Nil
ADDRESS / LOCATION	481-483 Rubyvale Road, Clermont formerly Christoe Street, Copperfield
LOT/PLAN	Lot 10 on RP601073
GPS COORDINATE	147.60448 E, 22.85986 S
PLACE TYPE	Store
PLACE COMPONENTS	Store building Interior movable items
YEAR CONSTRUCTED / PERIOD	c.1927, closed in 1975
THEMES	<ul> <li>3 Developing secondary and tertiary industries</li> <li>3.5 struggling with remoteness, hardship and failure</li> <li>3.8 marketing, retailing and service industries</li> <li>5. Moving goods, people and information</li> <li>5.8 postal services</li> <li>6. Building settlements, towns, cities and dwellings</li> <li>6.1 establishing settlements</li> </ul>
OTHER LISTINGS	Nil

## HISTORICAL CONTEXT

The township of Copperfield was formed after the establishment of the Peak Downs Copper Mining Company and the commencement of mining works in the region in 1863. Town arrangements were being made in 1864 though the township itself was not surveyed until 1867 (Surveyor TH Fitzgerald). The first land sales occurred in 1868 and a school was opened by April 1868.

During the early 1870s Copperfield was a thriving community. In 1874 the Municipality of Copperfield was declared and this covered 14,900 acres and a population of nearly 1500 people, 50 kilometres of roads, and 370 dwellings. Commercial buildings in the town included two banks, a baker, three butchers, three blacksmiths, six stores, a saddler, a newspaper, two

auctioneers, a cordial maker and six hotels. By 1872 the Department of Public Works called tenders for a court house to be built in Copperfield.

The mid-1870s brought a decline in copper mining and population decline to 900 persons in 1879. By the end of the 1870s the Copperfield Municipal Council had folded. By 1880, due to the mine ceasing to work and many of the reefs being abandoned, Copperfield's population had fallen to approximately 150 persons. This continued throughout the 1880s, with 359 person recorded there in 1886. Only 85 persons were recorded in the town in 1892. The Peak Downs Copper Mine on which the town largely depended was finally closed in 1907.

Though the mine store in Copperfield continued to support the community. In 1927, the current store building was constructed on the site of an original store site which had first opened in 1860. This new store was constructed with a residence located to the rear of the building. It was owned and operated by Lilian Mabel Duncan.

The store was used by people travelling to other parts of the region, including Clermont, with orders placed and collected enroute. If the store was closed groceries were placed by Ms Duncan into a cupboard built into the front wall of the store building. The store had other purposes, including acting as a post office, with stamps available and mail was sent and collected from the building.

The store continued to operate until it closed in August 1975. It was donated to the then Belyando Shire Council. Restoration and reconstruction works took place in 1992 however that works also included demolition of the rear residence. The former store building was also opened as a museum in May 1993. Restoration works on the structure undertaken by the Clermont Museum Members and Western Outreach Camp were completed by August 1993.

#### PHYSICAL DESCRIPTION

The Copperfield Store is located along Rubyvale Road (Christoe Street) within the former township of Copperfield. It is located within a cleared area that is partially fenced with a low timber post and rail fence. The site includes the store building (main structure, awning at front and verandah to the rear, and a concrete ramp and apron to rear of building, a stone monument and plaque on a concrete plinth (installed 2016), an interpretive sign board, and a skillion-roofed toilet block at the rear of the block.

The store building is a single-storey timber structure with weatherboard exterior cladding on the front and rear elevations, and corrugated iron side walls and roofing. The structure is set on low timber stumps with tin ant capping. The roof line is gabled with gable infill of corrugated iron at the front and rear of the building. Gutters have been installed on the southern side but not on other elevations.

Double timber doors are located in the front elevation of the building. Still extant at the front of the store is the storage cupboard. A large timber framed window with six panes of glass is located within the front elevation (now behind shutters). The front elevation features a skillion roof awning of corrugated iron, supported by steel posts, and including framing for store signage.

The core of the building is clad with weatherboards and the verandah on the northern side and partly on the rear elevation is clad with corrugated iron. Two timber doors, one panelled the other vertically joined timbers, are located at the rear of the building. A concrete apron and access ramp with steel handrails has been added to the rear of the building, joining the timber verandah at the rear timber door. This apron and ramp is not of cultural heritage significance.

Internally, the building has a hardwood timber floor and is divided into two rooms by horizontally joined timber boards. There are a large variety of grocery items on display in timber and glass display cabinets and on timber shelves from the time when the Copperfield store was operated from the building. The timber counter is also extant. A large number of historical photos are located on the walls. Displays in the room adjoining the store include irons, clothes, pictures, calendars and other household and grocery items. There are a number of display cabinets, timber shelves, tables and cupboards, forming part of the museum collection, in the room.

The stone monument and plaque are located at the front of the property and adjacent to the front awning of the store. It was dedicated in 2016 to commemorate the presence of the Sisters of St Joseph at Copperfield during the 1870s. The monument is not of cultural heritage significance.

A timber framed interpretation sign is located next to the stone monument. It captures the history of Copperfield and store and is not considered of cultural heritage significance.

A skillion roofed and tin clad toilet block has been erected to the rear of the property and is not considered to be of cultural heritage significance.

#### INTEGRITY AND CONDITION

Integrity – Fair. Condition – good.

#### SIGNIFICANCE

The place is important in demonstrating the evolution or pattern of the Isaac region's history.	The Copperfield Store is important in demonstrating the pattern of development within the Isaac Regional Council area, particularly the early development of regional towns which supported the emerging copper mining industry in the region during the late 19 <sup>th</sup> and early 20 <sup>th</sup> centuries.	
B. the place demonstrates rare, uncommon or endangered aspects of Isaac region's cultural heritage	The Copperfield Store is a rare and uncommon example of an early 20th century store complete with stock which dates back to that period in the history of the region.	
C. The place has potential to yield important information about a particular class of cultural place	The stock inventory that survives within the Copperfield Store could, following analysis, yield important information about the local history of the area, including the goods in demand during the early 20 <sup>th</sup> century.	
D. The place is important in demonstrating the principal characteristics of a particular class of cultural places	The Copperfield Store demonstrates the particular characteristics of a country store namely in its form, layout and intactness. This includes its internal configuration including a number of glass cabinets and timber shelves displaying a traditional range of merchandise which remained when the store closed in 1975.	
E. The place is important because of its aesthetic significance to the local area.	Copperfield is regularly included in tour guides, tourism brochures and websites promoting the former Belyando Shire area. The Store is an important visual reminder of the history and heritage of the local area.	
F. The place is important in demonstrating a high degree of creative or technical achievement at a particular period in the local region.	Not applicable.	

G. The place has a strong or special association with a particular local community or cultural group for social, cultural or spiritual reasons.	Not applicable.
H. The place has a special association with the life or work of a particular person, group or organisation of importance in the local region's history.	Not applicable.

#### IMAGES



Western and Southern elevations showing cladding and front awning arrangement




Eastern (rear) elevation showing later concrete ramp addition

#### REFERENCES

Kerr, R., 1992, Peak Downs Smelter Remains and Chimney, in *Queensland Historical Mining Sites Study, Vol. 2*. Unpublished report to Department of Environment and Heritage.

State of Queensland, 2018, *Clermont and Copperfield*, <u>http://queenslandplaces.com.au/clermont-and-copperfield</u>

O'Donnell, D., 1989, A history of Clermont and district, Clermont, Belyando Shire Council.



#### LOCAL HERITAGE REGISTER ID

OTHER NAMES	Nebo Soldier's Memorial Hall		
ADDRESS / LOCATION	Reynolds Street, Nebo QLD 4742		
LOT/PLAN	Lot 504 on N1101		
GPS COORDINATE	148.6894, 21.6891S		
PLACE TYPE	Building		
PLACE COMPONENTS	Building, external memorial, internal honour boards.		
YEAR CONSTRUCTED / PERIOD	1956		
THEMES	<ul> <li>6. Building settlements, towns, cities and dwellings</li> <li>6.3 developing urban services and amenities</li> <li>8. Creating social and cultural institutions</li> <li>8.3 organisations and societies</li> <li>8.6 commemorating significant events</li> </ul>		
OTHER LISTINGS	None		

#### HISTORICAL CONTEXT

The Nebo Memorial Hall was opened in 1956 to commemorate the service of individuals from the Nebo District during World War I and II.

The former Nebo Shire, approximately 100 km south-west of Mackay, was amalgamated with Belyando and Broadsound Shires in 2008 to form Isaac Regional Council.

The area was explored by Leichhardt in 1845 who followed the Isaac River in the west of the shire, but it was William Landsborough in 1856 who named Nebo Creek and a prominent nearby mountain, Fort Cooper.

In the early 1860s pastoralists moved inland from Rockhampton, establishing a stock route which crossed the Nebo Creek. Here a hotel was opened in 1862, and in 1865 a town, named Fort Cooper but commonly referred to as Nebo, was surveyed. In 1923 the town was official renamed Nebo.

The Nebo district was primarily developed for cattle and sheep-grazing, but by the end of the 1860s sheep were replaced by cattle due to the presence of speargrass, and cattle production remained the main industry for over 100 years until eclipsed from the 1970s by coal mining.

By the late 1860s and early 1870s the town of Nebo comprised two public houses, one general store, police station, Court Petty Sessions, provisional school, blacksmith & wheelwright shop, saddler, and butcher's shop. With the decline of sheep, the district's economy met a downturn until the discovery of copper at Mt Gotthardt and gold along Oakey Creek prompting mining activity. In 1881, at Mount Britton, 30 km north of Nebo, a minor gold rush occurred which saw the establishment of a thriving township there. At the same time a combined Telegraph Office & Post Office was opened at Nebo. The town at this stage serviced nearby copper and coal mines, and had one hotel, a racecourse and population of 90.

This mining boom and consequent influx of population prompted the creation of Nebo Division in 1883 with the excision of the district from the Broadsound Division. The Nebo Divisional Board, which held its first elections in 1884, had its seat in Nebo Township. Divisional Board rooms were built on Lots 2 & 3 Section 16 in 1885.

Although for a while Mt Britton surpassed Nebo in size and economic importance, by the late 1880s failing water supply led to the abandonment of Mt Britton. Despite some gold discoveries elsewhere in the shire, such as at Eungella and Grasstree, these fields proved short-lived and during the 1890s mining petered out, leaving Nebo to regain its position as the leading township. Nebo has never had over 250 people, but as a district centre continued to provide important facilities for commerce, banking, government and schooling.

In the late 1960s Utah Development planned a new town for its workforce at the Goonyella and Peak Downs open cut coal mines. Rather than have the town in its shire, Nebo did a land swap with neighbouring Belyando Shire. Utah's Moranbah township in Belyando had 4,000 people in five years.

During the 1970s the development of the Bowen Basin coal fields caused the opening of railway lines to the Mackay Harbour. Coppabella, a railway settlement in the southwest of the shire, was established to service the junction of rail lines from Goonyella and Saraji Mines to Hay Point. The rail line and Coppabella Station opened 5 November 1971, and the town was the first urban development in the region for 90 years. This was followed in late 1970 when Mount Isa Mines proposed a new town for its Newlands coal mine and the agreed location this time was in Nebo Shire, at Glenden. Within five years Glenden doubled the Nebo Shire's population.

Like all Australian communities, Nebo was affected by the impact of World War I and II, with the former being the most traumatic in terms of loss of life; almost every community in every Australian state lost young people during that conflict. Even before the end of hostilities, memorials were being erected by Australian communities to honour local people who had served and died. These memorials were an expression of national grief, and meant as substitute graves for those whose bodies lay on foreign soil. WWI memorials took a variety of forms in Australia, including honour boards, stone monuments, tree-lined memorial avenues, memorial parks, and utilitarian structures such as gates, halls and clocks. In response to subsequent conflicts, they continued to be built or adorned with additional honour rolls and plaques.

A proposal by the Nebo Shire Council to build the memorial hall began in 1943. Across the nation, a Soldiers' Memorial Hall was generally built to serve a number of purposes: as a war memorial; to provide administrative facilities to assist returned soldiers with employment and welfare services; to provide library, reading room and recreation facilities for returned servicemen; and as a social hub for returned service personnel and others impacted by war. The Nebo hall was also seen as an important post-war reconstruction project for the community, and by 1945-6 a Memorial Hall Committee had been established and community fund-raising involving the Nebo sub-branch of the Returned Sailors, Soldiers and Airmen's Imperial League of Australia (RSSAILA) began to help meet the anticipated £2000 cost. By 1947 it was recognised that public subscription alone might not be sufficient and Council agreed to apply to the Coordinator General for a loan.

The hall opened in November 1956, and may have been designed by Mackay architect Harold Brown who was involved in some preliminary visioning of the project. Although it was built along traditional lines in being a rectangular, timber-framed, weatherboard-clad structure set on low stumps and roofed with galvanised iron, it incorporated early post-war modernist features such as hopper windows, an asymmetrical gable, cantilevered front awning, and lack of ornamentation. When opened, the Memorial Hall, which was managed by the Nebo Memorial Hall Committee, quickly established itself as an important community hub. Films, obtained from distributers of Hollywood film companies such as MGM, Warner Bros. and Columbia, and freighted from Mackay, were shown fortnightly by the Memorial Hall Committee. The committee purchased a 16mm projector, but due to limitations on the range of films available, a 35mm projector was obtained by the early 1960s. In addition, the hall was furnished with fluorescent lighting, a piano and indoor games such as table tennis, darts, quoits and shuttlecock. The building was regularly used for fetes, dances, debutant balls, flower shows and school activities. Among the chief users of the hall were the Junior Farmers, Tennis Club, QATB, RSL, Jockey Club and Education Department.

In 1959-60 the Memorial Hall Committee had funded the building of a side verandah, and around this time the hall was joined to a new shire office building which was constructed in a matching architectural style.

In the grounds, two memorials were built, one being a masonry stelae erected by the Nebo Shire Council in 1957 in honour of early explorer, William Landsborough, and the other being a rock memorial and plaque dedicated by the people of Nebo Shire to those who served in World War I and II.

In 2000 the hall was refurbished, although retaining many original features, and the external war memorial was relocated directly in front of the building's steps and incorporated into a new memorial featuring sandstone facing, a bronze sculpture and a pair of flagpoles.

#### PHYSICAL DESCRIPTION

The Nebo Memorial Hall is a rectangular, gable-ended, single story hall of wood construction with an iron roof and set on low concrete stumps. It is externally clad with weatherboards and has a raised, concrete-rendered front porch with cantilevered awning. The building features an asymmetrical 'saltbox' roof with four prominent cylindrical roof ventilators running along the roof ridge. The front facade is punctuated four wooden framed glass doors flanked by two tall, narrow, fixed windows, all of mid-20th century modernist design featuring horizontal glazing bars. Above the entrance is a bank of wooden hopper windows and the name 'Nebo Memorial Hall' painted on a board. There is also a secondary door to the east of the main entrance which appears to have been a later, but still early addition, and matches the design of the others. The front porch was originally a single flight of four stairs flanked by sunken planter boxes with metal railings, but has since been extended and modified to the east with the addition of another flight of stairs to the secondary entrance and the replacement of the east planter box with the refurbished war memorial, and to the west with the addition of a disable access ramp. The eastern side of the building contains the kitchen and servery facilities, and there is a small, enclosed extension, while on the western side the building is attached to a larger wooden building of matching architectural style which functions as the offices of the Nebo branch of the Isaac Regional Council.

Internally, the hall is lined with flat sheeting (either fibrous cement, masonite or plywood) and has a dark varnished timber wainscot. The floors is polished hardwood.

The Hall contains honour boards and portrait images of individuals. The Hall also contains an honour board of the Nebo branch of the Queensland Country Women's Association, and supports the Nebo War Memorial, which is located outside at the entrance, and a dedication plaque, which is on the wall at the entrance.

The silky oak timber WWI honour board lists 36 names of individuals from the Nebo District who fought and in 7 cases, died during the Great War. The Board is a replacement for the original board that also hangs in the space.

There is a second timber honour board dedicated to individuals from the Nebo District who served during the Second World War. The Board displays 62 names, including 8 female service personnel.

The stone external memorial has a black metal plaque inserted on the front and forms a composite memorial space following renovation and refurbishment. The original elements of the memorial were retained and a sandstone dedication support plinth and bronze relief depicts representatives of the four Australian Armed Services were added. These elements are surrounded by stainless steel bollards and chain, and two flagpoles.

Within the grounds there is also a masonry stelae with metal plaque erected by the Nebo Shire Council in 1957 in honour of early explorer, William Landsborough.

## INTEGRITY AND CONDITION

Integrity – good. Condition – good.

# SIGNIFICANCE

The place is important in demonstrating the evolution or pattern of the Isaac region's history.	The Nebo Memorial Hall, opened in 1956, is important in demonstrating the wartime service of the people of the district, and impact of conflict on a small community, during both the First and Second World Wars. It also reflects a pattern of Queensland's history by representing a recurrent theme of war service commemoration that involved most communities throughout the state. It provides evidence of an era of widespread Australian patriotism and nationalism. As a major piece of infrastructure for the Nebo District, the hall reflects the post-war reconstruction effort that took place in communities across the nation.
B. the place demonstrates rare, uncommon or endangered aspects of Isaac region's cultural heritage	Not applicable.
C. The place has potential to yield important information about a particular class of cultural place	Not applicable.
D. The place is important in demonstrating the principal characteristics of a particular class of cultural places	The Nebo Memorial Hall demonstrates the principal characteristics of a commemorative structure erected as an enduring record of a major historical event through the use of various elements such as plaques and honour boards. It is also typical of many country halls in its open, multifunctional spatial layout and simple wooden construction.
E. The place is important because of its aesthetic significance to the local area.	With its simple lines and details, the Nebo Memorial Hall has aesthetic significance as an example of modernist architecture of the early post-war period.
F. The place is important in demonstrating a high degree of creative or technical achievement at a particular period in the Isaac Shire.	Not applicable.

G. The place has a As a memorial structure, the Nebo Memorial Hall has a strong and strong or special continuing association with the local community as evidence of the association with a impact of two major wars and as the focal point for the ongoing particular remembrance of these and other conflicts. community or The Nebo Memorial Hall also has a strong association with the local cultural group in community due to its past and ongoing use for a wide range of the local region for community social events such as film screenings, dances and fetes. social, cultural or spiritual reasons. H. The place has a Not applicable. special association with the life or work of a particular person, group or organisation of importance in the local region's history.

#### IMAGES



Nebo Memorial Hall c. 1961



Nebo Memorial Hall and adjoining offices, 2018



Rear of Nebo Memorial Hall, 2018



Interior view of hall looking to the stage, 2018



WWII honour board, 2018

#### REFERENCES

BUILDING OF NEBO HALL DELAYED (1946, November 29). Daily Mercury (Mackay, Qld, 1906 - 1954), p. 2. Retrieved February 22, 2018, from http://nla.gov.au/nla.news-article171346270

MEMORIAL HALL APPEAL (1946, August 7). Daily Mercury (Mackay, Qld, 1906 - 1954), p. 2. Retrieved February 22, 2018, from http://nla.gov.au/nla.news-article171150817

Nebo Shire. http://queenslandplaces.com.au/nebo-shire

Nebo Memorial Hall. https://www.qldwarmemorials.com.au/memorial/?id=913

Nebo War Memorial https://www.qldwarmemorials.com.au/memorial/?id=916

Nebo Shire 1914 - 1918 Honour Board https://www.qldwarmemorials.com.au/memorial/?id=914

Nebo Shire 1939 - 1945 Honour Board https://www.qldwarmemorials.com.au/memorial/?id=915

NEBO (1945, December 8). Daily Mercury (Mackay, Qld, 1906 - 1954), p. 5. Retrieved February 22, 2018, from http://nla.gov.au/nla.news-article170628131

NEBO (1946, December 12). *Daily Mercury (Mackay, Qld, 1906 - 1954)*, p. 9. Retrieved February 22, 2018, from <u>http://nla.gov.au/nla.news-article171345197</u>

NEBO SHIRE COUNCIL (1943, July 15). *Daily Mercury (Mackay, Qld, 1906 - 1954)*, p. 4. Retrieved February 22, 2018, from http://nla.gov.au/nla.news-article170770696

NEBO SHIRE COUNCIL (1944, February 4). *Daily Mercury (Mackay, Qld, 1906 - 1954)*, p. 6. Retrieved February 22, 2018, from http://nla.gov.au/nla.news-article170864986

NEBO COUNCIL ADOPTS LOAN PLANS (1947, March 11). *Daily Mercury (Mackay, Qld, 1906 - 1954)*, p. 6. Retrieved February 22, 2018, from http://nla.gov.au/nla.news-article170966328

QHR entry 601152 St Lawrence Police Station and former Courthouse and Cell Block

Queensland State Archives:

Item ID 269352 Correspondence – Nebo Memorial Hall Item ID 269353 Nebo Memorial Hall Committee – accounts Item ID 269354 Nebo Memorial Hall Committee – accounts Item ID 269368 Minutes – Nebo Memorial Hall Committee

War Memorials. https://www.awm.gov.au/articles/encyclopedia/war-memorials

#### PLACE NAME

#### ST LAWRENCE ISAAC REGIONAL COUNCIL ADMINISTRATION OFFICE

#### IMAGE



#### LOCAL HERITAGE REGISTER ID

OTHER NAMES	St Lawrence Custom House and Land Office Broadsound Shire Office		
ADDRESS / LOCATION	36 Macartney Street, ST LAWRENCE QLD 4707		
LOT/PLAN	Lot 5 on STL7824		
GPS COORDINATE	149.5364E, 22.3458S		
PLACE TYPE	Building		
PLACE COMPONENTS	Building		
YEAR CONSTRUCTED / PERIOD	1879. Extensions - 1970s-1984		
THEMES	<ul> <li>6. Building settlements, towns, cities and dwellings</li> <li>6.1 establishing settlements</li> <li>7. Maintaining order</li> <li>7.3 customs and quarantine services</li> <li>7.4 local government</li> </ul>		
OTHER LISTINGS	None		

#### **HISTORICAL CONTEXT**

The St Lawrence Isaac Regional Council Administration Office was originally built in 1879 as the St Lawrence Custom House and Land Office.

Pastoralist, James Macartnay, established Waverley pastoral station west of St Lawrence in about 1859-60. McCartney took up land at the head of Broadsound and Waverley and used the banks of the St Lawrence Creek to land his supplies. Later that year a boiling down works for tallow was established. In 1861 the Rockhampton Port Master recommended the site for a port to serve as an access route to the gold and copper mines at Clermont and Peak Downs, and government buildings were soon constructed. These included a Telegraph Office (1864), school (1871), a wharf and a pilot station. There were also two to three hotels. Apart from serving the mining industry, the town was also a hub for pastoralism, with an estimated 100,000 sheep and 40,000 cattle in the district.

In 1879 local government was established with the formation of the Broadsound Divisional Board, with James Macartnay as its first chair and St Lawrence as its centre. This was in

response to the introduction of Queensland's *Divisional Boards Act 1879* (43 Vic No. 17), which provided for local government in regional areas outside municipalities with the formation of 74 divisions, each with an elected board responsible for a range of services within its area. From 1903, under the *Local Authorities Act* (2 Edw. VII, No. 19), all divisions were replaced by shires with shires, which brought them under the same legislation as that which governed the municipalities.

Trade through the port peaked in 1871, but the closing of the Peak Downs copper mine in 1879 had a significant impact on the town's prosperity, and from 1882 St Lawrence was overshadowed by Rockhampton, which became the railhead for the inland rail network of central Queensland. St Lawrence was not connected to a railway network until the completion of the Rockhampton to Sarina section of the coastal railway in 1921. It functioned primarily as a local centre and seat of the Broadsound Shire, as well as a refreshment stop for the coastal rail when that was established. Although an Anglican church was opened in 1898, other denominations met in the court house or private houses, and did not erect their own buildings until the 1960s. Electricity was introduced in the 1920s, and connection to the regional grid did not happen until the mid-1960s.

Farming and grazing continued to play an important role in the district, with extensive parts of the coastal area being cleared for sugarcane and tobacco, but since the 1970s the region's economy and population has increasingly shifted to coal mining and inland dormitory towns serving that industry. Subsequently St Lawrence's population has declined. In 2008, the Broadsound Shire was amalgamated with Belyando and Nebo shires to form Isaac Regional Council with Moranbah as the administrative centre of the new region. The former Broadsound Shire offices at 36 Macartney Street are still used as the local offices of the Isaac Regional Council.

The St Lawrence Isaac Regional Council Administration Office was originally built in 1879 as the Custom House and Land Office. This replaced an earlier custom house which blew down during a cyclone in 1874. It was located on a government reserve of four acres which had been set aside in 1863 to the south of the St Lawrence Creek. This reserve was titled 'Custom House' but also came to accommodate the police station and court house.

This second custom house was constructed as a rectangular, single storey, wooden building of three rooms with side and front verandahs and a projecting front portico featuring arches and prominent circular vents in the gable. The earliest plans, which date from 1885, show a central room, divided by a counter into a front reception area and a rear public office, flanked to the right by the Custom Office, and to the left by the Land Office. As the volume of imports and exports passing through the town decreased after 1879, the need for a custom house declined. The Customs department vacated the building in 1902 and in 1909 it was sold to the Broadsound Shire Council to become the shire office. Up until then the council had been meeting in the court house.

An undated but early 20<sup>th</sup> century photograph indicates that the verandahs, except for the main entry, were enclosed with weatherboards to create additional space. In the early 1970s the building was altered and enlarged with the construction of two gable-ended side wings. These were set at right angles to the original building, and although entailed the removal of the side verandahs, were sympathetic in style and maintained the building's symmetry. In 1984 the office was significantly enlarged with the construction of a separate, brick building at the rear. Presumably around this time the old building was externally clad in imitation weatherboards.

Internally the original building has undergone various phases in response to changing uses and modernisations, including removal of some original doorways and introduction of new ones, but retains its basic three-room floor plan, although the right-hand, former Customs office has been partially subdivided. The central room is still arranged as a public reception area with dividing bench.

#### PHYSICAL DESCRIPTION

The historic section of the St Lawrence Isaac Regional Council Administration Office is a singlestorey, wood-framed building set on low concrete stumps with a pitched iron roof (now replaced by modern Colorbond). It has a central, pedimented porch with three arched bays separated by square wooden posts and with spandrels of vertical boards. The triangular pediment is filled by weatherboards and has a large circular vent (originally there was also some decorative moulding which has been removed). The porch is surrounded by modern wooden balustrading, and originally the wooden pillars had stop chamfers with wooden capitals. The central door is flanked by two vertically sliding sash widows. On either side of the entry porch are two verandahs with stepped roofs. These spaces are now enclosed with modern sliding metal framed windows and imitation weatherboards. Two side verandahs have been replaced by symmetrically arranged, gable-ended wings built c. 1970s.

#### INTEGRITY AND CONDITION


Integrity - Fair. Condition - good.

#### SIGNIFICANCE

The place is important in demonstrating the evolution or pattern of the Isaac region's history.	The St Lawrence Isaac Regional Council Administration Office, originally constructed in 1879 as the St Lawrence Custom House and Land Office, demonstrates the former importance of the town as the port serving the major gold and copper mines developed at Copperfield and Clermont. From 1909 the building served as the seat of local government, first the Broadsound Shire Council, and then from 2008, the Isaac Regional Council, and early extensions during that period reflect its role in providing local government services.
B. the place demonstrates rare, uncommon or endangered aspects of Isaac region's cultural heritage	Few early timber government buildings are represented in Isaac Shire, and the St Lawrence Isaac Regional Council Administration Office, along with the St Lawrence police station and courthouse building (1878-1880), is significant for its rarity. It is also as one of the earliest, relatively intact examples of this type of small, purpose-built customs house in Queensland.
C. The place has potential to yield important information about a particular class of cultural place	N/A
D. The place is important in demonstrating the principal characteristics of a particular class of cultural places	The St Lawrence Isaac Regional Council Administration Office, although altered over time, retains significance as an example of the simple timber public buildings built by the Queensland Government at regional centres in the 19 <sup>th</sup> century, and of an early customs house. The original building remains legible within the extended structure and retains its basic three-room floor plan of central public office with flanking offices for the Customs and Lands departments.
E. The place is important because of its aesthetic significance to the local area.	The St Lawrence Isaac Regional Council Administration Office, although altered over time, has aesthetic significance as an early timber and iron building with ornamental entry porch. The building provides a significant contribution to the townscape.
F. The place is important in demonstrating a high degree of creative or technical achievement at a particular period in the local region.	N/A

G. The place has a strong or special association with a particular community or cultural group in the local region for social, cultural or spiritual reasons.	The building has social significance as a centre of civic administration which has been open for public purposes since 1879.
H. The place has a special association with the life or work of a particular person, group or organisation of importance in the local region's history.	N/A

#### IMAGES



#### REFERENCES

Broadsound Shire. http://queenslandplaces.com.au/broadsound-shire

Opening of the Broadsound Shire Office. <u>http://monumentaustralia.org.au/australian\_monument/display/104190</u>

QHR entry 601152 St Lawrence Police Station and former Courthouse and Cell Block

Queensland State Archives, Digital Image ID 20945

St Lawrence. http://queenslandplaces.com.au/st-lawrence

THE CYCLONE AT ST. LAWRENCE. (1874, January 27). Northern Argus (Rockhampton, Qld, 1865 - 1874), p. 3. Retrieved February 22, 2018, from <u>http://nla.gov.au/nla.news-article214287505</u>

Money Voted for Roads, Bridges, Works. (1878, September 7). The Queenslander (Brisbane, Qld, 1866 - 1939), p. 728. Retrieved February 22, 2018, from <u>http://nla.gov.au/nla.news-article19776050</u>

# Schedule 6 Designation of premises for development

Table SC6.1 – Designation of premises for development of infrastructure under section 42 of the Act

Date the designation, amendment, extension or repeal takes effect	Location of premises (real property description)	Street address	Type of infrastructure
18/01/2008	Lot 105 on SP235910; Lot 4 on SP256594; Lot 5 on SP256594; Lot 104 on SP256593; Lot 6 on SP256594 Lot 9 on SP256594; Lot 103 on SP256594; Lot 12 on SP256590; Lot 6 on SP256590; Lot 9 on SP256590; Lot 10 on SP235907; Lot 102 on SP235907; Lot 101 on SP235906; Lot 11 on SP235905.	Byerwen Station, Collinsville-Nebo Road, Newlands	(m) railway lines, stations and associated facilities; (o) transport infrastructure mentioned in schedule 10, definition development infrastructure; (r) storage and works depots and the like including administrative facilities associated with the provision or maintenance of the community infrastructure mentioned in paragraphs (m) and (o) above.
05/10/2007	Lot 2 on SP203795	38 Sirius Street, Clermont	(g) emergency services facilities
03/11/2006	Lot 10 on SP220902	18-20 Music Street, Carmila	(g) emergency services facilities
23/12/2016	Lot 191 on C9528	1/24 Francis Street, Clermont	<ul> <li>(1) aged-care facilities; (7)</li> <li>emergency services facilities; (9)</li> <li>hospitals and associated</li> <li>institutions; (16) any other facility</li> <li>not mentioned in this part that is</li> <li>intended primarily to</li> <li>accommodate government</li> <li>functions</li> </ul>
02/09/2011	Lot 23 on C957	31 Sirius Street, Clermont	<ul> <li>(7) emergency services facilities;</li> <li>(15) storage and work depots,</li> <li>inc. admin facilities assoc. with</li> <li>provision or maint. of the CID in</li> <li>this part</li> </ul>
17/02/2012	Lot 72 on D111226	27 Queen Elizabeth Drive, Dysart	<ul> <li>(7) emergency services facilities;</li> <li>(15) storage and works depots,</li> <li>inc. admin facilities assoc. with</li> <li>provision or maint. of the CID in</li> <li>this part</li> </ul>
21/12/2001	Part of Lot 2 on RP801346 Part of Lot 1 on RP801235	353 Manly Access Road, Clarke Creek Marlborough Road, Mount	(k) operating works under the <i>Electricity Act 1994</i>

Date the designation, amendment, extension or repeal takes effect	Location of premises (real property description)	Street address	Type of infrastructure
		Gardiner	
07/12/2001	Part of Lot 5270 on SP144274 Part of Lot 2 on SP144274 Part of Lot 1 on SP144274 Part of Lot 4 on SP144274	13540-13778 Pak Downs Highway, Coppabella Lot 2 Peak Downs Highway, Nebo Lot 1 Peak Downs Highway, Coppabella 14476 Peak Downs Highway, Oxford & Fitzroy Developmental Road, Oxford	(c) communication network facilities; (k) operating works under the <i>Electricity Act 1994</i> ; (m) railway lines, stations and associated facilities; (n) state- controlled roads; (p) water management infrastructure; and (r) storage and works depots and the like including administrational facilities associated with the provision or maintenance of the community infrastructure mentioned in paragraphs (a) to (q)
22/11/2013	Lot 2 on SP221655 Part of Lot 3 on SP221655 Part of Lot 1 on SP187962 Part of Lot 2 on SP214498 Part of Lot 25 on SP130068 Lot 6 on RP845780 Part of Lot 3 on RP866478Part of Lot 20 on KL168 Part of Lot 5270 on SP144274 Part of Lot 5270 on SP144274 Part of Lot 4 on SP144274 Part of Lot 36 on KL811178 Part of Lot 91 on SP315848 Part of Lot 91 on SP130061 Part of Lot 90 on SP315848 Part of Lot 90 on SP315848 Part of Lot 90 on WHS138 Part of Lot 94 on WHS842268 Part of Lot 92 on W404 Part of Lot 90 on W403 Part of Lot 90 on	Peak Downs Highway, Coppabella	(11) operating works under the <i>Electricity Act 1994</i>

Date the designation, amendment, extension or repeal takes effect	Location of premises (real property description)	Street address	Type of infrastructure
	WHS18		
	Part of Lot 59 on WHS9		
	Part of Lot 60 on WHS326		
	Part of Lot 3 on SP185775		
	Part of Lot 20 on WHS462		
26/05/2008	Part of Lot 3 on SP185775	Oxford Downs Sarina Road,	(k) operating works under the <i>Electricity Act 1994</i>
	Part of Lot 60 on WHS326	Nebo	
	Part of Lot 74 on WHS436		
	Part of Lot 67 on WHS436		
	Part of Lot 63 on WHS19		
	Part of Lot 66 on WHS514		
	Part of Lot 5 on WHS47		
	Part of Lot 4 on WHS33		
	Part of Lot 22 on SP230945		
	Part of Lot 5 on WHS543		
	Part of Lot 3 on SP218590		
	Part of Lot 5 on SP218590		
	Part of Lot 4 on SP218590		
	Part of Lot 1 on SP218590		
05/04/2007	Part of Lot 20 on WHS462	Sutter Developmental	(k) operating works under the <i>Electricity Act 1994</i>
	Part of Lot 6 on RP612459	Road, Nebo	
	Part of Lot 3 on RP612459		
	Part of Lot 1 on RP612459		
	Part of Lot 5 on RP612459		
	Part of Lot 2 on RP616602		

Date the designation, amendment, extension	Location of premises (real property description)	Street address	Type of infrastructure
or repeal takes effect			
	Part of Lot 3 on		
	RP616609 Part of Lot 4 on		
	RP616609		
	Part of Lot 8 on WHS335		
	Part of Lot 14 on WHS102		
	Part of Lot 1 on W4030		
	Part of Lot 13 on WHS102		
	Part of Lot 7 on W4035		
	Part of Lot 5 on WHS314		
	Part of Lot 28 on WHS268		
	Part of Lot 27 on WHS226		
	Part of Lot 16 on WHS432		
	Part of Lot 17 on WHS324		
	Part of Lot 1 on AP23633		
	Part of Lot 13 on WHS466		
	Part of Lot 4 on HLN225		
	Part of Lot 3 on HLN29		
	Part of Lot 2 on SP104779		
	Part of Lot 3357 on SP104779		
12/01/2007	Part of Lot 3 on SP185775	Marlborough Road, Mount	(k) operating works under the <i>Electricity Act 1994</i>
	Part of Lot 60 on WHS326	Gardiner	
	Part of Lot 74 on WHS436		
	Part of Lot 67 on WHS436		
	Part of Lot 63 on WHS19		
	Part of Lot 49 on WHS14		
	Part of Lot 66 on		

Date the designation,	Location of premises (real property	Street address	Type of infrastructure
amendment, extension	description)		
or repeal takes effect			
takes effect	WHS514		
	Part of Lot 5 on WHS47		
	Part of Lot 4 on WHS33		
	Part of Lot 22 on SP230945		
	Part of Lot 5 on WHS543		
	Part of Lot 6 on WHS380		
	Part of Lot 1 on WHS31		
	Part of Lot 10 on WHS31		
	Part of Lot 3 on WHS21		
	Part of Lot 1 on WHS15		
	Part of Lot 2 on WHS441		
	Part of Lot 10 on KL175		
	Part of Lot 9 on SP191645		
	Part of Lot 8 on SP168491		
	Part of Lot 4 on SP249545		
	Part of Lot 6 on KL189		
	Part of Lot 4 on KL210		
	Part of Lot 8 on RP614441		
	Part of Lot 10 on RP614442		
	Part of Lot 1 on SP153335		
	Part of Lot 2 on SP153335		
	Part of Lot 8 on ROP41		
	Part of Lot 18 on RP848821		
	Part of Lot 1 on RP801235		
12/09/2003	Part of Lot 4 on TT269	Marlborough	(k) operating works under the
	Part of Lot 2 on SP181790	Sarina Road, Clarke Creek	Electricity Act 1994
	Part of Lot 4 on		

Date the designation,	Location of premises (real property	Street address	Type of infrastructure
amendment, extension	description)		
or repeal takes effect			
	SP184275		
	Part of Lot 3 on SP134334		
	Part of Lot 3 on TT299		
	Part of Lot 8 on ROP172		
	Part of Lot 15 on ROP172		
	Part of Lot 3 on ROP83		
	Part of Lot 6 on SP161856		
	Part of Lot 8 on ROP158		
	Part of Lot 5 on ROP157		
	Part of Lot 2 on ROP80		
	Part of Lot 2 on RP801346		
	Part of Lot 1 on RP801235		
23/12/2011	Part of Lot 8 on	831 Peak Downs	(k) operating works under the
20/12/2011	SP277384 Part of Lot 7 on	Mine Road, Winchester	Electricity Act 1994
	SP244492		
	Part of Lot 1 on SP277384		
26/10/2012	Part of Lot 2 on CP908463	2391 Craven Road, Quetta	(11) operating works under the <i>Electricity Act 1994</i>
	Part of Lot 3 on BE162	6537 Clermont	
	Part of Lot 7 on K103570	Alpha Road, Clermont	
	Part of Lot 12 on RU43	1466 Wynyard Road, Clermont	
	Part of Lot 11 on RU44	5077 Peakvale Road, Peak Vale	
	Part of Lot 1 on SP208197		
22/01/2007	Part of Lot 3 on CP911006	Lyra Park Road, Mackenzie River	(m) operating works under the <i>Electricity Act 1994</i>
	Part of Lot 1 on SP165518	1681 Red Rock Road, Mackenzie	
	Part of Lot 2 on SP127281	River 1328, 2365 &	
	Part of Lot 4 on SP171144	2480 Rileys Crossing Road,	

Date the designation, amendment, extension or repeal takes effect	Location of premises (real property description)	Street address	Type of infrastructure
	Part of Lot 11 on SP197246	Mackenzie River	
24/03/2006	Part of Lot 90 on SP315848 Part of Lot 5 on WHS138 Part of Lot 94 on WHS842268 Part of Lot 92 on W404 Part of Lot 92 on W403 Part of Lot 60 on WHS18 Part of Lot 59 on WHS9 Part of Lot 59 on WHS9 Part of Lot 60 on WHS326 Part of Lot 3 on SP185775 Part of Lot 20 on WHS462	Peak Downs Highway, Strathfield Suttor Developmental Road, Nebo	(k) operating works under the Electricity Act 1994
17/11/2006	Part of Lot 100 on FTY1691 Part of Lot 93 on FTY1319 Part of Lot 11 on SP247900 Part of Lot 4 on WHS23 Part of Lot 3 on WHS382 Part of Lot 6 on WHS23 Part of Lot 7 on WHS381 Part of Lot 7 1 on WHS375	Peak Downs Highway, Epsom 22054 Peak Downs Highway, Nebo 22178 Peak Downs Highway, Blue Mountain	(k) operating works under the <i>Electricity Act 1994</i>
10/06/2011	Lot 172 on SP237593	2143 Red Hill Road, Moranbah	(11) operating works under the Electricity Act 1994
06/09/2018	Lot 12 on SP301946	2 Appleton Street, Moranbah	Planning Regulation 2017, Schedule 5, Part 2: Item 3: communities and cultural facilities, including community centres, galleries, libraries and meeting halls
25/11/2016	Lot 1 on M97326	142 Mills Avenue, Moranbah	<ul> <li>(1) aged-care facilities;</li> <li>(7)</li> <li>emergency services facilities;</li> <li>(9)</li> <li>hospitals and associated</li> </ul>

Date the designation, amendment, extension or repeal takes effect	Location of premises (real property description)	Street address	Type of infrastructure
			institutions; (16) any other facility not mentioned in this part that is to accommodate government functions
11/03/2022	Lot 1 on SP197308	4 Williams Street, Moranbah	Queensland Education and Care approved service under the Education and Care Services Act 2013 is operated
18/08/2023	Lot 13 on GV288	165-185 Mills Avenue, Moranbah	Planning Regulation 2017, Schedule 5, Part 2: Item 6: educational facilities

# Appendix 1 Index and glossary of abbreviations and acronyms

Abbreviation/ acronym	Description	
GFA	Gross floor area	
MCU	Material change of use as defined in the Act	
RoL	Reconfiguring a lot as defined in the Act	
PSP	Planning Scheme Policy	
the Act	Planning Act 2016	
the Regulation	Planning Regulation 2017	
the SP Act	Sustainable Planning Act 2009 (repealed)	
the SP Regulation	Sustainable Planning Regulation 2009 (repealed)	

# Table AP1.1—Abbreviations and acronyms

# Appendix 2 Table of amendments

Date of adoption and effective date	Planning scheme version number	Amendment type	Summary of amendments
Adopted: 28/05/24 Effective: 01/07/24	Version 1.1	Administrative	<ul> <li>Administrative amendments to: <ul> <li>a) correct spelling and drafting errors throughout the scheme;</li> <li>b) update version numbers and page numbers throughout the scheme;</li> <li>c) reflect the Planning (State Development Assessment Provisions) Amendment Regulation 2022 and the Planning (Secondary Dwellings) Amendment Regulation 2022;</li> <li>d) update map errors on the Coastal hazard overlay maps;</li> <li>e) update defined administrative terms on the Strategic Framework maps; and</li> <li>f) include a new schedule for designation of premises for development.</li> </ul> </li> </ul>

# Table AP2.1—Table of amendments